


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Legacy messages page feature	1 m 41.089 s	1	0	1	0	18	14	1	3

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration	
1	Legacy messages page feature	1	0	1	0	1 m 41.089 s	


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Legacy messages page feature	Login with valid credentials	18	14	1	3	1 m 41.083 s

DETAILED SECTION -- 5 --

Legacy messages page feature



Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	10.300 s
	usernamepasswordashokmarch12@yopmail.comPassword@123		
2	Given the user is on the Legacy Messages page	PASSED	6.610 s
3	When the user extracts OTP from smstome	PASSED	11.331 s
4	When the user clicks on Create your first message	PASSED	5.035 s
5	When the user clicks on Next button	PASSED	3.312 s
6	When the user clicks on otherindividuals	PASSED	2.881 s
7	When these user clicks on Next button	PASSED	4.228 s
8	Then user clicks on 3 dots option	PASSED	4.015 s
9	And user edits the title	PASSED	2.087 s
10	And user adds the family member in legacy	PASSED	0.001 s
11	Then user adds the other individuals	PASSED	5.360 s
12	When user navigates to the yopmail	PASSED	4.929 s
13	Then user enters the email in yopmail	PASSED	5.089 s

DETAILED SECTION -- 6 --

15 The org '9b fire 'htt	nd user clicks on the enter nen user clicks on shared link g.openqa.selenium.WebDriverException: TypeError: browsingContext.currentWindowGlobal is null Build info: version: '4.16.1', revision: 04c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.efox.FirefoxDriver Command: [685d26d3-b957-4e5e-a989-20601c5f1b9a, findElement {using=xpath, value=//a[contains(text(),	PASSED FAILED	21.345 s 8.044 s
org '9b fire 'htt fal: mc mc	g.openqa.selenium.WebDriverException: TypeError: browsingContext.currentWindowGlobal is null Build info: version: '4.16.1', revision: 04c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.	FAILED	8.044 s
'9b fire 'htt fal: mo mo ws	04c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.		
Le	tps://familycentral.com/jjj] Capabilities {acceptinsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: isse, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:3092, moz:geckodriverVersion: 0.34.0, moz:headless: false, oz:platformVersion: 10.0, moz:processiD: 10012, moz:profile: C:UsersNashokNapDatalLoca, moz:shutdownTimeout: 60000, oz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy. Proxy(), sec.dpt: 5:1727.0.0.1:30920/devtool, sec.dpt/esrion: 85.0, set.WindowRect: true, striceTiellenteractability: false, timeouts: (implicit: 0, pageLoad: 10000, script: 30000), unhandledPromptBehavior: dismiss and notify} Session ID: 685d26d3-b957-4e5e-a989-20601c5f1b9a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.evence.eve		
	nd user enters the otp	SKIPPED	0.004 s
	nd again navigates to the family central	SKIPPED	0.004 s
	nen user deletes the legacy video	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.017 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: TypeError: browsingContext.currentWindowGlobal is null Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [685d263-b957-4e5e-a989-20601c5f1b9a, screenshot [J Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:3092, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10012, moz:profile: C:\Users\Ashok\AppData\Loca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowess: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:3092/devtool, se:cdp\version: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 685d26d3-b957-4e5e-a989-20601c5f1b9a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:20) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium	-	
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)		
	at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)		