

Cucumber Report

12-Apr-2024, 10:31:25 am

Start : Apr 12, 10:30:20.702 am

End : Apr 12, 10:31:24.313 am

Duration : 1 m 3.611 s

Features







PASSED - 0
FAILED - 4
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 15
SKIPPED - 0


Steps

PASSED - 23
FAILED - 15
SKIPPED - 59




Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<i>Files Add Custom Folder and Uploading Files in it</i>		37.625 s		7	0	7	0	64	22	7	35
<i>PersonalVault General Legal Information of Uploading Different file types</i>		25.841 s		6	0	6	0	28	1	6	21
<i>Google Search Page Title</i>		0.004 s		1	0	1	0	2	0	1	1
<i>Google Search</i>		0.003 s		1	0	1	0	3	0	1	2

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@pdf		1	0	1	0	1	0	1	0
@feature		13	0	13	0	2	0	2	0
@docx		1	0	1	0	1	0	1	0
@txt		1	0	1	0	1	0	1	0
@xlsx		1	0	1	0	1	0	1	0
@png		1	0	1	0	1	0	1	0
@jpg		1	0	1	0	1	0	1	0
@mp4		1	0	1	0	1	0	1	0
@tag0		1	0	1	0	1	0	1	0
@tag1		1	0	1	0	1	0	1	0
@tag2		1	0	1	0	1	0	1	0
@tag3		1	0	1	0	1	0	1	0
@tag4		1	0	1	0	1	0	1	0
@tag5		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Files Add Custom Folder and Uploading Files in it</u>	7	0	7	0	37.625 s
2	<u>PersonalVault General Legal Information of Uploading Different file types</u>	6	0	6	0	25.841 s
3	<u>Google Search Page Title</u>	1	0	1	0	0.004 s
4	<u>Google Search</u>	1	0	1	0	0.003 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload PDF Files of Small, Medium and Large init</u>	10	8	1	1	28.068 s
2	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init</u>	9	0	1	8	0.454 s
3	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload TXT Files of Small, Medium and Large init</u>	9	7	1	1	3.891 s
4	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init</u>	9	0	1	8	0.357 s
5	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload PNG Files of Small, Medium and Large init</u>	9	0	1	8	0.375 s
6	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload JPG Files of Small, Medium and Large init</u>	9	7	1	1	3.664 s
7	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init</u>	9	0	1	8	0.391 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload PNG file upload</u>	7	0	1	6	24.817 s
9	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload PDF file upload</u>	4	1	1	2	0.384 s
10	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload JPG file upload</u>	4	0	1	3	0.182 s
11	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload XLSX file upload</u>	4	0	1	3	0.121 s
12	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload JPEG file upload</u>	4	0	1	3	0.114 s
13	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload TXT file upload</u>	5	0	1	4	0.106 s
14	<u>Google Search Page Title</u>	<u>Verify Google Page Title</u>	2	0	1	1	0.004 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
15	<u>Google Search</u>	<u>Verify Google Title in Chrome</u>	3	0	1	2	0.002 s


Files Add Custom Folder and Uploading Files in it




Add a Custom Folder and Upload PDF Files of Small, Medium and Large init




#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application username password ashokmarch12@yopmail.com Password@123	PASSED	11.882 s
2	Given the User clicks on Family Access Files	PASSED	9.114 s
3	When the User clicks on Add Folder	PASSED	0.361 s
4	And the User enters the folder name into Folder name field	PASSED	0.126 s
5	And the User clicks on the Add button	PASSED	0.600 s
6	Then the User should see a success popup with the message "added successfully"	PASSED	1.601 s
7	And the User clicks on close user guide	PASSED	0.262 s
8	And the User verifies the added custom folder	PASSED	0.624 s
9	And the User clicks and opens the folder org.openqa.selenium.ElementNotInteractableException: Element <p class="mb-0 file_length"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=531884ab-fcbe- 4a27-b5d9-44f32d6dce1d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false,	FAILED	0.037 s

#	Step / Hook Details	Status	Duration
	<pre>moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639)] -> xpath: //p[@class='mb-0 file_length' and text()='XIS9oa_Ashok']] Session ID: c997755d-b662-4316-baab-9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnAddedFolder(AddCustomFolder.java:108) at parallel.AddCustomFolderSteps.the_user_clicks_and_opens_the_folder(AddCustomFolderSteps.java:84) at ?.the User clicks and opens the folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_.feature:18) * Not displayable characters are replaced by '?'.</pre>		
10	And User uploads PDF file into the that specific folder	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>_A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_P_D_F_F_i_l_e_s_o_f_S_m_a_ll_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</p> 	PASSED	0.094 s


Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init




#	Step / Hook Details	Status	Duration
1	<p>Given the User clicks on Family Access Files</p> <pre>org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=e3ac3c1a-3c68-4f60-a08c-06bfa1a7aee9}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639) -> xpath: //a[text()='Files']] Session ID: c997755d-b662-4316-baab-9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57) at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38) at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:24)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.364 s
2	When the User clicks on Add Folder	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
4	And the User clicks on the Add button	SKIPPED	0.001 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.001 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.001 s
8	And the User clicks and opens the folder	SKIPPED	0.002 s
9	And User uploads DOCX file into the that specific folder	SKIPPED	0.000 s
AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)		PASSED	0.078 s
<u>A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_D_O_C_X_F_i_l_e_s_o_f_S_m_a_l_l_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</u>			
			


Add a Custom Folder and Upload TXT Files of Small, Medium and Large init



#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	PASSED	0.628 s
2	When the User clicks on Add Folder	PASSED	0.382 s
3	And the User enters the folder name into Folder name field	PASSED	0.104 s
4	And the User clicks on the Add button	PASSED	0.284 s
5	Then the User should see a success popup with the message "added successfully"	PASSED	1.571 s
6	And the User clicks on close user guide	PASSED	0.259 s
7	And the User verifies the added custom folder	PASSED	0.557 s

#	Step / Hook Details	Status	Duration
8	<p>And the User clicks and opens the folder</p> <pre>org.openqa.selenium.ElementNotInteractableException: Element <p class="mb-0 file_length"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=f6329d8e-791c-46db-b693-f46332986b4e}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639)] -> xpath: //p[@class='mb-0 file_length' and text()='yVvd9m7Tn_Ashok']] Session ID: c997755d-b662-4316-baab-9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnAddedFolder(AddCustomFolder.java:108) at parallel.AddCustomFolderSteps.the_user_clicks_andOpens_the_folder(AddCustomFolderSteps.java:84) at ?.the User clicks and opens the folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:44) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.031 s
9	And User uploads TXT file into the that specific folder	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>_A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_T_X_T_F_i_l_e_s_o_f_S_m_a_ll_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</p> 	PASSED	0.068 s


Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init



#	Step / Hook Details	Status	Duration
1	<p>Given the User clicks on Family Access Files</p> <pre>org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=e3ac3c1a-3c68-4f60-a08c-06bfa1a7aee9}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639)] -> xpath: //a[text()='Files']] Session ID: c997755d-b662-4316-baab-9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57) at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38) at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:50)</pre>	FAILED	0.286 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When the User clicks on Add Folder	SKIPPED	0.000 s
3	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.001 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.000 s
8	And the User clicks and opens the folder	SKIPPED	0.000 s
9	And User uploads XLSX file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.061 s
	_A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_X_L_S_X_F_i_l_e_s_o_f_S_m_a_ll_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t		
			

Add a Custom Folder and Upload PNG Files of Small, Medium and Large init




#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=e3ac3c1a-3c68-4f60-a08c-06bfa1a7aee9}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000,	FAILED	0.290 s

#	Step / Hook Details	Status	Duration
	<pre> moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639)] -> xpath: //a[text()='Files']] Session ID: c997755d-b662-4316-baab-9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57) at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38) at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:63) * Not displayable characters are replaced by '?'. </pre>		
2	When the User clicks on Add Folder	SKIPPED	0.000 s
3	And the User enters the folder name into Folder name field	SKIPPED	0.001 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.000 s
8	And the User clicks and opens the folder	SKIPPED	0.000 s
9	And User uploads PNG file into the that specific folder	SKIPPED	0.000 s
AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)		PASSED	0.077 s
<u>A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_P_N_G_F_i_l_e_s_o_f_S_m_a_ll_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</u>			

#	Step / Hook Details	Status	Duration
			


Add a Custom Folder and Upload JPG Files of Small, Medium and Large init




#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	PASSED	0.516 s
2	When the User clicks on Add Folder	PASSED	0.251 s
3	And the User enters the folder name into Folder name field	PASSED	0.096 s
4	And the User clicks on the Add button	PASSED	0.265 s
5	Then the User should see a success popup with the message "added successfully"	PASSED	1.598 s
6	And the User clicks on close user guide	PASSED	0.255 s
7	And the User verifies the added custom folder	PASSED	0.583 s
8	And the User clicks and opens the folder	FAILED	0.034 s
	<pre>org.openqa.selenium.ElementNotInteractableException: Element <p class="mb-0 file_length"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=425e5d4c- c045-4d73-bb96-4c6b921905fd}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d- b662-4316-baab-9d0654bee639)] -> xpath: //p[@class='mb-0 file_length' and text()='7X044_Ashok']] Session ID: c997755d-b662-4316-baab- 9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</pre>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnAddedFolder(AddCustomFolder.java:108) at parallel.AddCustomFolderSteps.the_user_clicks_and_opens_the_folder(AddCustomFolderSteps.java:84) at ?.the User clicks and opens the folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:83) * Not displayable characters are replaced by '?'.		
9	And User uploads JPG file into the that specific folder	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) 	PASSED	0.063 s


Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init




#	Step / Hook Details	Status	Duration
1	<p>Given the User clicks on Family Access Files</p> <pre>org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=e3ac3c1a-3c68-4f60-a08c-06bfa1a7aee9}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639) -> xpath: //a[text()='Files']] Session ID: c997755d-b662-4316-baab-9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57) at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38) at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:89)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.321 s
2	When the User clicks on Add Folder	SKIPPED	0.000 s
3	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.000 s
8	And the User clicks and opens the folder	SKIPPED	0.001 s
9	And User uploads MP4 file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.065 s

#	Step / Hook Details	Status	Duration
1	<p><u>A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_M_P_4_F_i_l_e_s_o_f_S_m_a_ll_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</u></p> 		


PersonalVault General Legal Information of Uploading Different file types





General Legal upload PNG file upload




#	Step / Hook Details	Status	Duration				
1	<p>Given User is already logged in to application</p> <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>ashokmarch12@yopmail.com</td> <td>Password@123</td> </tr> </table> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@id='login-email'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile:</p>	username	password	ashokmarch12@yopmail.com	Password@123	FAILED	24.735 s
username	password						
ashokmarch12@yopmail.com	Password@123						

#	Step / Hook Details	Status	Duration
	C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify) Session ID: c997755d-b662-4316-baab-9d0654bee639 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36) at com.Pages.LoginPage.doLogin(LoginPage.java:78) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:41) at ?User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:12) * Not displayable characters are replaced by '?'.		
2	When User clicks on personal vault	SKIPPED	0.001 s
3	And User navigates to smstome website	SKIPPED	0.000 s
4	When user clicks on general legal information	SKIPPED	0.000 s
5	And user clicks on add option	SKIPPED	0.000 s
6	And user clicks on upload file	SKIPPED	0.000 s
7	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <u>G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_P_N_G_f_i_l_e_u_p_l_o_a_d</u>	PASSED	0.072 s
			



General Legal upload PDF file upload

FAILED	DURATION - 0.384 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 10:31:23.212 am // 10:31:23.596 am /				
PersonalVault General Legal Information of Uploading Different file types				
@feature @tag1				


#	Step / Hook Details	Status	Duration
1	When User clicks on personal vault	PASSED	0.264 s
2	And user clicks on add option org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[contains(text(),'Add')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, findElement {using=xpath, value=/span[contains(text(),'Add')]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: c997755d-b662-4316-baab-9d0654bee639 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at com.Pages.GeneralLegalPage_PersonalVault.addfile(GeneralLegalPage_PersonalVault.java:42) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_add_option(GeneralLegalPage_PersonalVaultSteps.java:24) at ?.user clicks on add option(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:28) * Not displayable characters are replaced by '?'. 	FAILED	0.052 s
3	And user clicks on upload file1	SKIPPED	0.000 s
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_P_D_F_f_i_l_e_u_p_l_o_a_d	PASSED	0.065 s

#	Step / Hook Details	Status	Duration
			


General Legal upload JPG file upload

FAILED	DURATION - 0.182 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:31:23.613 am // 10:31:23.795 am /				
PersonalVault General Legal Information of Uploading Different file types				
@feature @tag2				


#	Step / Hook Details	Status	Duration
1	<p>When User clicks on personal vault</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element is not clickable at point (145,259) because another element <ngb-modal-window class="d-block modal fade show"> obscures it Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=7e5f7e3e-6145-4775-a06b-3dc96ea055c3}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639)] -> xpath: //a[@class='nav-link']/child::span[text()='Personal Vault']] Session ID: c997755d-b662-4316-baab-9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</pre>	FAILED	0.083 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.PersonalVault_ShareUploadLink.clickonPersonalVault(PersonalVault_ShareUploadLink.java:73) at parallel.PersonalVault_ShareUploadLinkSteps.user_clicks_on_personal_vault(PersonalVault_ShareUploadLinkSteps.java:19) at ?.User clicks on personal vault(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:34) * Not displayable characters are replaced by '?'.</pre>		
2	And user clicks on add option	SKIPPED	0.000 s
3	And user clicks on upload file2	SKIPPED	0.000 s
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>_G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_J_P_G_f_i_l_e_u_p_l_o_a_d_</p> 	PASSED	0.097 s


General Legal upload XLSX file upload




#	Step / Hook Details	Status	Duration
1	<p>When User clicks on personal vault</p> <pre>org.openqa.ElementClickInterceptionException: Element is not clickable at point (145,259) because another element <ngb-modal-window class="d-block modal fade show"> obscures it Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=7e5f7e3e-6145-4775-a06b-3dc96ea055c3}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress:</pre>	FAILED	0.030 s

#	Step / Hook Details	Status	Duration
	<p>127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639)] -> xpath: //a[@class='nav-link']/child::span[text()='Personal Vault']] Session ID: c997755d-b662-4316-baab-9d0654bee639</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.PersonalVault_ShareUploadLink.clickonPersonalVault(PersonalVault_ShareUploadLink.java:73) at parallel.PersonalVault_ShareUploadLinkSteps.user_clicks_on_personal_vault(PersonalVault_ShareUploadLinkSteps.java:19) at ?.User clicks on personal vault(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:43)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	And user clicks on add option	SKIPPED	0.000 s
3	And user clicks on upload file2	SKIPPED	0.000 s
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>_General_Legal_upload_XLSX_file_upload</p> 	PASSED	0.086 s


General Legal upload JPEG file upload




#	Step / Hook Details	Status	Duration
1	<p>When User clicks on personal vault</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element is not clickable at point (145,259) because another element <ngb-modal-window class="d-block modal fade show"> obscures it Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=7e5f7e3e-6145-4775-a06b-3dc96ea055c3}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639)] -> xpath: //a[@class='nav-link']/child::span[text()='Personal Vault']] Session ID: c997755d-b662-4316-baab-9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.PersonalVault_ShareUploadLink.clickonPersonalvault(PersonalVault_ShareUploadLink.java:73) at parallel.PersonalVault_ShareUploadLinkSteps.user_clicks_on_personal_vault(PersonalVault_ShareUploadLinkSteps.java:19) at ?.User clicks on personal vault(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:52)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.035 s

#	Step / Hook Details	Status	Duration
2	And user clicks on add option	SKIPPED	0.000 s
3	And user clicks on upload file4	SKIPPED	0.000 s
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.074 s
	<u>G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_J_P_E_G_f_i_l_e_u_p_l_o_a_d_</u>		
			

General Legal upload TXT file upload




#	Step / Hook Details	Status	Duration
1	<p>When User clicks on personal vault</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element is not clickable at point (145,259) because another element <ngb-modal-window class="d-block modal fade show"> obscures it Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [c997755d-b662-4316-baab-9d0654bee639, clickElement {id=7e5f7e3e-6145-4775-a06b-3dc96ea055c3}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:13342, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1152, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:13342/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (c997755d-b662-4316-baab-9d0654bee639)] -> xpath: //a[@class='nav-link']/child::span[text()='Personal Vault']] Session ID: c997755d-b662-4316-baab-9d0654bee639 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</pre>	FAILED	0.029 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.PersonalVault_ShareUploadLink.clickonPersonalVault(PersonalVault_ShareUploadLink.java:73) at parallel.PersonalVault_ShareUploadLinkSteps.user_clicks_on_personal_vault(PersonalVault_ShareUploadLinkSteps.java:19) at ?.User clicks on personal vault(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:61) * Not displayable characters are replaced by '?'.		
2	When user clicks on general legal information	SKIPPED	0.001 s
3	And user clicks on add option	SKIPPED	0.000 s
4	And user clicks on upload file5	SKIPPED	0.000 s
5	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_T_X_T_f_i_l_e_u_p_l_o_a_d 	PASSED	0.075 s

Google Search Page Title



Verify Google Page Title




#	Step / Hook Details	Status	Duration
1	Given I am on the Google Search page	FAILED	0.000 s
	Step undefined		
2	Then the page title should be "Google"	SKIPPED	0.000 s

Google Search



Verify Google Title in Chrome



#	Step / Hook Details	Status	Duration
1	Given I open Google Chrome browser	FAILED	0.000 s
	Step undefined		

#	Step / Hook Details	Status	Duration
2	When I navigate to the Google homepage	SKIPPED	0.001 s
3	Then I get the title of the page	SKIPPED	0.000 s