Cucumber Report

| **Start : Apr 10, 11:19:26.854 am**	**End : Apr 10, 11:20:32.339 am**	**Duration : 1 m 5.485 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 15 FAILED - 6 SKIPPED - 6

1

6

27

0 %

0 %

55 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
PersonalVault General Legal Information of Uploading Different file types	*1 m 5.485 s*	6	*0*	*6*	*0*	27	*15*	*6*	*6*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag0	1	0	1	0	1	0	1	0
@tag1	1	0	1	0	1	0	1	0
@tag2	1	0	1	0	1	0	1	0
@tag3	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*PersonalVault General Legal Information of Uploading Different file types*	6	0	6	0	1 m 5.485 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	PersonalVault General Legal Information of Uploading Different file *	General Legal upload PNG file upload	7	5	1	1	44.592 s
2	PersonalVault General Legal Information of Uploading Different file *	General Legal upload PDF file upload	4	2	1	1	4.133 s
3	PersonalVault General Legal Information of Uploading Different file *	General Legal upload JPG file upload	4	2	1	1	4.316 s
4	PersonalVault General Legal Information of Uploading Different file *	General Legal upload XLSX file upload	4	2	1	1	4.083 s
5	PersonalVault General Legal Information of Uploading Different file *	General Legal upload JPEG file upload	4	2	1	1	3.910 s
6	PersonalVault General Legal Information of Uploading Different file *	General Legal upload TXT file upload	4	2	1	1	3.968 s

The feature name and/or scenario name has been cropped to fit in the available space.

PersonalVault General Legal Information of Uploading Different file types

FAILED	DURATION - 1 m 5.485 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0	Steps Total - 27 Pass - 15 Fail - 6 Skip - 6
/ 11:19:26.854 am // 11:20:32.339 am /			

General Legal upload PNG file upload

FAILED	DURATION - 44.592 s	Steps Total - 7 Pass - 5 Fail - 1 Skip - 1
/ 11:19:26.857 am // 11:20:11.449 am /		
PersonalVault General Legal Information of Uploading Different file types		
@tag0		

#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	12.620 s
	username: ashokmarch12@yopmail.com password: Password@123		
2	When User clicks on personal vault	PASSED	8.142 s
3	And User navigates to smstome website	PASSED	14.048 s
4	When user clicks on general legal information	PASSED	4.572 s
5	And user clicks on add option	PASSED	0.249 s
6	And user clicks on upload file	FAILED	0.209 s
	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [d53b9920-1624-4957-a3bc-cce8eb729015, sendKeysToElement {id=53515875-52c7-473a-9009-84a20c768e4a, value=[Ljava.lang.CharSequence;@61615b4a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:47406, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 16776, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:47406/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element:		

#	Step / Hook Details	Status	Duration

	[[FirefoxDriver: firefox on windows (d53b9920-1624-4957-a3bc-cce8eb729015)] -> xpath: //span[text()='Upload a file']] Session ID: d53b9920-1624-4957-a3bc-cce8eb729015
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
	  at com.Pages.GeneralLegalPage_PersonalVault.uploadfileTwo(GeneralLegalPage_PersonalVault.java:77)
	  at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file1(GeneralLegalPage_PersonalVaultSteps.java:54)
	  at ?.user clicks on upload file(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:20)
	* Not displayable characters are replaced by '?'.		

7	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.003 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G_e_n_e_r_a_l_ _L_e_g_a_l_ _u_p_l_o_a_d_ _P_N_G_ _f_i_l_e_ _u_p_l_o_a_d_ 	PASSED	0.246 s

General Legal upload PDF file upload

FAILED	DURATION - 4.133 s
/ 11:20:11.603 am // 11:20:15.736 am /	
PersonalVault General Legal Information of Uploading Different file types	
@tag1	

Steps

Total - 4

Pass - 2

Fail - 1

Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.489 s
2	And user clicks on add option	PASSED	0.421 s
3	And user clicks on upload file1	FAILED	3.106 s

org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [d53b9920-1624-4957-a3bc-cce8eb729015, sendKeysToElement {id=fc166d9c-8754-4041-b6e5-069d9c386c46, value=[Ljava.lang.CharSequence;@2ba1209b}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:47406, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 16776, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:47406/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (d53b9920-1624-4957-a3bc-cce8eb729015)] -> xpath: //span[text()='Upload a file']] Session ID: d53b9920-1624-4957-a3bc-cce8eb729015

    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
    at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65)
    at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40)
    at ?.user clicks on upload file1(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/

#	Step / Hook Details	Status	Duration
	GeneralLegalPage_PersonalVault.feature:31) * Not displayable characters are replaced by '?'.		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.107 s
	_G e n e r a l _ L e g a l _ u p l o a d _ P D F _ f i l e _ u p l o a d_		

General Legal upload JPG file upload

FAILED	DURATION - 4.316 s
/ 11:20:15.847 am // 11:20:20.163 am /	
PersonalVault General Legal Information of Uploading Different file types	
@tag2	

Steps
Total - 4
Pass - 2
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.442 s
2	And user clicks on add option	PASSED	0.371 s
3	And user clicks on upload file2	FAILED	3.394 s
	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [d53b9920-1624-4957-a3bc-cce8eb729015, sendKeysToElement {id=d5825e31-1ed0-4910-b972-9638398188c1, value=[Ljava.lang.CharSequence;@46fc522d}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:47406, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 16776, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:47406/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (d53b9920-1624-4957-a3bc-cce8eb729015)] -> xpath: //span[text()='Upload a file']] Session ID: d53b9920-1624-4957-a3bc-cce8eb729015 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40) at ?.user clicks on upload file2(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:41) * Not displayable characters are replaced by '?'.		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.100 s
	_G_e_n_e_r_a_l__L_e_g_a_l__u_p_l_o_a_d__J_P_G__f_i_l_e__u_p_l_o_a_d_ 		

General Legal upload XLSX file upload

FAILED	DURATION - 4.083 s		Steps	
/ 11:20:20.257 am // 11:20:24.340 am /			Total - 4 Pass - 2 Fail - 1 Skip - 1	
PersonalVault General Legal Information of Uploading Different file types				
@tag3				

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.415 s
2	And user clicks on add option	PASSED	0.286 s
3	And user clicks on upload file2	FAILED	3.243 s
	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [d53b9920-1624-4957-a3bc-cce8eb729015, sendKeysToElement {id=ad8c1987-e54d-470d-9da5-446140b5f3c0, value=[Ljava.lang.CharSequence;@69f2cb04]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:47406, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 16776, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:47406/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (d53b9920-1624-4957-a3bc-cce8eb729015)] -> xpath: //span[text()='Upload a file']] Session ID: d53b9920-1624-4957-a3bc-cce8eb729015 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) 　　at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) 　　at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) 　　at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65) 　　at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40) 　　at ?.user clicks on upload file2(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:50) * Not displayable characters are replaced by '?'.		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.129 s
	_G_e_n_e_r_a_l__L_e_g_a_l__u_p_l_o_a_d__X_L_S_X__f_i_l_e__u_p_l_o_a_d_		

#	Step / Hook Details	Status	Duration

General Legal upload JPEG file upload

FAILED	DURATION - 3.910 s		Steps
/ 11:20:24.391 am // 11:20:28.301 am /			Total - 4
PersonalVault General Legal Information of Uploading Different file types			Pass - 2
			Fail - 1
			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.385 s
2	And user clicks on add option	PASSED	0.256 s
3	And user clicks on upload file4	FAILED	3.164 s

	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [d53b9920-1624-4957-a3bc-cce8eb729015, sendKeysToElement {id=463b3773-e633-4aec-9e70-afe927bc560e, value=[Ljava.lang.CharSequence;@4ef4f627}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:47406, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 16776, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:47406/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (d53b9920-1624-4957-a3bc-cce8eb729015)] -> xpath: //span[text()='Upload a file']] Session ID: d53b9920-1624-4957-a3bc-cce8eb729015
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40) at ?.user clicks on upload file4(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:60) * Not displayable characters are replaced by '?'.		
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G e n e r a l _ L e g a l _ u p l o a d _ J P E G _ f i l e _ u p l o a d_	PASSED	0.099 s

General Legal upload TXT file upload

FAILED	DURATION - 3.968 s		Steps	
/ 11:20:28.371 am // 11:20:32.339 am /			Total - 4	
			Pass - 2	
PersonalVault General Legal Information of Uploading Different file types			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User clicks on personal vault	PASSED	0.479 s
2	And user clicks on add option	PASSED	0.241 s
3	And user clicks on upload file5	FAILED	3.144 s
	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision:		

#	Step / Hook Details	Status	Duration

	'9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [d53b9920-1624-4957-a3bc-cce8eb729015, sendKeysToElement {id=6f3c4b60-a2bb-497e-80d9-d9bba570c87e, value=[Ljava.lang.CharSequence;@4b033eac}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:47406, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 16776, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:47406/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (d53b9920-1624-4957-a3bc-cce8eb729015)] -> xpath: //span[text()='Upload a file']] Session ID: d53b9920-1624-4957-a3bc-cce8eb729015
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)
	    at com.Pages.GeneralLegalPage_PersonalVault.uploadFile(GeneralLegalPage_PersonalVault.java:65)
	    at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40)
	    at ?.user clicks on upload file5(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/GeneralLegalPage_PersonalVault.feature:71)
	* Not displayable characters are replaced by '?'.		

4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.099 s
	_G e n e r a l _ _L e g a l _ _u p l o a d _ _T X T _ _f i l e _ _u p l o a d_		