


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Legacy messages page feature	1 m 39.788 s	1	0	1	0	18	13	1	4

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Legacy messages page feature	1	0	1	0	1 m 39.788 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Legacy messages page feature	Login with valid credentials	18	13	1	4	1 m 39.783 s

DETAILED SECTION -- 5 --

Legacy messages page feature



Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	14.369 s
	usernamepasswordashokmarch12@yopmail.comPassword@123		
2	Given the user is on the Legacy Messages page	PASSED	9.189 s
3	When the user extracts OTP from smstome	PASSED	12.740 s
4	When the user clicks on Create your first message	PASSED	5.239 s
5	When the user clicks on Next button	PASSED	3.464 s
6	When the user clicks on otherindividuals	PASSED	3.642 s
7	When these user clicks on Next button	PASSED	5.307 s
8	Then user clicks on 3 dots option	PASSED	4.334 s
9	And user edits the title	PASSED	2.858 s
10	And user adds the family member in legacy	PASSED	0.001 s
11	Then user adds the other individuals	PASSED	6.263 s
12	When user navigates to the yopmail	PASSED	5.137 s
13	Then user enters the email in yopmail	PASSED	5.311 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
14	And user clicks on the enter	FAILED	15.205 s
	org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: 4.16.1', revision: '9b4c83354e' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: '[2af83ab7-0094-e84-ar77b-47196be67177, findElement (using=yasht, value=//li@class=material-icons-outlined (36]]] Capabilities (acceptinsecure Certs: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:48959, moz:geckodiverVersion: 0.34.0, moz:headess: false, moz:platformVersion: 10.0, moz:prodessDr.20560, moz:proflie: CivusersAshokAppDataNLoca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy0, sec:dp: ws:/127.0.0.1:48959/devtoc, sec:dp/version: 85.0, setWindowRect: true, strictFilenteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify) Session ID: 2af83ab7-00b3-4e84-ar7b-47196be67177 at java.base/jdx.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdx.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:130) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:130) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:	FAILED	15.205 s
	Legacyvideos.feature:35) * Not displayable characters are replaced by '?'.		
15	Then user clicks on shared link	SKIPPED	0.001 s
-	And user enters the otp	SKIPPED	0.001 s
	And again navigates to the family central	SKIPPED	0.000 s
	7		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.008 s
	org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection Build info: version: '4.16.1', revision: '9h4c83354e' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [2af83ab7-00b9-4e84-a77b-47196be67177, screenshot {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:48959, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 20360, moz:profile: C:UsersAshokAppDatalLoca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), secuclp: ws://127.0.0.1:48959/devtoo, secuclpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 2af83ab7-00b9-4e84-a77b-47196be67177 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.se	FAILED	0.008 s