# Cucumber Report

| *Start : Apr 05, 5:26:08.586 pm* | *End : Apr 05, 5:26:39.565 pm* | *Duration : 30.979 s* |
| --- | --- | --- |
| Features | Scenarios | Steps |

| Features | Scenarios | Steps |
| --- | --- | --- |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 6<br>FAILED - 1<br>SKIPPED - 13 |

| Feature | | Scenario | | | | Step | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Name | Duration | T | P | F | S | T | P | F | S |
| *Home insurance Feature* | 30.979 s | 1 | 0 | 1 | 0 | 20 | 6 | 1 | 13 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Home insurance Feature | 1 | 0 | 1 | 0 | 30.979 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Home insurance Feature | Adding a file into Home insurance folder | 20 | 6 | 1 | 13 | 30.977 s |

## Home insurance Feature

| FAILED | DURATION - 30.979 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Steps<br>Total - 20<br>Pass - 6<br>Fail - 1<br>Skip - 13 | 20 |
|---|---|---|---|---|---|
| / 5:26:08.586 pm // 5:26:39.565 pm / | | | | | |

### Adding a file into Home insurance folder

| FAILED | DURATION - 30.977 s | | Steps<br>Total - 20<br>Pass - 6<br>Fail - 1<br>Skip - 13 | 20 |
|---|---|---|---|---|
| / 5:26:08.588 pm // 5:26:39.565 pm / | | | | |
| Home insurance Feature | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is already logged in to application | PASSED | 10.495 s |
| | username: ashokmarch12@yopmail.com  password: Password@123 | | |
| 2 | Given user navigates to the Family Access Files section | PASSED | 6.665 s |
| 3 | When user clicks on Insurance | PASSED | 7.671 s |
| 4 | And User selects the subscriber | PASSED | 0.307 s |
| 5 | And click on the home insurance | PASSED | 1.374 s |
| 6 | And user clicks on add option | PASSED | 0.232 s |
| 7 | And user clicks on upload file1 | FAILED | 0.095 s |
| | org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3d6f122b-9d59-4f59-8d92-6b779dc85d8c, sendKeysToElement {id=c02d9a6d-cc76-4943-b0d2-0ad225a5cb9b, value=[Ljava.lang.CharSequence;@4684240f}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:21437, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 192, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:21437/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (3d6f122b-9d59-4f59-8d92-6b779dc85d8c)] -> xpath: //span[text()='Upload a file']] Session ID: 3d6f122b-9d59-4f59-8d92-6b779dc85d8c<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)<br>  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)<br>  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)<br>  at com.Pages.GeneralLegalPage_PersonalVault.uploadfileTwo(GeneralLegalPage_PersonalVault.java:63)<br>  at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:44)<br>  at ?.user clicks on upload file1(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/FamilyaccessFiles_insurance_HomeInsurance.feature:21)<br>* Not displayable characters are replaced by '?'. | | |
| 8 | Then User should see the "Uploaded Successfully" Message | SKIPPED | 0.001 s |
| 9 | And user clicks on add option | SKIPPED | 0.000 s |
| 10 | And user clicks on upload file2 | SKIPPED | 0.000 s |
| 11 | Then User should see the "Uploaded Successfully" Message | SKIPPED | 0.001 s |
| 12 | And user clicks on add option | SKIPPED | 0.000 s |
| 13 | And user clicks on upload file3 | SKIPPED | 0.001 s |
| 14 | Then User should see the "Uploaded Successfully" Message | SKIPPED | 0.000 s |
| 15 | And user clicks on add option | SKIPPED | 0.000 s |
| 16 | And user clicks on upload file4 | SKIPPED | 0.000 s |
| 17 | Then User should see the "Uploaded Successfully" Message | SKIPPED | 0.000 s |
| 18 | And user clicks on add option | SKIPPED | 0.001 s |
| 19 | And user clicks on upload file5 | SKIPPED | 0.001 s |
| 20 | Then User should see the "Uploaded Successfully" Message | SKIPPED | 0.000 s |
| | AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.084 s |
| | _A_d_d_i_n_g_ _a_ _f_i_l_e_ _i_n_t_o_ _H_o_m_e_ _i_n_s_u_r_a_n_c_e_ _f_o_l_d_e_r_ | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |