Cucumber Report

| Start : Apr 10, 10:56:41.118 am	End : Apr 10, 10:58:45.589 am	Duration : 2 m 4.471 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 8 FAILED - 5 SKIPPED - 89

1

5

102

Pass % 0 %

Pass % 0 %

Pass % 7 %

| Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
login page feature	2 m 4.471 s	5	0	5	0	102	8	5	89

#	Feature Name	T	P	F	S	Duration
1	login page feature	5	0	5	0	2 m 4.471 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	login page feature	Disaster planning in Emergency prep	18	4	1	13	41.517 s
2	login page feature	Supply kit	21	1	1	19	20.786 s
3	login page feature	Meeting Places	21	1	1	19	20.664 s
4	login page feature	Home Evacuation	21	1	1	19	20.658 s
5	login page feature	Commuter Plan	21	1	1	19	20.598 s

login page feature

FAILED	DURATION - 2 m 4.471 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Steps Total - 102 Pass - 8 Fail - 5 Skip - 89	102
/ 10:56:41.118 am // 10:58:45.589 am /					

Disaster planning in Emergency prep

FAILED	DURATION - 41.517 s		Steps Total - 18 Pass - 4 Fail - 1 Skip - 13	18
/ 10:56:41.122 am // 10:57:22.639 am /				
login page feature				

| #	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	11.623 s
	username — **password** ashokmarch12@yopmail.com — Password@123		
2	When user click on emergency prep	PASSED	9.878 s
3	Then user clicks on the Disaster planning	PASSED	10.759 s
4	And user clicks on add option	PASSED	0.231 s
5	And user clicks on upload file1	FAILED	3.069 s
	org.openqa.selenium.ElementNotInteractableException: Element <span> is not reachable by keyboard Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [27639bbd-3e3b-42b5-8e2e-6b6f59b6ac5f, sendKeysToElement {id=27bf7168-7171-4b67-ae7f-7fbc14716555, value=[Ljava.lang.CharSequence;@7792d851}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:4977, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 6232, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4977/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (27639bbd-3e3b-42b5-8e2e-6b6f59b6ac5f)] -> xpath: //span[text()='Upload a file']] Session ID: 27639bbd-3e3b-42b5-8e2e-6b6f59b6ac5f		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.Pages.GeneralLegalPage_PersonalVault.uploadfile(GeneralLegalPage_PersonalVault.java:54) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file(GeneralLegalPage_PersonalVaultSteps.java:40) at ?.user clicks on upload file1(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:17) * Not displayable characters are replaced by '?'.		
6	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file2	SKIPPED	0.000 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
10	And user clicks on add option	SKIPPED	0.001 s
11	And user clicks on upload file3	SKIPPED	0.000 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file4	SKIPPED	0.000 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.000 s
17	And user clicks on upload file5	SKIPPED	0.000 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.456 s
	_D_i_s_a_s_t_e_r__p_l_a_n_n_i_n_g__i_n__E_m_e_r_g_e_n_c_y__p_r_e_p_		

#	Step / Hook Details	Status	Duration

Supply kit

| FAILED	DURATION - 20.786 s		Steps
/ 10:57:22.765 am // 10:57:43.551 am /			Total - 21
login page feature			Pass - 1
			Fail - 1
			Skip - 19

#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.412 s
2	Then user clicks on the Disaster planning	FAILED	20.244 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:4977, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 6232, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4977/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 27639bbd-3e3b-42b5-8e2e-6b6f59b6ac5f
	  at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	  at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44)
	  at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22)
	  at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:50)
	* Not displayable characters are replaced by '?'.		

3	And user clicks on the supply kit	SKIPPED	0.002 s
4	And user clicks on add option	SKIPPED	0.001 s
5	And user clicks on upload file	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.001 s
7	And user clicks on add option	SKIPPED	0.001 s
8	And user clicks on upload file1	SKIPPED	0.001 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
10	And user clicks on add option	SKIPPED	0.001 s
11	And user clicks on upload file2	SKIPPED	0.002 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
13	And user clicks on add option	SKIPPED	0.001 s
14	And user clicks on upload file3	SKIPPED	0.000 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
16	And user clicks on add option	SKIPPED	0.001 s
17	And user clicks on upload file4	SKIPPED	0.001 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
19	And user clicks on add option	SKIPPED	0.001 s
20	And user clicks on upload file5	SKIPPED	0.001 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _S_u_p_p_l_y_ _k_i_t_ 	PASSED	0.086 s

Meeting Places

| FAILED	DURATION - 20.664 s		Steps
/ 10:57:43.599 am // 10:58:04.263 am /			Total - 21
login page feature			Pass - 1
			Fail - 1
			Skip - 19

21

#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.416 s
2	Then user clicks on the Disaster planning	FAILED	20.076 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:4977, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 6232, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4977/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 27639bbd-3e3b-42b5-8e2e-6b6f59b6ac5f
	  at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	  at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44)
	  at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22)
	  at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:93)
	* Not displayable characters are replaced by '?'.		

3	And user clicks on the Meeting Places	SKIPPED	0.000 s
4	And user clicks on add option	SKIPPED	0.000 s
5	And user clicks on upload file	SKIPPED	0.000 s
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.001 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file1	SKIPPED	0.000 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
10	And user clicks on add option	SKIPPED	0.000 s
11	And user clicks on upload file2	SKIPPED	0.001 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file3	SKIPPED	0.001 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.000 s
17	And user clicks on upload file4	SKIPPED	0.000 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.002 s
19	And user clicks on add option	SKIPPED	0.000 s
20	And user clicks on upload file5	SKIPPED	0.001 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.155 s
	_M_e_e_t_i_n_g__P_l_a_c_e_s_		

Home Evacuation

FAILED	DURATION - 20.658 s
/ 10:58:04.304 am // 10:58:24.962 am /	
login page feature	

Steps
Total - 21
Pass - 1
Fail - 1
Skip - 19

21

#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.409 s
2	Then user clicks on the Disaster planning	FAILED	20.162 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:4977, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 6232, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4977/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 27639bbd-3e3b-42b5-8e2e-6b6f59b6ac5f
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	    at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44)
	    at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22)
	    at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:138)
	* Not displayable characters are replaced by '?'.		

3	And user clicks on the HomeEvacuation	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And user clicks on add option	SKIPPED	0.001 s
5	And user clicks on upload file	SKIPPED	0.000 s
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.001 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file1	SKIPPED	0.000 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
10	And user clicks on add option	SKIPPED	0.001 s
11	And user clicks on upload file2	SKIPPED	0.000 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file3	SKIPPED	0.000 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
16	And user clicks on add option	SKIPPED	0.000 s
17	And user clicks on upload file4	SKIPPED	0.000 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
19	And user clicks on add option	SKIPPED	0.000 s
20	And user clicks on upload file5	SKIPPED	0.001 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _H_o_m_e__E_v_a_c_u_a_t_i_o_n_ 	PASSED	0.072 s

Commuter Plan

FAILED	DURATION - 20.598 s
/ 10:58:24.991 am // 10:58:45.589 am /	
login page feature	

Steps
Total - 21
Pass - 1
Fail - 1
Skip - 19

21

#	Step / Hook Details	Status	Duration
1	When user click on emergency prep	PASSED	0.424 s
2	Then user clicks on the Disaster planning	FAILED	20.104 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //p[contains(text(),'Disaster Planning')] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:4977, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 6232, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:4977/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 27639bbd-3e3b-42b5-8e2e-6b6f59b6ac5f
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	   at com.Pages.Disasterplanningpage.disasterplanning(Disasterplanningpage.java:44)
	   at parallel.Emergencyprep_DisasterPlanningSteps.user_clicks_on_the_disaster_planning(Emergencyprep_DisasterPlanningSteps.java:22)
	   at ?.user clicks on the Disaster planning(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Emergencyprep_Disasterplanning.feature:182)
	* Not displayable characters are replaced by '?'.		

3	And user clicks on the Commuterplan	SKIPPED	0.000 s
4	And user clicks on add option	SKIPPED	0.001 s
5	And user clicks on upload file	SKIPPED	0.000 s
6	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.000 s
7	And user clicks on add option	SKIPPED	0.000 s
8	And user clicks on upload file1	SKIPPED	0.000 s
9	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
10	And user clicks on add option	SKIPPED	0.000 s
11	And user clicks on upload file2	SKIPPED	0.000 s
12	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
13	And user clicks on add option	SKIPPED	0.000 s
14	And user clicks on upload file3	SKIPPED	0.000 s
15	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
16	And user clicks on add option	SKIPPED	0.000 s
17	And user clicks on upload file4	SKIPPED	0.000 s
18	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
19	And user clicks on add option	SKIPPED	0.000 s
20	And user clicks on upload file5	SKIPPED	0.001 s
21	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _C_o_m_m_u_t_e_r__P_l_a_n_ 	PASSED	0.065 s