

Cucumber Report

22-Mar-2024, 5:14:53 PM

Start : Mar 22, 5:14:03.305 PM

End : Mar 22, 5:14:51.527 PM

Duration : 48.222 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 1
SKIPPED - 0


PASSED - 3
FAILED - 6
SKIPPED - 0

PASSED - 22
FAILED - 6
SKIPPED - 54




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>File Management Feature</u>	48.222 s	7	1	6	0	70	10	6	54
<u>Upload a file functionality into Photos and Videos</u>	32.798 s	1	1	0	0	7	7	0	0
<u>login page feature</u>	5.298 s	1	1	0	0	5	5	0	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@pdf	1	1	0	0	1	0	1	0
@feature	8	2	6	0	2	1	1	0
@docx	1	0	1	0	1	0	1	0
@txt	1	0	1	0	1	0	1	0
@xlsx	1	0	1	0	1	0	1	0
@png	1	0	1	0	1	0	1	0
@jpg	1	0	1	0	1	0	1	0
@mp4	1	0	1	0	1	0	1	0
@Ashok	1	1	0	0	1	1	0	0
@login	2	2	0	0	2	2	0	0
@run-together	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>File Management Feature</u>	7	1	6	0	48.222 s
2	<u>Upload a file functionality into Photos and Videos</u>	1	1	0	0	32.798 s
3	<u>login page feature</u>	1	1	0	0	5.298 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload PDF Files of Small, Medium and Large init</u>	10	10	0	0	47.907 s
2	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init</u>	10	0	1	9	0.041 s
3	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload TXT Files of Small, Medium and Large init</u>	10	0	1	9	0.020 s
4	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init</u>	10	0	1	9	0.017 s
5	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload PNG Files of Small, Medium and Large init</u>	10	0	1	9	0.018 s
6	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload JPG Files of Small, Medium and Large init</u>	10	0	1	9	0.019 s
7	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init</u>	10	0	1	9	0.016 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Upload a file functionality into Photos and Videos</u>	<u>Uploading a file using Add option under Photos videos</u>	7	7	0	0	32.793 s
9	<u>login page feature</u>	<u>Login with valid credentials</u>	5	5	0	0	5.298 s

File Management Feature



FAILED	DURATION - 48.222 s	Scenarios Total - 7 Pass - 1 Fail - 6 Skip - 0		Steps Total - 70 Pass - 10 Fail - 6 Skip - 54	
/ 5:14:03.305 PM // 5:14:51.527 PM /					

Add a Custom Folder and Upload PDF Files of Small, Medium and Large init

PASSED	DURATION - 47.907 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 5:14:03.310 PM // 5:14:51.217 PM /				
File Management Feature				
@pdf @feature				

#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	PASSED	11.146 s	
	username			password
	ashokmarch12@yopmail.com			Password@123
2	Given the User clicks on Family Access Files	PASSED	9.605 s	
3	When the User clicks on Add Folder	PASSED	0.190 s	
4	And the User enters the folder name into Folder name field	PASSED	0.170 s	
5	And the User clicks on the Add button	PASSED	0.174 s	
6	Then the User should see a success popup with the message "added successfully"	PASSED	1.981 s	
7	And the User clicks on close user guide	PASSED	0.085 s	
8	And the User verifies the added custom folder	PASSED	0.577 s	
9	And the User clicks and opens the folder	PASSED	4.271 s	
10	And User uploads PDF file into the that specific folder	PASSED	17.551 s	



Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init

<div>FAILED</div> <div>DURATION - 0.041 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 5:14:51.252 PM // 5:14:51.293 PM /</div>				
<div>File Management Feature</div>				
<div>@feature @docx</div>				

#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	FAILED	0.017 s	
	<table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, get {url=https://familycentral.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Local\Temp\123.0.6312.58\chromedriver-win64\chromedriver.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54962/devtools, se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:36) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'. </p>			username
username	password			
ashokmarch12@yopmail.com	Password@123			
2	Given the User clicks on Family Access Files	SKIPPED	0.002 s	

#	Step / Hook Details	Status	Duration
3	When the User clicks on Add Folder	SKIPPED	0.001 s
4	And the User enters the folder name into Folder name field	SKIPPED	0.001 s
5	And the User clicks on the Add button	SKIPPED	0.000 s
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
7	And the User clicks on close user guide	SKIPPED	0.000 s
8	And the User verifies the added custom folder	SKIPPED	0.000 s
9	And the User clicks and opens the folder	SKIPPED	0.000 s
10	And User uploads DOCX file into the that specific folder	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.008 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:54962/devtoo..., se.cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)</p>		



Add a Custom Folder and Upload TXT Files of Small, Medium and Large init

<div>FAILED</div> <div>DURATION - 0.020 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 5:14:51.326 PM // 5:14:51.346 PM /				
File Management Feature				
@txt @feature				

#	Step / Hook Details	Status	Duration				
1	Given User is already logged in to application	FAILED	0.007 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table>			username	password	ashokmarch12@yopmail.com	Password@123
	username			password			
ashokmarch12@yopmail.com	Password@123						
<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, get {url=https://familycentral.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305)</p> <p>at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:36)</p> <p>at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>							
2	Given the User clicks on Family Access Files	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
3	When the User clicks on Add Folder	SKIPPED	0.000 s
4	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
5	And the User clicks on the Add button	SKIPPED	0.001 s
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
7	And the User clicks on close user guide	SKIPPED	0.001 s
8	And the User verifies the added custom folder	SKIPPED	0.000 s
9	And the User clicks and opens the folder	SKIPPED	0.001 s
10	And User uploads TXT file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:54962/devtoo..., se.cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)</p>		



Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init

<div>FAILED</div> <div>DURATION - 0.017 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
/ 5:14:51.379 PM // 5:14:51.396 PM /				
File Management Feature				
@xlsx @feature				

#	Step / Hook Details	Status	Duration				
1	Given User is already logged in to application	FAILED	0.007 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table>			username	password	ashokmarch12@yopmail.com	Password@123
	username			password			
ashokmarch12@yopmail.com	Password@123						
<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, get {url=https://familycentral.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:36) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'. </p>							
2	Given the User clicks on Family Access Files	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
3	When the User clicks on Add Folder	SKIPPED	0.000 s
4	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
5	And the User clicks on the Add button	SKIPPED	0.000 s
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
7	And the User clicks on close user guide	SKIPPED	0.000 s
8	And the User verifies the added custom folder	SKIPPED	0.000 s
9	And the User clicks and opens the folder	SKIPPED	0.001 s
10	And User uploads XLSX file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:54962/devtoo..., se.cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)</p>		



Add a Custom Folder and Upload PNG Files of Small, Medium and Large init

<div>FAILED</div> <div>DURATION - 0.018 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 5:14:51.423 PM // 5:14:51.441 PM /</div>				
<div>File Management Feature</div>				
<div>@png @feature</div>				

#	Step / Hook Details	Status	Duration				
1	Given User is already logged in to application	FAILED	0.006 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table>			username	password	ashokmarch12@yopmail.com	Password@123
	username			password			
ashokmarch12@yopmail.com	Password@123						
<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, get {url=https://familycentral.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305)</p> <p>at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:36)</p> <p>at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5)</p> <p>* Not displayable characters are replaced by '?'. </p>							
2	Given the User clicks on Family Access Files	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
3	When the User clicks on Add Folder	SKIPPED	0.000 s
4	And the User enters the folder name into Folder name field	SKIPPED	0.001 s
5	And the User clicks on the Add button	SKIPPED	0.000 s
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
7	And the User clicks on close user guide	SKIPPED	0.001 s
8	And the User verifies the added custom folder	SKIPPED	0.000 s
9	And the User clicks and opens the folder	SKIPPED	0.000 s
10	And User uploads PNG file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:54962/devtoo..., se.cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)</p>		



Add a Custom Folder and Upload JPG Files of Small, Medium and Large init

<div>FAILED</div> <div>DURATION - 0.019 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 5:14:51.468 PM // 5:14:51.487 PM /</div>				
<div>File Management Feature</div>				
<div>@jpg @feature</div>				

#	Step / Hook Details	Status	Duration				
1	Given User is already logged in to application	FAILED	0.007 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table>			username	password	ashokmarch12@yopmail.com	Password@123
	username			password			
ashokmarch12@yopmail.com	Password@123						
<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, get {url=https://familycentral.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:36) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'. </p>							
2	Given the User clicks on Family Access Files	SKIPPED	0.000 s				

#	Step / Hook Details	Status	Duration
3	When the User clicks on Add Folder	SKIPPED	0.000 s
4	And the User enters the folder name into Folder name field	SKIPPED	0.001 s
5	And the User clicks on the Add button	SKIPPED	0.000 s
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
7	And the User clicks on close user guide	SKIPPED	0.000 s
8	And the User verifies the added custom folder	SKIPPED	0.000 s
9	And the User clicks and opens the folder	SKIPPED	0.001 s
10	And User uploads JPG file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.006 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:54962/devtoo..., se.cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)</p>		



Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 5:14:51.511 PM // 5:14:51.527 PM /</div>				
<div>File Management Feature</div>				
<div>@mp4 @feature</div>				



#	Step / Hook Details	Status	Duration				
1	<div>Given User is already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table> <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, get {url=https://familycentral.com}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Local\Temp\123.0.6312.58\chromedriver-win64\chromedriver.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54962/devtools, se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:305) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:36) at ?.User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:5) * Not displayable characters are replaced by '?'. </div>	username	password	ashokmarch12@yopmail.com	Password@123	FAILED	0.007 s
username	password						
ashokmarch12@yopmail.com	Password@123						
2	Given the User clicks on Family Access Files	SKIPPED	0.000 s				
3	When the User clicks on Add Folder	SKIPPED	0.001 s				

#	Step / Hook Details	Status	Duration
4	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
5	And the User clicks on the Add button	SKIPPED	0.000 s
6	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.001 s
7	And the User clicks on close user guide	SKIPPED	0.000 s
8	And the User verifies the added custom folder	SKIPPED	0.000 s
9	And the User clicks and opens the folder	SKIPPED	0.000 s
10	And User uploads MP4 file into the that specific folder	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.58) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbe44726bf18b78ced89c92e638a2a2c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54962}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54962/devtoo..., se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbe44726bf18b78ced89c92e638a2a2c</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)</p> <p>at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)</p>	FAILED	0.004 s

Upload a file functionality into Photos and Videos



PASSED	DURATION - 32.798 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 5:14:03.305 PM // 5:14:36.103 PM /					

Uploading a file using Add option under Photos videos



PASSED	DURATION - 32.793 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 5:14:03.310 PM // 5:14:36.103 PM /				
Upload a file functionality into Photos and Videos				
@Ashok @login @run-together @feature				

#	Step / Hook Details		Status	Duration
1	Given User is already logged in to application		PASSED	9.641 s
	username	password		
	ashokmarch12@yopmail.com	Password@123		
2	Given User is on Home page		PASSED	0.144 s
3	When User clicks on Photos and Videos Section		PASSED	7.096 s
4	And User clicks on Family Member		PASSED	3.277 s
5	And User clicks on Add button		PASSED	0.098 s
6	When User uploads a file from the device		PASSED	0.045 s
7	Then User should see the Uploaded Successfully Toast Message		PASSED	8.276 s

login page feature

PASSED	DURATION - 5.298 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 5:14:36.189 PM // 5:14:41.487 PM /					

Login with valid credentials

<div>PASSED</div> <div>DURATION - 5.298 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:14:36.189 PM // 5:14:41.487 PM /</div>			
<div>login page feature</div>			
<div>@login</div>			

#	Step / Hook Details	Status	Duration
1	Given user is on landing page	PASSED	1.422 s
2	When user clicks on LandingPageLogin	PASSED	1.937 s
3	And user clicks on login option of families	PASSED	1.933 s
4	Then user should navigate to login page	PASSED	0.002 s
5	When user enters username as "ashokmarch12@yopmail.com" into email field	PASSED	0.000 s