

# Cucumber Report

10-Apr-2024, 5:04:43 pm

Start : Apr 10, 5:02:51.645 pm

End : Apr 10, 5:04:42.480 pm

Duration : 1 m 50.835 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 5  
FAILED - 1  
SKIPPED - 12



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Legacy messages page feature</u>	1 m 50.835 s	1	0	1	0	18	5	1	12





#	Feature Name	T	P	F	S	Duration
1	<u>Legacy messages page feature</u>	1	0	1	0	1 m 50.835 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Legacy messages page feature</u>	<u>Login with valid credentials</u>	18	5	1	12	1 m 50.831 s

## Legacy messages page feature

<b>FAILED</b>	DURATION - 1 m 50.835 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 5 Fail - 1 Skip - 12	
/ 5:02:51.645 pm // 5:04:42.480 pm /					

## Login with valid credentials

<b>FAILED</b>	DURATION - 1 m 50.831 s		Steps Total - 18 Pass - 5 Fail - 1 Skip - 12	
/ 5:02:51.649 pm // 5:04:42.480 pm /				
Legacy messages page feature				

#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	PASSED	1 m 13.094 s	
	username			password
	ashokmarch12@yopmail.com			Password@123
2	Given the user is on the Legacy Messages page	PASSED	8.914 s	
3	When the user extracts OTP from smstome	PASSED	12.833 s	
4	When the user clicks on Create your first message	PASSED	5.165 s	
5	When the user clicks on Next button	PASSED	3.419 s	
6	When the user clicks on other individuals	FAILED	1.025 s	
	org.openqa.selenium.ElementNotInteractableException: Element <button class="primary_btn" type="button"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [f8fba699-ac1a-46e9-80b8-8cb4a747ddd9, clickElement {id=1f9b4bd4-8919-4dc8-baf3-329bb3f97d4a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:6337, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1472, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:6337/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (f8fba699-ac1a-			

#	Step / Hook Details	Status	Duration
	46e9-80b8-8cb4a747ddd9]] -> xpath: //button[contains(text(),'Next')]] Session ID: f8fba699-ac1a-46e9-80b8-8cb4a747ddd9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.LegacyMessageVideoRecords.enterInvitePersonEmail(LegacyMessageVideoRecords.java:406) at parallel.LegacyvideosSteps.whenTheUserClicksOnOtherindividuals(LegacyvideosSteps.java:33) at ?.the user clicks on otherindividuals(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/Legacyvideos.feature:18) * Not displayable characters are replaced by '?'.		
7	When these user clicks on Next button	SKIPPED	0.001 s
8	Then user clicks on 3 dots option	SKIPPED	0.002 s
9	And user edits the title	SKIPPED	0.001 s
10	And user adds the family member in legacy	SKIPPED	0.001 s
11	Then user adds the other individuals	SKIPPED	0.001 s
12	When user navigates to the yopmail	SKIPPED	0.000 s
13	Then user enters the email in yopmail	SKIPPED	0.002 s
14	And user clicks on the enter	SKIPPED	0.001 s
15	Then user clicks on shared link	SKIPPED	0.002 s
16	And user enters the otp	SKIPPED	0.000 s
17	And again navigates to the family central	SKIPPED	0.001 s
18	Then user deletes the legacy video	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.249 s
	<u>Login_with_valid_credentials</u>		

#	Step / Hook Details	Status	Duration
	 The screenshot shows the 'Legacy Messages' section of the Family Central website. It includes a sidebar with navigation links like Home, Resources, and Legacy Messages. The main content area is titled 'Legacy Messages' and 'Select the recipients'. It contains a sub-header 'If you are not sure, no problem, you can change this later.' and a table with columns: First name, Last name, Email Address, and Phone Number. The table has one row with the values 'John', 'Smith', 'john.smith@domain.com', and '(919) 555-1234'. There is an 'Add another' button at the bottom right of the table.		