

Cucumber Report

03-Apr-2024, 3:11:56 pm

Start : Apr 03, 3:11:35.027 pm

End : Apr 03, 3:11:55.652 pm

Duration : 20.625 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 2
FAILED - 1
SKIPPED - 5



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Files Finance folder functionality</u>	20.625 s	1	0	1	0	8	2	1	5





#	Feature Name	T	P	F	S	Duration
1	<u>Files Finance folder functionality</u>	1	0	1	0	20.625 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Files Finance folder functionality</u>	<u>Invoice upload into Finance section or Folder</u>	8	2	1	5	20.622 s

Files Finance folder functionality

FAILED	DURATION - 20.625 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 2 Fail - 1 Skip - 5	
/ 3:11:35.027 pm // 3:11:55.652 pm /					

Invoice upload into Finance section or Folder

<div><div>FAILED</div><div>DURATION - 20.622 s</div></div>		<div></div>	<div>Steps Total - 8 Pass - 2 Fail - 1 Skip - 5</div>	<div></div>
/ 3:11:35.030 pm // 3:11:55.652 pm /				
Files Finance folder functionality				

#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	PASSED	9.484 s	
	username			password
	ashokmarch12@yopmail.com			Password@123
2	Given user clicks on family access files	PASSED	6.576 s	
3	When user clicks on Finance	FAILED	0.130 s	
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //p[contains(text(),'Finance')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [b7d3780b-58ae-44a1-8d13-993bc0aa745a, findElement {using=xpath, value=//p[contains(text(),'Finance')]] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:29864, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 16668, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:29864/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: b7d3780b-58ae-44a1-8d13-993bc0aa745a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)			

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at com.Pages.Familyaccessfiles_finance_page.Finance(Familyaccessfiles_finance_page.java:49) at parallel.Familyaccessfiles_Finance_steps.user_clicks_on_finance(Familyaccessfiles_Finance_steps.java:16) at ?.user clicks on Finance(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/familyaccessfiles_Finance.feature:16) * Not displayable characters are replaced by '?'. </pre>		
4	Then user clicks on finance subscriber	SKIPPED	0.000 s
5	And user clicks on the invoice	SKIPPED	0.001 s
6	And user clicks on the Finance add button	SKIPPED	0.001 s
7	Then user clicks on the scan document	SKIPPED	0.000 s
8	And user scans the invoice	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.202 s
	<u>Invoice upload into Finance section or Folder</u>		
	