


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Files Finance folder functionality	25.132 s	1	0	1	0	8	2	1	5	

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Files Finance folder functionality	1	0	1	0	25.132 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Files Finance folder functionality	Invoice upload into Finance section or Folder	8	2	1	5	<i>25.130</i> s

DETAILED SECTION -- 5 --

Files Finance folder functionality



Invoice upload into Finance section or Folder



#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application		9.609 s
	usernamepasswordashokmarch12@yopmail.comPassword@123		
2	Given user clicks on family access files	PASSED	6.576 s
3	When user clicks on Finance	FAILED	4.191 s
	org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [be0e5049-e700-4c6b-a989-0f5c0fb51a53, clickElement {id=c9a9df8d-03d7-4994-8198-4e605c8902a3}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.1, moz:accessibilityChecks: false, moz:buildID: 20240321230221, moz:debuggerAddress: 127.0.0.1:48840, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 19372, moz:profile: C:\Users\Ashok\AppData\Loca, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:48840/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (be0e5049-e700-4c6b-a989-0f5c0fb51a53)] -> xpath: //p[contains(text(),'Finance')]] Session ID: be0e5049-e700-4c6b-a989-0f5c0fb51a53 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.Familyaccessfiles_finance_page.Finance(Familyaccessfiles_finance_page.java:52) at parallel.Familyaccessfiles_finance_steps.user_clicks_on_finance(Familyaccessfiles_Finance_steps.java:16) at ?.user clicks on Finance(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/features/familyaccessfiles_Finance.feature:16) * Not displayable characters are replaced by '?'.		
4	Then user clicks on finance subscriber	SKIPPED	0.001 s
5	And user clicks on the invoice	SKIPPED	0.000 s
6	And user clicks on the Finance add button	SKIPPED	0.001 s
7	Then user clicks on the scan document	SKIPPED	0.000 s
8	And user scans the invoice	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) I_n_v_o_i_c_eu_p_l_o_a_di_n_t_oFi_n_a_n_c_es_e_c_t_i_o_no_rFo_l_d_e_r_ I_n_v_o_i_c_eu_p_l_o_a_di_n_t_oFi_n_a_n_c_es_e_c_t_i_o_no_rFo_l_d_e_r_	PASSED	0.133 s