Cucumber Report

| Start : Apr 04, 4:03:17.138 pm	End : Apr 04, 4:24:58.844 pm	Duration : 21 m 41.706 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 11

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Files Finance folder functionality	21 m 41.706 s	1	0	1	0	11	0	0	11

#	Feature Name	T	P	F	S	Duration
1	Files Finance folder functionality	1	0	1	0	21 m 41.706 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Files Finance folder functionality	Invoice upload into Finance section or Folder	11	0	0	11	21 m 41.702 s

Files Finance folder functionality

FAILED	DURATION - 21 m 41.706 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	
/ 4:03:17.138 pm // 4:24:58.844 pm /			1		11

Invoice upload into Finance section or Folder

FAILED	DURATION - 21 m 41.702 s		Steps Total - 11 Pass - 0 Fail - 0 Skip - 11	
/ 4:03:17.142 pm // 4:24:58.844 pm /				11
Files Finance folder functionality				

#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.ApplicationHooks.LaunchBrowser()	FAILED	21 m 41.650 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'DESKTOP-DEE9V3N', ip: '192.168.200.87'
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113)
	    at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:35)
	    at AppHooks.ApplicationHooks.LaunchBrowser(ApplicationHooks.java:37)
	Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.16.1', revision: '9b4c83354e'
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: FirefoxDriver
	    at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:402)
	    at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	    at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:55)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:358)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:115)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:237)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:164)		
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:157)		
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:152)		
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:133)		
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:128)		
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:113)		
	at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:35)		
	at AppHooks.ApplicationHooks.LaunchBrowser(ApplicationHooks.java:37)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:385)		
1	Given User is already logged in to application 	username	password
---	---
ashokmarch12@yopmail.com	Password@123		SKIPPED	0.004 s
2	Given user navigates to the Family Access Files section	SKIPPED	0.001 s
3	When user clicks on the Finance	SKIPPED	0.000 s
4	And User selects the subscriber	SKIPPED	0.000 s
5	And user clicks on the invoice	SKIPPED	0.001 s
6	And User clicks on the Add button	SKIPPED	0.001 s
7	And User selects the Scan option	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	And User uploads the Invoice file into the Invoice folder	SKIPPED	0.001 s
9	And User Clicks on Done Option	SKIPPED	0.000 s
10	Then User should see the success toast message	SKIPPED	0.001 s
11	And User Clicks On the Save Option On PopUp	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)	FAILED	0.018 s