Cucumber Report

| Start : Apr 05, 4:39:53.988 pm	End : Apr 05, 4:40:37.914 pm	Duration : 43.926 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 13

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
IDs page feature	43.926 s	1	0	1	0	20	6	1	13

#	Feature Name	T	P	F	S	Duration
1	*IDs page feature*	1	0	1	0	43.926 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	IDs page feature	Signup with valid credentials	20	6	1	13	43.901 s

IDs page feature

FAILED	DURATION - 43.926 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 4:39:53.988 pm // 4:40:37.914 pm /		Pass - 0	1	Pass - 6	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

Signup with valid credentials

FAILED	DURATION - 43.901 s		Steps	
			Total - 20	
/ 4:39:54.013 pm // 4:40:37.914 pm /			Pass - 6	20
			Fail - 1	
IDs page feature			Skip - 13	

#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	13.758 s
	username password ashokmarch12@yopmail.com Password@123		
2	Given user navigates to the Family Access Files section	PASSED	9.677 s
3	When user clicks on Insurance	PASSED	7.768 s
4	And User selects the subscriber	PASSED	0.349 s
5	And click on the Carinsurance	PASSED	0.924 s
6	And user clicks on add option	PASSED	0.265 s
7	And user clicks on upload file1	FAILED	0.009 s

	io.cucumber.core.exception.CucumberException: Step [user clicks on upload file{int}] is defined with 0 parameters at 'parallel. GeneralLegalPage_PersonalVaultSteps.user_clicks_on_upload_file()'. However, the gherkin step has 1 arguments: * 1 Step text: user clicks on upload file1
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
8	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
9	And user clicks on add option	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
10	And user clicks on upload file2	SKIPPED	0.001 s
11	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
12	And user clicks on add option	SKIPPED	0.001 s
13	And user clicks on upload file3	SKIPPED	0.001 s
14	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
15	And user clicks on add option	SKIPPED	0.000 s
16	And user clicks on upload file4	SKIPPED	0.000 s
17	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
18	And user clicks on add option	SKIPPED	0.000 s
19	And user clicks on upload file5	SKIPPED	0.000 s
20	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _S_i_g_n_u_p__w_i_t_h__v_a_l_i_d__c_r_e_d_e_n_t_i_a_l_s_	PASSED	0.146 s