

# Cucumber Report

14-Mar-2024, 5:33:06 pm

Start : Mar 14, 5:26:27.938 pm

End : Mar 14, 5:33:05.732 pm

Duration : 6 m 37.794 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 4  
FAILED - 3  
SKIPPED - 0

PASSED - 67  
FAILED - 3  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>File Management Feature</u>	6 m 37.794 s	7	4	3	0	70	67	3	0

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@pdf	1	1	0	0	1	0	1	0
@docx	1	1	0	0	1	0	1	0
@txt	1	0	1	0	1	0	1	0
@xlsx	1	0	1	0	1	0	1	0
@png	1	1	0	0	1	0	1	0
@jpg	1	1	0	0	1	0	1	0
@mp4	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>File Management Feature</u>	7	4	3	0	6 m 37.794 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload PDF Files of Small, Medium and Large init</u>	10	10	0	0	51.565 s
2	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init</u>	10	10	0	0	1 m 46.454 s
3	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload TXT Files of Small, Medium and Large init</u>	10	9	1	0	27.683 s
4	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init</u>	10	9	1	0	36.463 s
5	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload PNG Files of Small, Medium and Large init</u>	10	10	0	0	1 m 8.939 s
6	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload JPG Files of Small, Medium and Large init</u>	10	10	0	0	1 m 18.161 s
7	<u>File Management Feature</u>	<u>Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init</u>	10	9	1	0	28.282 s

## File Management Feature


<b>FAILED</b>	DURATION - 6 m 37.794 s	Scenarios Total - 7 Pass - 4 Fail - 3 Skip - 0		Steps Total - 70 Pass - 67 Fail - 3 Skip - 0	
/ 5:26:27.938 pm // 5:33:05.732 pm /					

## Add a Custom Folder and Upload PDF Files of Small, Medium and Large init

<b>PASSED</b>	DURATION - 51.565 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 5:26:27.941 pm // 5:27:19.506 pm /				
File Management Feature				
@pdf				


#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	PASSED	8.721 s	
	username			password
	ashokmarch12@yopmail.com			Password@123
2	Given the User clicks on Family Access Files	PASSED	11.080 s	
3	When the User clicks on Add Folder	PASSED	0.199 s	
4	And the User enters the folder name into Folder name field	PASSED	0.295 s	
5	And the User clicks on the Add button	PASSED	0.146 s	
6	Then the User should see a success popup with the message "added successfully"	PASSED	1.641 s	
7	And the User clicks on close user guide	PASSED	0.073 s	
8	And the User verifies the added custom folder	PASSED	0.665 s	
9	And the User clicks and opens the folder	PASSED	4.211 s	
10	And User uploads PDF file into the that specific folder	PASSED	21.902 s	

## Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init



#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	PASSED	10.169 s	
	username			password
	ashokmarch12@yopmail.com			Password@123
2	Given the User clicks on Family Access Files	PASSED	10.293 s	
3	When the User clicks on Add Folder	PASSED	0.125 s	
4	And the User enters the folder name into Folder name field	PASSED	0.148 s	
5	And the User clicks on the Add button	PASSED	0.161 s	
6	Then the User should see a success popup with the message "added successfully"	PASSED	2.214 s	
7	And the User clicks on close user guide	PASSED	0.106 s	
8	And the User verifies the added custom folder	PASSED	0.610 s	
9	And the User clicks and opens the folder	PASSED	4.240 s	
10	And User uploads DOCX file into the that specific folder	PASSED	1 m 16.070 s	


### Add a Custom Folder and Upload TXT Files of Small, Medium and Large init





#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	8.183 s

#	Step / Hook Details	Status	Duration				
	<table><tr><td>username</td><td>password</td></tr><tr><td>ashokmarch12@yopmail.com</td><td>Password@123</td></tr></table>	username	password	ashokmarch12@yopmail.com	Password@123		
username	password						
ashokmarch12@yopmail.com	Password@123						
2	Given the User clicks on Family Access Files	PASSED	9.986 s				
3	When the User clicks on Add Folder	PASSED	0.125 s				
4	And the User enters the folder name into Folder name field	PASSED	0.162 s				
5	And the User clicks on the Add button	PASSED	0.223 s				
6	Then the User should see a success popup with the message "added successfully"	PASSED	1.671 s				
7	And the User clicks on close user guide	PASSED	0.094 s				
8	And the User verifies the added custom folder	PASSED	0.602 s				
9	And the User clicks and opens the folder	PASSED	4.205 s				
10	And User uploads TXT file into the that specific folder  org.openqa.selenium.InvalidArgumentException: invalid argument: File not found : C:\Users\Ashok\Documents\small_sample-mp4-file-small.txt (Session info: chrome=122.0.6261.113) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f53d75371234be54b4a3edd86875328, sendKeysToElement {id=f.342BA43E777ABDA1D032FD1C03E34AE9.d.C6E2D75379A14A0C9CF08C5AB8A592B5.e.82, value=[Ljava.lang.CharSequence;@2df71be0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.113, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54740}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:54740/devtoo..., se.cdpVersion: 122.0.6261.113, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (5f53d75371234be54b4a3edd86875328)] -> xpath: //input[@id='file-upload']] Session ID: 5f53d75371234be54b4a3edd86875328 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.qa.Utills.Generate_FileUploadHelper.uploadFile(Generate_FileUploadHelper.java:21) at com.Pages.AddCustomFolder.uploadFile(AddCustomFolder.java:148)	FAILED	0.057 s				




#	Step / Hook Details	Status	Duration
	at parallel.AddCustomFolderSteps.user_uploads_TXT_into_the_that_specific_folder(AddCustomFolderSteps.java:150) at ?.User uploads TXT file into the that specific folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:45) * Not displayable characters are replaced by '?'.		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <u>Add_a_Custom_Folder_and_Upload_TXT_Files_of_Small_Medium_and_Large_init</u>	PASSED	0.197 s
			

### Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init

<b>FAILED</b> <b>DURATION - 36.463 s</b> <b>/ 5:29:33.817 pm // 5:30:10.280 pm /</b> <b>File Management Feature</b> <b>@xlsx</b>		<b>Steps</b> Total - 10 Pass - 9 Fail - 1 Skip - 0	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application username: ashokmarch12@yopmail.com password: Password@123	PASSED	8.902 s
2	Given the User clicks on Family Access Files	PASSED	9.752 s
3	When the User clicks on Add Folder	PASSED	0.135 s
4	And the User enters the folder name into Folder name field	PASSED	0.844 s
5	And the User clicks on the Add button	PASSED	0.150 s
6	Then the User should see a success popup with the message "added successfully"	PASSED	1.655 s
7	And the User clicks on close user guide	PASSED	0.078 s
8	And the User verifies the added custom folder	PASSED	0.617 s
9	And the User clicks and opens the folder	PASSED	4.237 s

#	Step / Hook Details	Status	Duration
10	<p>And User uploads XLSX file into the that specific folder</p> <pre> org.openqa.selenium.InvalidArgumentException: invalid argument: File not found : C:\Users\Ashok\Documents\medium_Sample-sales-data-excel.xlsx (Session info: chrome=122.0.6261.113) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0727c3aa283c0e472d998a933bd51295, sendKeysToElement {id=f.8D42F6565F8AD3594B7C165A11878FCD.d.5B9236B839F4044E97CCC5E2BD6F641A.e.85, value=[Ljava.lang.CharSequence;@362cf66]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.113, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\Ashok\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54851}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54851/devtoo..., se:cdpVersion: 122.0.6261.113, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (0727c3aa283c0e472d998a933bd51295)] -&gt; xpath: //input[@id='file-upload']] Session ID: 0727c3aa283c0e472d998a933bd51295 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111) at com.qa.Utills.Generate_FileUploadHelper.uploadFile(Generate_FileUploadHelper.java:21) at com.Pages.AddCustomFolder.uploadFile(AddCustomFolder.java:148) at parallel.AddCustomFolderSteps.user_uploads_XLSX_into_the_that_specific_folder(AddCustomFolderSteps.java:168) at ?.User uploads XLSX file into the that specific folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:58) * Not displayable characters are replaced by '?'. </pre>	FAILED	7.425 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p><u>Add_a_Custom_Folder_and_Upload_XLSX_Files_of_Small,,Medium_and_Large_init</u></p> 	PASSED	0.202 s

### Add a Custom Folder and Upload PNG Files of Small, Medium and Large init

<b>PASSED</b>	<b>DURATION - 1 m 8.939 s</b>		<b>Steps</b> Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 5:30:10.318 pm // 5:31:19.257 pm /				
File Management Feature				
@png				

#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	PASSED	8.473 s	
	username			password
	ashokmarch12@yopmail.com			Password@123
2	Given the User clicks on Family Access Files	PASSED	8.779 s	
3	When the User clicks on Add Folder	PASSED	0.071 s	
4	And the User enters the folder name into Folder name field	PASSED	0.094 s	
5	And the User clicks on the Add button	PASSED	0.104 s	
6	Then the User should see a success popup with the message "added successfully"	PASSED	4.269 s	
7	And the User clicks on close user guide	PASSED	0.067 s	
8	And the User verifies the added custom folder	PASSED	0.601 s	
9	And the User clicks and opens the folder	PASSED	4.159 s	
10	And User uploads PNG file into the that specific folder	PASSED	39.974 s	

### Add a Custom Folder and Upload JPG Files of Small, Medium and Large init

<b>PASSED</b>	<b>DURATION - 1 m 18.161 s</b>		<b>Steps</b> Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 5:31:19.268 pm // 5:32:37.429 pm /				
File Management Feature				
@jpg				

#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	PASSED	25.567 s	
	username			password
	ashokmarch12@yopmail.com			Password@123
2	Given the User clicks on Family Access Files	PASSED	25.869 s	
3	When the User clicks on Add Folder	PASSED	0.097 s	
4	And the User enters the folder name into Folder name field	PASSED	0.125 s	
5	And the User clicks on the Add button	PASSED	0.120 s	
6	Then the User should see a success popup with the message "added successfully"	PASSED	1.705 s	
7	And the User clicks on close user guide	PASSED	0.085 s	
8	And the User verifies the added custom folder	PASSED	0.632 s	
9	And the User clicks and opens the folder	PASSED	4.252 s	
10	And User uploads JPG file into the that specific folder	PASSED	17.496 s	

### Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init

FAILED	DURATION - 28.282 s	<table border="1"><caption>Step Durations (Estimated)</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>10.0</td></tr><tr><td>2</td><td>8.5</td></tr><tr><td>3</td><td>0.2</td></tr><tr><td>4</td><td>0.8</td></tr><tr><td>5</td><td>0.2</td></tr><tr><td>6</td><td>1.8</td></tr><tr><td>7</td><td>0.2</td></tr><tr><td>8</td><td>0.6</td></tr><tr><td>9</td><td>4.2</td></tr><tr><td>10</td><td>0.2</td></tr></tbody></table>	Step	Duration (s)	1	10.0	2	8.5	3	0.2	4	0.8	5	0.2	6	1.8	7	0.2	8	0.6	9	4.2	10	0.2	<div>Steps</div> <div>Total - 10</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 0</div> <div><div>10</div></div>
Step	Duration (s)																								
1	10.0																								
2	8.5																								
3	0.2																								
4	0.8																								
5	0.2																								
6	1.8																								
7	0.2																								
8	0.6																								
9	4.2																								
10	0.2																								
/ 5:32:37.450 pm // 5:33:05.732 pm /																									
File Management Feature																									
@mp4																									

#	Step / Hook Details	Status	Duration	
1	Given User is already logged in to application	PASSED	9.851 s	
	username			password
	ashokmarch12@yopmail.com			Password@123
2	Given the User clicks on Family Access Files	PASSED	8.554 s	
3	When the User clicks on Add Folder	PASSED	0.070 s	
4	And the User enters the folder name into Folder name field	PASSED	0.676 s	
5	And the User clicks on the Add button	PASSED	0.119 s	
6	Then the User should see a success popup with the message "added successfully"	PASSED	1.753 s	
7	And the User clicks on close user guide	PASSED	0.107 s	

#	Step / Hook Details	Status	Duration
8	And the User verifies the added custom folder	PASSED	0.609 s
9	And the User clicks and opens the folder	PASSED	4.202 s
10	And User uploads MP4 file into the that specific folder	FAILED	0.071 s
	<p>org.openqa.selenium.InvalidArgumentException: invalid argument: File not found : C:\Users\Ashok\Documents\small_sample-mp4-file-small.mp4 (Session info: chrome=122.0.6261.113) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0ef4020c27b450d9dae3be94077f0240, sendKeysToElement {id=f.3EBA3803563B10D7D367F5A7CFFE9EB7.d, B224D9F253983F2C36AE4DBEE516AAF5.e.88, value=[Ljava.lang.CharSequence;@7f584d0c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.113, chrome: {chromedriverVersion: 122.0.6261.128 (f18a44fedeb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55228}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55228/devtoo..., se:cdpVersion: 122.0.6261.113, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (0ef4020c27b450d9dae3be94077f0240)] -&gt; xpath: //input[@id='file-upload']] Session ID: 0ef4020c27b450d9dae3be94077f0240</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:111)  at com.qa.Utills.Generate_FileUploadHelper.uploadFile(Generate_FileUploadHelper.java:21)  at com.Pages.AddCustomFolder.uploadFile(AddCustomFolder.java:148)  at parallel.AddCustomFolderSteps.user_uploads_MP4_into_the_that_specific_folder(AddCustomFolderSteps.java:220)  at ?.User uploads MP4 file into the that specific folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/parallel/AddCustomFolder.feature:97)  * Not displayable characters are replaced by '?'. </p>		
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.218 s
	<u>Add_a_Custom_Folder_and_Upload_MP4_Files_of_Small_Medium_and_Large_init</u>		

#	Step / Hook Details	Status	Duration
	 A screenshot of the FamilyCentral.com website. The page shows a user profile for '7μνEB4_Ashok'. The profile includes a search bar, a list of items, and a section for 'Link to Social or Other Profiles'. The page is titled 'FamilyCentral.com' and has a navigation menu on the left.		