

Cucumber Report

12-Apr-2024, 10:13:28 am

Start : Apr 12, 10:12:17.301 am

End : Apr 12, 10:13:26.407 am

Duration : 1 m 9.106 s

Features






PASSED - 0
FAILED - 4
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 15
SKIPPED - 0


Steps

PASSED - 25
FAILED - 15
SKIPPED - 57




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<i>Files Add Custom Folder and Uploading Files in it</i>	41.216 s	7	0	7	0	64	22	7	35
<i>PersonalVault General Legal Information of Uploading Different file types</i>	27.754 s	6	0	6	0	28	3	6	19
<i>Google Search Page Title</i>	0.001 s	1	0	1	0	2	0	1	1
<i>Google Search</i>	0.004 s	1	0	1	0	3	0	1	2

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@pdf		1	0	1	0	1	0	1	0
@feature		13	0	13	0	2	0	2	0
@docx		1	0	1	0	1	0	1	0
@txt		1	0	1	0	1	0	1	0
@xlsx		1	0	1	0	1	0	1	0
@png		1	0	1	0	1	0	1	0
@jpg		1	0	1	0	1	0	1	0
@mp4		1	0	1	0	1	0	1	0
@tag0		1	0	1	0	1	0	1	0
@tag1		1	0	1	0	1	0	1	0
@tag2		1	0	1	0	1	0	1	0
@tag3		1	0	1	0	1	0	1	0
@tag4		1	0	1	0	1	0	1	0
@tag5		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Files Add Custom Folder and Uploading Files in it</u>	7	0	7	0	41.216 s
2	<u>PersonalVault General Legal Information of Uploading Different file types</u>	6	0	6	0	27.754 s
3	<u>Google Search Page Title</u>	1	0	1	0	0.001 s
4	<u>Google Search</u>	1	0	1	0	0.004 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload PDF Files of Small, Medium and Large init</u>	10	8	1	1	32.115 s
2	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init</u>	9	0	1	8	0.435 s
3	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload TXT Files of Small, Medium and Large init</u>	9	7	1	1	3.491 s
4	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init</u>	9	0	1	8	0.366 s
5	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload PNG Files of Small, Medium and Large init</u>	9	0	1	8	0.401 s
6	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload JPG Files of Small, Medium and Large init</u>	9	7	1	1	3.687 s
7	<u>Files Add Custom Folder and Uploading Files in it</u>	<u>Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init</u>	9	0	1	8	0.391 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload PNG file upload</u>	7	0	1	6	26.275 s
9	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload PDF file upload</u>	4	1	1	2	0.389 s
10	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload JPG file upload</u>	4	1	1	2	0.341 s
11	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload XLSX file upload</u>	4	1	1	2	0.339 s
12	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload JPEG file upload</u>	4	0	1	3	0.168 s
13	<u>PersonalVault General Legal</u> <u>Information of Uploading Different file *</u>	<u>General Legal upload TXT file upload</u>	5	0	1	4	0.116 s
14	<u>Google Search Page Title</u>	<u>Verify Google Page Title</u>	2	0	1	1	0.001 s


* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
15	<u>Google Search</u>	<u>Verify Google Title in Chrome</u>	3	0	1	2	0.004 s

Files Add Custom Folder and Uploading Files in it




Add a Custom Folder and Upload PDF Files of Small, Medium and Large init




#	Step / Hook Details	Status	Duration				
1	Given User is already logged in to application <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>ashokmarch12@yopmail.com</td> <td>Password@123</td> </tr> </table>	username	password	ashokmarch12@yopmail.com	Password@123	PASSED	10.999 s
username	password						
ashokmarch12@yopmail.com	Password@123						
2	Given the User clicks on Family Access Files	PASSED	11.507 s				
3	When the User clicks on Add Folder	PASSED	0.994 s				
4	And the User enters the folder name into Folder name field	PASSED	0.124 s				
5	And the User clicks on the Add button	PASSED	0.284 s				
6	Then the User should see a success popup with the message "added successfully"	PASSED	2.105 s				
7	And the User clicks on close user guide	PASSED	0.252 s				
8	And the User verifies the added custom folder	PASSED	0.600 s				
9	And the User clicks and opens the folder org.openqa.selenium.ElementNotInteractableException: Element <p class="mb-0 file_length"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, clickElement {id=75c7ec10-6811-474e-a1d2-9d118a983a3c}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false,	FAILED	0.039 s				

#	Step / Hook Details	Status	Duration
	<pre>moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (345096ff- 4c86-4381-b675-b80b52135a65)] -> xpath: //p[@class='mb-0 file_length' and text()='M5kojUC5x_Ashok']] Session ID: 345096ff- 4c86-4381-b675-b80b52135a65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnAddedFolder(AddCustomFolder.java:108) at parallel.AddCustomFolderSteps.the_user_clicks_and_opens_the_folder(AddCustomFolderSteps.java:84) at ?.the User clicks and opens the folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/ dummyFeatures/AddCustomFolder_.feature:18) * Not displayable characters are replaced by '?'.</pre>		
10	And User uploads PDF file into the that specific folder	SKIPPED	0.001 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>_A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_P_D_F_F_i_l_e_s_o_f_S_m_a_ll_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</p> 	PASSED	0.098 s


Add a Custom Folder and Upload DOCX Files of Small, Medium and Large init



#	Step / Hook Details	Status	Duration
1	<p>Given the User clicks on Family Access Files</p> <pre>org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, clickElement {id=cfdb4aec-7ca3-4fd9-9dc9-009f0968efa1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (345096ff-4c86-4381-b675-b80b52135a65)] -> xpath: //a[text()='Files']] Session ID: 345096ff-4c86-4381-b675-b80b52135a65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57) at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38) at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:24)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.334 s
2	When the User clicks on Add Folder	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	And the User enters the folder name into Folder name field	SKIPPED	0.001 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.001 s
8	And the User clicks and opens the folder	SKIPPED	0.000 s
9	And User uploads DOCX file into the that specific folder	SKIPPED	0.000 s
AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)		PASSED	0.092 s
<u>A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_D_O_C_X_F_i_l_e_s_o_f_S_m_a_l_l_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</u>			
			


Add a Custom Folder and Upload TXT Files of Small, Medium and Large init




#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	PASSED	0.522 s
2	When the User clicks on Add Folder	PASSED	0.262 s
3	And the User enters the folder name into Folder name field	PASSED	0.057 s
4	And the User clicks on the Add button	PASSED	0.419 s
5	Then the User should see a success popup with the message "added successfully"	PASSED	1.318 s
6	And the User clicks on close user guide	PASSED	0.251 s
7	And the User verifies the added custom folder	PASSED	0.557 s

#	Step / Hook Details	Status	Duration
8	<p>And the User clicks and opens the folder</p> <pre>org.openqa.selenium.ElementNotInteractableException: Element <p class="mb-0 file_length"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, clickElement {id=6da56718-e6be-4721-ba54-4135df4251eb}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (345096ff-4c86-4381-b675-b80b52135a65)] -> xpath: //p[@class='mb-0 file_length' and text()='60468C_Ashok']] Session ID: 345096ff-4c86-4381-b675-b80b52135a65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnAddedFolder(AddCustomFolder.java:108) at parallel.AddCustomFolderSteps.the_user_clicks_andOpens_the_folder(AddCustomFolderSteps.java:84) at ?.the User clicks and opens the folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:44) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.025 s
9	And User uploads TXT file into the that specific folder	SKIPPED	0.005 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>_A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_T_X_T_F_i_l_e_s_o_f_S_m_a_ll_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</p> 	PASSED	0.068 s


Add a Custom Folder and Upload XLSX Files of Small, Medium and Large init



#	Step / Hook Details	Status	Duration
1	<p>Given the User clicks on Family Access Files</p> <pre>org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, clickElement {id=cfdb4aec-7ca3-4fd9-9dc9-009f0968efa1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (345096ff-4c86-4381-b675-b80b52135a65)] -> xpath: //a[text()='Files']] Session ID: 345096ff-4c86-4381-b675-b80b52135a65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57) at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38) at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:50)</pre>	FAILED	0.291 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When the User clicks on Add Folder	SKIPPED	0.000 s
3	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.000 s
8	And the User clicks and opens the folder	SKIPPED	0.000 s
9	And User uploads XLSX file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.061 s
	_A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_X_L_S_X_F_i_l_e_s_o_f_S_m_a_l_l_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t		
			

Add a Custom Folder and Upload PNG Files of Small, Medium and Large init




#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, clickElement {id=cfdb4aec-7ca3-4fd9-9dc9-009f0968efa1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout:	FAILED	0.313 s

#	Step / Hook Details	Status	Duration
1	<p>60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (345096ff-4c86-4381-b675-b80b52135a65)] -> xpath: //a[text()='Files']] Session ID: 345096ff-4c86-4381-b675-b80b52135a65</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57) at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38) at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:63)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When the User clicks on Add Folder	SKIPPED	0.000 s
3	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.000 s
8	And the User clicks and opens the folder	SKIPPED	0.000 s
9	And User uploads PNG file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.088 s
	_A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_P_N_G_F_i_l_e_s_o_f_S_m_a_ll_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t		

#	Step / Hook Details	Status	Duration
			


Add a Custom Folder and Upload JPG Files of Small, Medium and Large init



#	Step / Hook Details	Status	Duration
1	Given the User clicks on Family Access Files	PASSED	0.496 s
2	When the User clicks on Add Folder	PASSED	0.296 s
3	And the User enters the folder name into Folder name field	PASSED	0.096 s
4	And the User clicks on the Add button	PASSED	0.249 s
5	Then the User should see a success popup with the message "added successfully"	PASSED	1.580 s
6	And the User clicks on close user guide	PASSED	0.245 s
7	And the User verifies the added custom folder	PASSED	0.593 s
8	And the User clicks and opens the folder	FAILED	0.028 s
	<pre>org.openqa.selenium.ElementNotInteractableException: Element <p class="mb-0 file_length"> could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, clickElement {id=874d4489-0da2-4525-a701-7d695931f01f}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (345096ff- 4c86-4381-b675-b80b52135a65)] -> xpath: //p[@class='mb-0 file_length' and text()='020F76VP96_Ashok']] Session ID: 345096ff- 4c86-4381-b675-b80b52135a65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</pre>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnAddedFolder(AddCustomFolder.java:108) at parallel.AddCustomFolderSteps.the_user_clicks_and_opens_the_folder(AddCustomFolderSteps.java:84) at ?.the User clicks and opens the folder(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:83) * Not displayable characters are replaced by '?'.		
9	And User uploads JPG file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)  <pre>_A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_J_P_G_F_i_l_e_s_o_f_S_m_a_l_l_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</pre>	PASSED	0.096 s


Add a Custom Folder and Upload MP4 Files of Small, Medium and Large init




#	Step / Hook Details	Status	Duration
1	<p>Given the User clicks on Family Access Files</p> <pre>org.openqa.selenium.ElementNotInteractableException: Element could not be scrolled into view Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, clickElement {id=cfdb4aec-7ca3-4fd9-9dc9-009f0968efa1}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (345096ff-4c86-4381-b675-b80b52135a65)] -> xpath: //a[text()='Files']] Session ID: 345096ff-4c86-4381-b675-b80b52135a65</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.AddCustomFolder.clickOnFamilyAccessFiles(AddCustomFolder.java:57) at parallel.AddCustomFolderSteps.the_user_clicks_on_family_access_files(AddCustomFolderSteps.java:38) at ?.the User clicks on Family Access Files(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/AddCustomFolder_Files.feature:89)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.321 s
2	When the User clicks on Add Folder	SKIPPED	0.000 s
3	And the User enters the folder name into Folder name field	SKIPPED	0.000 s
4	And the User clicks on the Add button	SKIPPED	0.000 s
5	Then the User should see a success popup with the message "added successfully"	SKIPPED	0.000 s
6	And the User clicks on close user guide	SKIPPED	0.000 s
7	And the User verifies the added custom folder	SKIPPED	0.000 s
8	And the User clicks and opens the folder	SKIPPED	0.000 s
9	And User uploads MP4 file into the that specific folder	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.061 s

#	Step / Hook Details	Status	Duration
	<u>A_d_d_a_C_u_s_t_o_m_F_o_l_d_e_r_a_n_d_U_p_l_o_a_d_M_P_4_F_i_l_e_s_o_f_S_m_a_ll_M_e_d_i_u_m_a_n_d_L_a_r_g_e_i_n_i_t</u> <div style="display: flex; align-items: center;">  <div style="margin-left: 10px;"> <ul style="list-style-type: none"> ► PDFAll_Java ► PDFXJ_AJava ► PDF4Q_AJava ► MP3_AJava ► PDFA_AJava ► PDFU_AJava ► Verify_AJava ► Email ► MBSLCs_AJava ► KBMRC_Java </div> </div>		


PersonalVault General Legal Information of Uploading Different file types





General Legal upload PNG file upload




#	Step / Hook Details	Status	Duration				
1	<p>Given User is already logged in to application</p> <table border="1"> <tr> <td>username</td> <td>password</td> </tr> <tr> <td>ashokmarch12@yopmail.com</td> <td>Password@123</td> </tr> </table> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //input[@id='login-email'] (tried for 20 second(s) with 500 milliseconds interval) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile:</p>	username	password	ashokmarch12@yopmail.com	Password@123	FAILED	26.178 s
username	password						
ashokmarch12@yopmail.com	Password@123						

#	Step / Hook Details	Status	Duration
	C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify) Session ID: 345096ff-4c86-4381-b675-b80b52135a65 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:36) at com.Pages.LoginPage.doLogin(LoginPage.java:78) at parallel.AccountsPageSteps.user_is_already_logged_in_to_application(AccountsPageSteps.java:41) at ?User is already logged in to application(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:12) * Not displayable characters are replaced by '?'.		
2	When User clicks on personal vault	SKIPPED	0.001 s
3	And User navigates to smstome website	SKIPPED	0.001 s
4	When user clicks on general legal information	SKIPPED	0.001 s
5	And user clicks on add option	SKIPPED	0.000 s
6	And user clicks on upload file	SKIPPED	0.000 s
7	Then User should see the "File Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) <u>G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_P_N_G_f_i_l_e_u_p_l_o_a_d</u>	PASSED	0.082 s
			


General Legal upload PDF file upload

FAILED	DURATION - 0.389 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 10:13:24.850 am // 10:13:25.239 am /				
PersonalVault General Legal Information of Uploading Different file types				
@feature @tag1				


#	Step / Hook Details	Status	Duration
1	When User clicks on personal vault	PASSED	0.261 s
2	And user clicks on add option org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[contains(text(),'Add')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, findElement {using=xpath, value=/span[contains(text(),'Add')]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 345096ff-4c86-4381-b675-b80b52135a65 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at com.Pages.GeneralLegalPage_PersonalVault.addfile(GeneralLegalPage_PersonalVault.java:42) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_add_option(GeneralLegalPage_PersonalVaultSteps.java:24) at ?.user clicks on add option(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:28) * Not displayable characters are replaced by '?'. 	FAILED	0.053 s
3	And user clicks on upload file1	SKIPPED	0.000 s
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_P_D_F_f_i_l_e_u_p_l_o_a_d	PASSED	0.071 s

#	Step / Hook Details	Status	Duration
			


General Legal upload JPG file upload

FAILED	DURATION - 0.341 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
	/ 10:13:25.266 am // 10:13:25.607 am /			
	<i>PersonalVault General Legal Information of Uploading Different file types</i>			
	@feature @tag2			


#	Step / Hook Details	Status	Duration
1	When User clicks on personal vault	PASSED	0.239 s
2	<p>And user clicks on add option</p> <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[contains(text(),'Add')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, findElement {using=xpath, value=//span[contains(text(),'Add')]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 345096ff-4c86-4381-b675-b80b52135a65</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p>	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at com.Pages.GeneralLegalPage_PersonalVault.addfile(GeneralLegalPage_PersonalVault.java:42) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_add_option(GeneralLegalPage_PersonalVaultSteps.java:24) at ?.user clicks on add option(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:37) * Not displayable characters are replaced by '?'.</pre>		
3	And user clicks on upload file2	SKIPPED	0.001 s
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p><u>G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_J_P_G_f_i_l_e_u_p_l_o_a_d</u></p> 	PASSED	0.080 s


General Legal upload XLSX file upload



#	Step / Hook Details	Status	Duration
1	When User clicks on personal vault	PASSED	0.238 s
2	<p>And user clicks on add option</p> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[contains(text(),'Add')] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.</p>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre>selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, findElement {using=xpath, value=/span[contains(text(),'Add')]}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 345096ff-4c86-4381-b675-b80b52135a65 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at com.Pages.GeneralLegalPage_PersonalVault.addfile(GeneralLegalPage_PersonalVault.java:42) at parallel.GeneralLegalPage_PersonalVaultSteps.user_clicks_on_add_option(GeneralLegalPage_PersonalVaultSteps.java:24) at ?.user clicks on add option(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:46) * Not displayable characters are replaced by '?'.</pre>		
3	And user clicks on upload file2	SKIPPED	0.001 s
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	<p>AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>_G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_X_L_S_X_f_i_l_e_u_p_l_o_a_d_</p> 	PASSED	0.082 s


General Legal upload JPEG file upload




#	Step / Hook Details	Status	Duration
1	<p>When User clicks on personal vault</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element is not clickable at point (145,259) because another element <ngb-modal-window class="d-block modal fade show"> obscures it Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, clickElement {id=c79b28ad-c8cd-456c-b965-9e48cbd4628b}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (345096ff-4c86-4381-b675-b80b52135a65)] -> xpath: //a[@class='nav-link']/child::span[text()='Personal Vault']] Session ID: 345096ff-4c86-4381-b675-b80b52135a65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.PersonalVault_ShareUploadLink.clickonPersonalvault(PersonalVault_ShareUploadLink.java:73) at parallel.PersonalVault_ShareUploadLinkSteps.user_clicks_on_personal_vault(PersonalVault_ShareUploadLinkSteps.java:19) at ?.User clicks on personal vault(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:52)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.076 s

#	Step / Hook Details	Status	Duration
2	And user clicks on add option	SKIPPED	0.000 s
3	And user clicks on upload file4	SKIPPED	0.000 s
4	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.088 s
	<u>G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_J_P_E_G_f_i_l_e_u_p_l_o_a_d_</u>		
			


General Legal upload TXT file upload




#	Step / Hook Details	Status	Duration
1	<p>When User clicks on personal vault</p> <pre>org.openqa.selenium.ElementClickInterceptedException: Element is not clickable at point (145,259) because another element <ngb-modal-window class="d-block modal fade show"> obscures it Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [345096ff-4c86-4381-b675-b80b52135a65, clickElement {id=c79b28ad-c8cd-456c-b965-9e48cbd4628b}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 124.0.2, moz:accessibilityChecks: false, moz:buildID: 20240401114208, moz:debuggerAddress: 127.0.0.1:14538, moz:geckodriverVersion: 0.34.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 10744, moz:profile: C:\Users\Ashok\AppData\Loca..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:14538/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on windows (345096ff-4c86-4381-b675-b80b52135a65)] -> xpath: //a[@class='nav-link']/child::span[text()='Personal Vault']] Session ID: 345096ff-4c86-4381-b675-b80b52135a65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</pre>	FAILED	0.040 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at com.Pages.PersonalVault_ShareUploadLink.clickonPersonalVault(PersonalVault_ShareUploadLink.java:73) at parallel.PersonalVault_ShareUploadLinkSteps.user_clicks_on_personal_vault(PersonalVault_ShareUploadLinkSteps.java:19) at ?.User clicks on personal vault(file:///C:/Users/Ashok/eclipse-workspace/FamilyCentral_ProdCucumber/src/test/resources/dummyFeatures/PersonalVault_GeneralLegal.feature:61) * Not displayable characters are replaced by '?'.		
2	When user clicks on general legal information	SKIPPED	0.000 s
3	And user clicks on add option	SKIPPED	0.000 s
4	And user clicks on upload file5	SKIPPED	0.001 s
5	Then User should see the "Uploaded Successfully" Message	SKIPPED	0.000 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) _G_e_n_e_r_a_l_L_e_g_a_l_u_p_l_o_a_d_T_X_T_f_i_l_e_u_p_l_o_a_d 	PASSED	0.073 s

Google Search Page Title



Verify Google Page Title




#	Step / Hook Details	Status	Duration
1	Given I am on the Google Search page	FAILED	0.000 s
	Step undefined		
2	Then the page title should be "Google"	SKIPPED	0.000 s

Google Search



Verify Google Title in Chrome



#	Step / Hook Details	Status	Duration
1	Given I open Google Chrome browser	FAILED	0.000 s
	Step undefined		

#	Step / Hook Details	Status	Duration
2	When I navigate to the Google homepage	SKIPPED	0.001 s
3	Then I get the title of the page	SKIPPED	0.000 s