Cucumber Report

| Start : Mar 26, 3:55:14.638 pm	End : Mar 26, 3:55:54.453 pm	Duration : 39.815 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 11

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Calendar Event Creation with Recurring and Reminder Options	39.815 s	1	0	1	0	14	2	1	11

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@feature	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Calendar Event Creation with Recurring and Reminder Options	1	0	1	0	39.815 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Calendar Event Creation with Recurring and Reminder Options	User Creates Monthly Recurring Calendar Event with Reminder	14	2	1	11	39.813 s

Calendar Event Creation with Recurring and Reminder Options

FAILED	DURATION - 39.815 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 3:55:14.638 pm // 3:55:54.453 pm /		Pass - 0		Pass - 2	
		Fail - 1	1	Fail - 1	14
		Skip - 0		Skip - 11	

User Creates Monthly Recurring Calendar Event with Reminder

FAILED	DURATION - 39.813 s		Steps	
/ 3:55:14.640 pm // 3:55:54.453 pm /			Total - 14	
Calendar Event Creation with Recurring and Reminder Options			Pass - 2	14
			Fail - 1	
@feature			Skip - 11	

#	Step / Hook Details	Status	Duration
1	Given User is already logged in to application	PASSED	8.714 s
	username / password ashokmarch12@yopmail.com / Password@123		
2	When the user is on the Calendar page	PASSED	6.570 s
3	When the user clicks on New Event	FAILED	20.107 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: By.xpath: //button[normalize-space()='New Event +'] (tried for 20 second(s) with 500 milliseconds interval)
	   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	   at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:37)
	   at com.Pages.Calendar_NewEvent.clickOnNewEvent(Calendar_NewEvent.java:86)
	   at parallel.Calendar_NewEventSteps.the_user_clicks_on_new_event(Calendar_NewEventSteps.java:23)
	   at ?.the user clicks on New Event(file:///C:/Users/Ashok/eclipse-workspace/FC_BDD_Git_Jenkins/src/test/resources/features/Calendar_NewEvent.feature:12)
	 Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[3826e1a1a36ed0ed9582797dc13a2732, findElement {using=xpath, value=//button[normalize-space()='New Event +']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50384}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50384/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3826e1a1a36ed0ed9582797dc13a2732
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:194)
	    at org.openqa.selenium.support.ui.ExpectedConditions$7.apply(ExpectedConditions.java:190)
	    at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:627)
	    at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:624)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:204)
	    at com.qa.Utils.WebDriverWaits.waitForElementToBeClickable(WebDriverWaits.java:37)
	    at com.Pages.Calendar_NewEvent.clickOnNewEvent(Calendar_NewEvent.java:86)
	    at parallel.Calendar_NewEventSteps.the_user_clicks_on_new_event(Calendar_NewEventSteps.java:23)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:580)
	    at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	    at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1144)		
	at java.base/java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:642)		
	at java.base/java.lang.Thread.run(Thread.java:1583)		
	* Not displayable characters are replaced by '?'.		
4	And User enters "Event001" into EventTitle	SKIPPED	0.002 s
5	And selects the start date on the calendar	SKIPPED	0.001 s
6	And User sets the start time to "01:00"	SKIPPED	0.001 s
7	And User sets the end time to "14:00"	SKIPPED	0.001 s
8	And chooses to set a recurring event	SKIPPED	0.000 s
9	And User sets the recurrence to Monthly	SKIPPED	0.000 s
10	And selects the End date on the calendar	SKIPPED	0.000 s
11	And assigns the event to family member	SKIPPED	0.000 s
12	And enters someText into the description	SKIPPED	0.000 s
13	And clicks on save	SKIPPED	0.001 s
14	Then the user should see the message "Your event has been created"	SKIPPED	0.001 s
	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.013 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=123.0.6312.59) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration

	[3826e1a1a36ed0ed9582797dc13a2732, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.59, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\Ashok\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50384}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50384/devtoo..., se:cdpVersion: 123.0.6312.59, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3826e1a1a36ed0ed9582797dc13a2732
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)
	  at AppHooks.ApplicationHooks.tearDown(ApplicationHooks.java:45)		