elan1

Brand Book

The identity as it is actually built — one unit, one disc, one decided angle.

EDITION	VERSION	SUPERSEDES	BUILT ON
First	1.0	Nothing	Construction Standard v2.0

Contents

01 — BRAND

05 Mission and vision
06 The brand idea
07 What we value
08 Who we speak to
09 Product architecture and naming
10 Voice and tone
11 Writing rules
12 Messaging and boilerplate

02 — LOGO

14 The lockup
15 The unit
16 The disc
17 Why fifty degrees
18 Clear space and minimum size
19 Colour versions
20 Misuse

03 — COLOUR

22 Primary palette
23 Secondary palette

03 — COLOUR, CONTINUED

24 Functional palette
25 Tonal ramps
26 Gradients and fusions
27 Colour proportion and contrast

04 — TYPE AND ELEMENT

29 The type pairing
30 Type scale and rules
31 The disc system
32 Disc variations
33 Layout and cover architecture

05 — APPLICATIONS

35 Stationery
36 Business card and ID badge
37 Brochure and flyer
38 Standee and signage
39 Stickers, apparel and merchandise
40 Deck template
41 Poster system
42 The disc in posters
43 Poster specimens
44 Social principles
45 Governance and sign-off

00.1

How to use this book

WHAT THIS IS

The single source for how elan1 looks and sounds. Where this book and any older file disagree, this book is correct.

It absorbs the Logo Construction Book v2.0 in full. That document remains the reference for geometry.

WHAT IT GOVERNS

Anything carrying the name: product, web, decks, print, merchandise, signage, social, partner and event material.

Product interface tokens inherit from here but are versioned separately in the design system.

WHEN IT IS SILENT

Follow the nearest precedent in the book and send the work to brand review before it ships.

A new pattern used twice becomes a rule. Write it in rather than repeating the judgement.

OWNER	REVIEW CYCLE	ASSET LIBRARY	FOLIO
Brand, elan1	Every two quarters	elan1.ai/brand	03

01
Brand

MISSION AND VISION THE BRAND IDEA WHAT WE VALUE WHO WE SPEAK TO ARCHITECTURE VOICE MESSAGING

01.1

Mission and vision

MISSION

Put agents to work inside the business, and keep a person answerable for every action that commits it.

Written for the work, not the market. If a decision cannot be traced to this sentence, it is not our decision to make.

VISION

A business where the routine runs itself, the exceptions reach the right person, and nothing happens that no one can explain.

Ambitious about the outcome, specific about the constraint. Autonomy without accountability is not the goal.

01.2

The brand idea

Add one.
Become the one.

The disc leaves the numeral on a rising diagonal rather than resting beside it. Departure, not punctuation. Everything we make should read the same way — an addition that changes the standing of the whole.

Governed, not gated shut

Agents act. A person signs. Both are the product.

Ten apps, one plane

The value is the control plane they share, not the count.

Configured, not customised

Ten industry configurations off one codebase.

Built on Claude

Named, never hidden. It is a credential.

01.3

What we value

Governed

Nothing that commits the business happens without a named approver.

Shows up as: the approval gate, the audit trail, the word "answerable" in our copy.

Exact

One unit, one angle, one number. We state values, not intentions.

Shows up as: a logo specified in three numbers, tolerances published with the spec.

Composed

Parts that hold together. Ten apps on one plane, one book for one identity.

Shows up as: shared configuration, a single stylesheet, no bespoke forks.

Plain

We say what a thing does, including what it costs and where it is weak.

Shows up as: the risk stated in our own construction book, page 03.

01.4

Who we speak to

OPERATOR

COO, shared services, process owners

Asks: which of my processes can run unattended by next quarter?

Proof: ten agentic apps, live, on one control plane.

ASSURANCE

CISO, risk, internal audit, legal

Asks: what stops an agent doing something irreversible?

Proof: a human approval gate on every committing action, with a record.

BUILDER


CIO, platform and integration teams

Asks: how much of this do we have to build and then keep?

Proof: ten industry configurations off one codebase, built on Claude.

01.5

Product architecture and naming



- Ten agentic apps × ten industry configurations, off one codebase

NAMING RULES

elan1, always lowercase. Not Elan1, ELAN1 or Élan1 — including at the start of a sentence.

The 1 is a numeral. Never spelled, never superscript, never separated.

Apps take descriptive names. Named for the job they do, not the technology inside. No camel case, no invented words.

No sub-brand marks. An app is set in type as elan1 followed by its name. It never gets a logo of its own.

Configurations are not products. An industry configuration is described, not named.

01.6

Voice and tone

Plain

Short words for large ideas. If a sentence needs a second reading, rewrite it.

WE SAY

A person approves it before it happens.

NOT

Human-in-the-loop orchestration paradigms.

Specific

Numbers, names and dates beat adjectives. Publish the tolerance with the value.

WE SAY

Ten apps, one control plane.

NOT

A comprehensive suite of solutions.

Answerable

We name the limit and the owner. Nothing is described as automatic if a person signs it.

WE SAY

The agent drafts it. You commit it.

NOT

Fully autonomous, end to end.

Unhurried

Confident without urgency. We are not selling a race, we are removing a risk.

WE SAY

Start with one process. Add the next when it holds.

NOT

Transform your entire enterprise today.

01.7

Writing rules

01 Sentence case for headings and buttons. Title Case is reserved for proper nouns.

02 Numerals for all quantities, including one to nine. Ten apps, not ten Apps.

03 "Agentic" describes the application, not the outcome. Never "agentic value".

04 Never claim autonomy where an approval exists. Accuracy here is a compliance matter.

05 Say what the agent did and who approved it. Passive voice hides the owner.

06 Attribute the model. "Built on Claude" is a credential, written in full on first mention.

07 One idea per sentence, one claim per paragraph. Cut the second adjective.

08 Localise currency, date and number formats. The book is written in British English.

WORDS WE DO NOT USE

Revolutionary · game-changing · seamless · cutting-edge · unlock · supercharge · turnkey · frictionless · next-generation · leverage as a verb

WORDS WE KEEP

Governed · approve · commit · answerable · configuration · control plane · record · exception · limit · process

01.8

Messaging and boilerplate

DESCRIPTOR · ALWAYS WITH THE LOGO IN FORMAL USE

The Agentic Transformation Company

BOILERPLATE · 46 WORDS, VERBATIM

elan1 is the agentic transformation company. We build governed agentic business applications: ten agentic apps on one control plane, ten industry configurations, and a human approval gate on the actions that commit your business. elan1 is built on Claude.

ONE LINE · FOR SIGNATURES, STANDS AND SOCIAL BIOS

Governed agentic applications for the work that commits your business.

THREE PILLARS, IN THIS ORDER

01 Governed by design

A human approval gate on every committing action, with a record behind it.

02 One control plane

Ten agentic apps that share governance, identity and audit rather than each inventing it.

03 Configured for the industry

Ten industry configurations off one codebase, so deployment is setup rather than a build.

Lead with the pillar that answers the room's first question. Never present all three as equal.

02
Logo

THE LOCKUP THE UNIT THE DISC WHY FIFTY DEGREES CLEAR SPACE COLOUR VERSIONS MISUSE

02.1

The lockup



The primary lockup is the wordmark and the disc together. It is one artwork with three parts, and the parts are never used as a set of ingredients.

01 **Wordmark.** Bricolage Grotesque, five characters, default advances.

02 **Numeral.** Its top right corner is the origin of every disc measurement.

03 **Disc.** The only drawn element, and the only decided angle.

Use the supplied artwork. It originated as Bricolage Grotesque at wght 800, opsz 12, wdth 95, with a circle of 2.000 U whose centre sits 1.450 U from the numeral's shoulder on a 50° bearing — but the lockup is now a fixed asset and is never re-typeset to obtain it.

02.2

The unit



Ascender line
4.560 U above the baseline

x-line
3.452 U above the baseline

Baseline
The tinted column is 1.000 U

Rules drawn over the supplied artwork, not over a re-setting of the name. Every value below was measured off this file and agrees with the construction standard to within half a per cent.

1.000 U

= 157 font units at 1000 upm
the stem width of the l


Ascender height	**4.560 U**
x-height	**3.452 U**
Numeral height	**4.204 U**
Wordmark ink width	**14.483 U**
x-height ratio	**0.757**

The numeral stops 0.357 U short of the ascender line. That shortfall is the empty corner the disc occupies.

The lockup is a fixed drawn asset. Never re-typeset it to obtain these lines — measure the artwork.

02.3

The disc



The wordmark is a fixed drawn asset. The disc is the only element that has to be specified numerically — and it reduces to three values, all measured from the top right corner of the numeral.

PARAMETER	VALUE	WHY
Diameter	**2.000 U**	Two stem widths. The disc is the unit doubled.
Centre distance	**1.450 U**	One radius plus 0.450 U, so clearance falls out of the construction.
Bearing	**50.0°**	Above horizontal at the shoulder vertex. The only decided angle.
Measured here	**1.986 U · 49.7°**	Taken off the artwork above. Inside the 45–55° tolerance.

Because the nearest ink is a convex right-angle corner, the clearance depends only on distance from that point, never on the bearing. The angle is not forced by geometry. It was chosen for meaning.

02.4

Why fifty degrees

BEARING	LOCKUP W × H, U	AREA U²
0° beside — superseded	16.93 × 5.20	88.1
25°	16.80 × 5.82	97.7
50° — specified	**16.42 × 6.32**	**103.7**
55°	16.32 × 6.39	104.3
90° above	15.48 × 6.65	103.0



UNDER 40° 45–55° OK OVER 70°

01 At 0° the disc becomes punctuation — the mark reads as elan1 followed by a full stop. A closing gesture, and we are not making a closing statement.

02 At 90° it becomes a tittle — the dot of an i. A 1 has no tittle, so the mark reads as a typographic mistake, and it grows only in height, the expensive direction.

03 The diagonal is the only placement that reads as departure. The disc is leaving the numeral rather than following or resting on it.

04 It occupies the one piece of dead space in the lockup — the corner above the numeral, empty in every setting of this word.

Specify 50.0°. Tolerate 45 to 55. Reject anything outside 40 to 60.

02.5

Clear space and minimum size



One disc diameter on every side, measured from the outermost ink — the disc at top and right, the e at left. Nothing sets inside it, including rules and page edges.



96 PX MIN BELOW: DISC ALONE

Disc to numeral — governing	**0.450 U**
Absolute floor, any output	**0.400 U**
Clear space, all sides	**2.000 U**
Minimum lockup, print	**22 mm wide**
Minimum lockup, screen	**96 px wide**

At 96 px the clearance renders at roughly 2.2 device pixels — the floor for reliable antialiasing. Below that, drop the wordmark and use the disc alone for favicon, app icon and tenant switcher. Never shrink a pair whose clearance has already closed.

02.6

Colour versions



PRIMARY

Ink wordmark, clay disc, on paper. First choice everywhere.



REVERSED

White wordmark, clay disc, on ink. Equal status to the primary.



ONE COLOUR

100% ink, disc included. Single-plate print, engraving, fax-grade output.



KNOCKOUT

100% knockout, disc included. Embossing, etching, single-colour merchandise.

GROUNDS THAT ARE ALLOWED

Paper, ink, bone and the ink ramp above 700. Nothing else.

NEVER ON CLAY

The disc disappears into its own ground. On a clay field, use the one-colour knockout.

NEVER ON IMAGERY

Place the lockup on a solid field beside the image, not over it.

02.7

Misuse



Do not stretch or condense



Do not rotate — the mark is always level



Do not recolour outside the approved versions



Do not set the clay disc on a clay ground



Do not detach the disc or move it off its bearing



Do not reset the name in another typeface



Do not lock other words or a descriptor to the mark



Do not add shadows, glows, outlines or bevels

ONE CIRCLE PER SURFACE — IF THE INTERFACE ALREADY USES A COLOURED DOT FOR STATUS, THE BRAND DISC DOES NOT ALSO APPEAR

03
Colour

PRIMARY SECONDARY FUNCTIONAL TONAL RAMPS GRADIENTS AND FUSIONS PROPORTION

03.1

Primary palette

Ink

NAVY

HEX	**#0A1320**
RGB	10 · 19 · 32
CMYK	69 · 41 · 0 · 87
Nearest coated	PANTONE 5395 C

The wordmark on paper, the ground it reverses out of, and the site theme colour. Carries all body text.

Clay

ACCENT

HEX	**#B9603F**
RGB	185 · 96 · 63
CMYK	0 · 48 · 66 · 27
Nearest coated	PANTONE 7523 C

The disc, and one accent per surface. The only palette value clearing 3:1 on both grounds.

Paper

GROUND

HEX	**#FBFAF7**
RGB	251 · 250 · 247
CMYK	0 · 0 · 2 · 2
In print	Unprinted stock

Warm, not white. On uncoated stock leave it unprinted rather than laying down a tint.

03.2

Secondary palette



Ember

#DF8C64

Interface tone: links, hover, active state on ink. Never the disc — 2.5:1 on paper.



Kiln

#8A4229

Accent text on paper at body size, pressed states, rules on clay fields.



Slate

#1E3048

Elevated panels on ink, table headers, the second plane in a dark layout.

Bone

#F2EDE6

Alternate light ground. Use it to separate a spread from the one before it.



Graphite

#4A5561

Secondary text and captions on paper at 7.3:1. Not a brand colour, a utility.

The rule that keeps this palette honest: one accent per surface. If clay is present, no secondary value may compete with it — Ember and Kiln are members of the same family and appear as tone, not as a second colour.

Nothing outside the primary, secondary and functional sets may be introduced without brand review. That includes a partner's colour used to "balance" a co-branded layout.

03.3

Functional palette



Verdigris

#2E7D6B · approved, committed, healthy



Amber

#C99A2E · awaiting approval, held



Crimson

#9B2C3B · rejected, failed, blocked



Cobalt

#2F6FB3 · informational, in progress

These four exist so that clay never has to mean anything. An accent that also signals "approved" cannot be used freely anywhere else, and in a product built on an approval gate that would cost us the accent entirely.

01 Functional colour appears in product, dashboards and data only. Never in marketing layouts, never in the logo area.

02 Crimson is deliberately cooler than clay so the two never read as the same signal at small size.

03 Always pair the colour with a label or icon. Colour alone is not an accessible state.

03.4

Tonal ramps

CLAY 100 → 900



100	200	300	400	**500 base**	600	700	800	900
#F7DCCD	#EDB79B	#DF8C64	#CB7452	#B9603F	#A44F32	#8A4229	#612817	#40190E

INK 100 → 900



100	200	300	400	500	600	700	**800 base**	900
#E7ECF1	#CDD6E0	#A3B1C2	#6E8199	#3B506A	#24374F	#16243A	#0A1320	#060B12

03.5

Gradients and fusions



Ember on Ink

The signature. Long ink hold, clay arriving in the last third. Covers, key slides, stand backdrops.




Kiln

Clay through its own ramp. Fills a disc at large scale without introducing a second hue.



Nightfall

Ink through its own ramp. Depth on dark grounds where a flat field feels papery.



Halo

Radial, centred on a disc. The only permitted glow, and only on ink.

Paper Warm

Barely there. Gives a light page a direction of light without becoming a colour.

FUSION LADDER — CLAY MIXED INTO INK, IN OKLAB



10% 25% 40% 55% 70% 85% 100%

Use the ladder for charts, heat scales and stacked data where more than two steps are needed. Mixing in OKLab keeps the middle steps from going muddy.

- × No gradient behind body copy, ever. Text sets on a flat field.
- × No three-stop rainbow, no hue rotation beyond clay and ink.
- × No gradient inside or behind the logo. The disc is flat clay.

03.6

Colour proportion and contrast

A working ratio, not a law: roughly 55 parts ink, 30 paper, 10 clay, 5 secondary. Clay earns its force from scarcity — one disc, one rule, one number per surface. A layout with clay in four places has no accent at all.

PAIR	RATIO	CLEARED FOR
Ink on paper	**17.9:1**	All text
Paper on ink	**17.9:1**	All text
Graphite on paper	**7.3:1**	All text
Kiln on paper	**7.0:1**	All text
Ember on ink	**7.2:1**	All text
Clay on ink	**4.3:1**	Large text, chrome
Clay on paper	**4.2:1**	Large text, chrome
Ember on paper	**2.5:1**	Fails — decoration

Clay clears 3:1 on both grounds, which is why it can be the disc. It does not clear 4.5:1 anywhere, which is why it never carries body copy.

For accent text at paragraph size use Kiln on paper and Ember on ink. Both are the same hue family, so nothing changes about the palette — only the step.

Every ratio here is measured against the two brand grounds only. A partner's ground is measured separately before the mark goes on it.

04

Type and element

THE TYPE PAIRING TYPE SCALE THE DISC SYSTEM VARIATIONS LAYOUT

04.1

Schibsted Grotesk and IBM Plex Sans

Aa Gg1

Schibsted Grotesk

HEADINGS

A tight neo-grotesque with short extenders and a high x-height, so a 76 px title occupies less depth than the face it replaces. It gets darker without getting wider — the reason it carries display type here.

Axes	wght 400–900, variable
Display and page titles	wght 700
Section heads	wght 600
Tracking	−2% to −3%

Aa Gg1

IBM Plex Sans

BODY AND INTERFACE

Drawn for engineering documentation, which is what most of our writing is. Open apertures, unambiguous 1, l and I, and true tabular figures — it holds at 9.5 pt on uncoated stock and at 13 px in a table.

Axes	wght 100–700 · wdth 85–100
Body and tables	wght 400, wdth 100
Labels and emphasis	wght 600, wdth 100
Lead paragraphs	wght 300

WHY THESE TWO

They share a vertical proportion, so a Schibsted heading and a Plex paragraph sit on the same

THE LOGO KEEPS ITS OWN FACE

The wordmark is a fixed drawn asset in Bricolage Grotesque at wght 800, opsz 12, wdth 95. It is

LICENCE

Both faces are SIL Open Font License 1.1 — free for web, app, print and embedding, commercial

04.2

Type scale and rules

Display 140	Schibsted 700 · −3%
Page title 76	Schibsted 700 · −2%
Section head 44	Schibsted 600
Lead paragraph 34	Plex 300
Body copy 27 — set at 1.42 line height	Plex 400
Caption 25 — secondary information only	Plex 400
LABEL 24	Plex 600 · +18%

Sizes shown are the 1920 px page values. For A4 print divide by 4 and round to the nearest half point; nothing sets below 8 pt.

RULES

Schibsted Grotesk for headings, IBM Plex Sans for everything else. Two faces, no third.

Only labels are letterspaced. Display and body type carry negative or no tracking, never positive.

Sentence case everywhere except labels, which are uppercase.

Body measure 45–75 characters. Break a wide column before reducing the size.

Ragged right, never justified. Hyphenation off.

Plex tabular figures in tables and data. Proportional figures in running text.

Two type sizes per element at most. Hierarchy comes from weight and space.

04.3

The disc system

The wordmark can be typed by anyone. The disc is the part of this identity that had to be drawn — which makes it the part worth extending.

Away from the logo, the disc becomes a system: an aperture, a gate, a field, an orbit. Each derivation carries the same geometry — a true circle, flat clay, no internal detail — and each one is doing a job the layout actually needs.



The primitive. Diameter is always stated in U or as a fraction of the page width, never in absolute pixels.

01 **One circle per surface.** If an interface already uses a coloured dot for status or presence, the brand disc does not also appear.

02 **Always a true circle.** Never an oval, a rounded square, a ring with a gradient or a shape with internal detail.


03 **50° is the house angle.** When discs travel, repeat or trail, they do it on that bearing — not 45, not vertical.

04 **It never sits inside the logo's clear space.** A derived disc on the same surface as the lockup keeps 2.000 U away from it.

05 **Two scales, nothing between.** Either page-scale — cropped, over a third of the width — or element-scale, under 2 U. Mid-size discs read as clip art.


04.4

Disc variations



Mark disc

Favicon, app icon, tenant switcher, bullet.




The gate

Approval, review, the human decision point.



Aperture

Observability, audit, focus on one record.




Orbit

An agent working a cycle. Loading and run states.




Trail

Progression on the 50° bearing. Roadmaps, before and after.



Eclipse

Human and agent on the same task. Partnership, co-branding.




Halftone field

Scale, volume, coverage. Backgrounds and section ends.




Progress arc

Completion, adoption, a run in flight. Product and dashboards.




Control plane

Ten apps, one line. The product diagram, reduced to a device.



Registration

Precision and specification. Technical diagrams, this book.



Cut disc

Held at an edge. Page furniture, dividers, tab markers.



Field crop

Page scale, cropped by the trim. Covers, standees, stands.

04.5

Layout and cover architecture

THE GRID

Columns	12, equal
Margin, all sides	2.000 U of the page lockup
Baseline	8 px / 2 mm
Standard splits	6 + 6 · 8 + 4 · 4 + 4 + 4 · 3 × 4


Every page carries a rule under the header and a folio at the foot. That furniture is what makes a set of pages read as one document.

THREE COVER ARCHITECTURES




A · Field crop

Disc cropped at the trim, type held in the clean half. Decks, standees, reports.



B · Halo, centred

Symmetrical and quiet. Event titles, social, launch moments.



C · Paper, corner disc

Restrained. Proposals, contracts, technical documents, letterhead.

The diagonal. Where a layout needs a diagonal — a cut, a trail, a rule — it runs at 50°. One diagonal per surface, and it never crosses type.

The logo's place. Top left on documents, top left or centred on covers, bottom right only on the back of a printed piece.


05
Applications

STATIONERY CARD AND BADGE BROCHURE AND FLYER STANDEE AND SIGNAGE MERCHANDISE DECK


POSTERS SOCIAL

05.1


Stationery



Letterhead · A4



Continuation sheet · A4




Envelope · DL 220 × 110 mm

Margin, all sides	18 mm
Logo width	32 mm
Corner disc	7 mm, 18 mm from trim
Body type	9.5 pt / 15 pt
Stock	120 gsm uncoated
Inks	2 spot, or CMYK


05.2

Business card and ID badge





Business card · 85 × 55 mm · 400 gsm, uncoated, square cut



ID badge · 54 × 86 mm portrait

CARD RULES

Front is the mark only. No name, no strapline beyond the descriptor.

Back is paper. Ink on both sides makes the contact details hard to read.

One disc per face. The front's is cropped; the back's is 5 mm and set in the corner.

BADGE RULES

Name at 16 pt minimum — readable at 1.5 m.

Access level is a word, never a colour alone.


Photograph area 30 × 40 mm, top aligned. Portrait orientation only.

05.3

Brochure and flyer



Brochure · A4 tri-fold, 297 × 210 mm · roll fold, cover panel right



Flyer · A4 single sided

PRINT SPECIFICATION

Bleed	3 mm all sides
Safety margin	10 mm
Brochure stock	170 gsm uncoated
Flyer stock	150 gsm uncoated
Body type	9.5 pt / 15 pt
Rich black	C60 M40 Y0 K100

One panel carries the mark, one carries the diagram, one carries the numbers. A panel with all three is a panel nobody reads.

The cover panel is the only ink field. Interior panels alternate paper and bone so the fold is visible when the piece is closed.

05.4

Standee and signage



Roll-up standee

850 × 2000 mm · visible area 850 × 1900



Exhibition back wall

3000 × 2400 mm · keep type above 900 mm from floor



Reception sign · 900 × 400 mm, brushed steel or acrylic



Door plate · disc alone, 120 × 120 mm

LARGE FORMAT RULES

One message per surface. A standee holds a headline and a source, nothing else.

Headline at 1/12 of the panel height or larger.

Nothing important in the bottom 400 mm of a standee — it sits behind people.

The cropped disc enters from one edge only, and never from the same edge as the logo.

Artwork at 1:10 scale, 300 dpi, or vector. No upscaled raster.

Matte laminate only. A gloss finish makes the ink field a mirror under stand lighting.

A stall is one ink field, one clay disc and one headline. Every additional element is read as a second brand.

05.5

Stickers, apparel and merchandise



Stickers

Three die cuts only: 50 mm clay circle with knockout mark, 38 mm ink circle with clay disc, 60 × 24 mm paper rectangle. Matte vinyl.




T-shirt and apparel

Ink garment, one-colour paper print, 90 mm wide, 70 mm below the collar seam. Clay disc alone on the left sleeve at 30 mm. No back print.



Bottle

Powder-coated ink steel, 600 ml. Clay disc laser-etched or screen printed at 40 mm, centred. Wordmark only if the wrap exceeds 96 px equivalent.



Notebook and tote

A5 notebook, paper cover, corner disc at 12 mm. Natural canvas tote, one-colour ink mark at 120 mm. Nothing else in the range.

Single colour first. Every merchandise item must hold as 100 per cent ink and 100 per cent knockout before a two-colour version is quoted.

Disc alone below 22 mm. Embroidery, etching and pad printing all close the clearance. Under 22 mm the wordmark comes off.

No novelty. No mascot, no illustrated disc, no slogan merchandise. The range is short on purpose.

05.6

Deck template




Cover

Ink, field crop, logo top left.




Section divider

Number in clay, one word. Identical every time.



Content

Paper, three or four columns, rule and folio.



Single figure

Bone, one number in clay, one line of context.


Built at 1920 × 1080. Titles 48 pt minimum on screen, body 20 pt minimum. Nothing below 18 pt reaches the back of a room.

Two grounds per deck. Ink for covers and dividers, paper for content, bone for a figure. A third ground makes the deck look assembled from two decks.

One idea per slide. If a slide needs a second heading, it is two slides.

05.7

Poster system



Anatomy · 4:5 master

Margin 7.2% of the short edge, all four sides

THE FIVE ZONES, TOP TO BOTTOM

01 **Mark.** Lockup top left at 27% of the canvas width. It appears once and never competes with the disc.

02 **Kicker.** Two or three words, uppercase, letterspaced, prefixed //. Kiln on paper, Ember on ink.

03 **Headline.** Schibsted 700, 11–12% of the canvas height, tracked −3%. Two lines at most. The second clause may take clay.

04 **Body.** One sentence, Plex 400, 2.4% of canvas height, 44 characters a line. Optional — most posters are stronger without it.

05 **Action.** A square clay block and the domain, baseline-aligned. Never a rounded pill — the system has no rounded corners.

The stack is fixed. What changes between posters is the disc derivation behind it and which ground it sits on.

FORMATS

Square	1080 × 1080
Master, 4:5	1080 × 1350
Story, 9:16	1080 × 1920
Print	A2 · A1 · 3 mm bleed
Story safe area	250 / 320 px

Design the 4:5 master first, then crop to square and extend to story. A poster designed square rarely survives the 9:16 crop.

In print the stack holds at A-series ratio: the disc grows with the sheet rather than the margin shrinking.

05.8

The disc in posters

Six of the twelve derivations on page 32 carry a poster. The derivation is chosen from the content, never for variety.



01 Field crop

The default announcement. Cropped by two edges; type held in the clean corner.



02 Halo

Centred and symmetrical, for a single statement. The only permitted glow, ink only.



03 Aperture

Concentric rings — focus on one record. Governance and audit messages.



04 Trail

Echoes climbing the 50° bearing. Roadmaps and phased rollout.



05 Halftone field

A graded dot field on the 50° bearing. Scale and coverage claims.




06 The gate

The bisected disc — the human decision point. Approval and sign-off only.

- ✓ One derivation per poster. Two on the same canvas cancel each other out.
- ✓ Page scale or element scale — cropped over a third of the canvas, or under 2 U. Nothing between.
- × Never behind the headline. The disc enters from an edge the type does not occupy.
- × Never inside the lockup's clear space, and never a second disc to "balance" the first.


05.9

Poster specimens



Master · field crop INK GROUND

The announcement. Disc cropped by two edges, type in the clean corner, one action.



Master · aperture PAPER GROUND

For assurance audiences. Concentric rings read as focus on a single record.

WORKING NOTES

A set of three is the useful unit: an announcement, a proof, a close. Ship them together.

Two grounds per set at most. Alternate ink and paper so the set reads as a sequence.

The headline is the message. If the body sentence is doing the work, the headline is wrong.

One action per poster, and the same action across a set.

Hairline circles are 1 px at artwork scale and stay 1 px however large the sheet.

Export PNG at artwork size for social; PDF/X-1a with 3 mm bleed for print.

Shown at 44% of the 1080 × 1350 master. The third master in a set is the halo layout on page 42.

05.7

Social principles



AVATAR ALTERNATE

The avatar is never the full lockup. At 40 px the clearance has already closed, so the profile mark is a disc — clay on paper, or a paper disc knocked out of clay.

Feed post	1080 × 1350 · 4:5
Square	1080 × 1080
Story and reel	1080 × 1920 · 9:16
Link card	1200 × 630
Profile banner	1584 × 396
Safe area, stories	250 px top, 320 bottom

01 A post carries one sentence. If the point needs a paragraph, it belongs in the caption, not on the image.

02 Use the three cover architectures — field crop, halo, corner disc. A social post is a small cover.

03 Set type at 4 per cent of the canvas height or larger. Feed posts are read at thumb size.

04 The logo appears once, at 12 per cent of canvas width, in one corner. The avatar already carries the brand.

05 Quote cards set the quotation in ink on paper. Never a portrait behind text.

06 Carousels alternate ink and paper by slide, and the last slide is always the ask.

A full social kit — templates for each ratio, ad variants and motion — is out of scope for this edition and is the natural next piece of work.

00.2

Governance and sign-off

DECISION	WHO DECIDES	TURNAROUND
Logo, colour, type	Brand owner, in writing	Not delegated
New application	Brand review, at concept	3 working days
Co-branding	Brand owner and legal	5 working days
Print run over 500	Brand review, on proof	2 working days
Deck from the masters	Nobody — go ahead	—

OPEN ITEMS FOR THE NEXT EDITION

- Redraw the e terminal, the a spur and the numeral flag so the wordmark stops being a font setting.
- Full social kit, ad variants and a short motion standard for the disc.
- Photography direction, once there is a real library to art direct.
- Product interface tokens, versioned against this palette.

APPROVAL

Approved by — Name

Role — Title

Date — DD / MM / YYYY

Asset library	elan1.ai/brand
Brand review	brand@elan1.ai
Typefaces	Schibsted Grotesk · IBM Plex Sans
Logo face	Bricolage Grotesque · fixed asset
Geometry reference	Construction Standard v2.0

© elan1. This book and the marks within it are confidential and