ELAN1 GOVERN · FRONT END · INVENTORY

Pages, screens and APIs

29 October 2026. Every list below is read from the code itself: the route table (`src/App.tsx`), the menu (`src/shell/nav.ts`), the developer portal (`features/developers/nav.ts`), the console API object (`src/api`, counted as it runs), the OpenAPI document and the MCP tool catalogue. The public site is not included.

76	41	193	20	34
pages with their own address	screens in the console menu (most any account sees)	console API functions	public API endpoints (REST + MCP)	built-in MCP tools

1. Summary

WHAT	COUNT	MADE UP OF
Pages in the console (after sign-in)	61	41 menu screens, 12 detail pages, and 8 other pages (approval settings, add an agent, suggestions, pack portfolio, upgrade, upgrade close-out, your preferences, not allowed (403)). 1 address shares its page design with another, so there are 60 distinct console page designs.
Pages outside the console	15	Sign-in and account pages, the verifier, the developer portal, link pages, status, legal, print and system pages
Not-found pages	2	One inside the console for signed-in people, one public
Redirect addresses	4	`/legal`, `/work`, `/settings`, `/settings/:section`: old addresses that forward to the right page
Console menu screens	41	Work 8 · Records 10 · Agents 9 · Assurance 14. Plus 2 footer links (Developers, Verify a receipt) and 1 personal page (Your preferences).
Developer portal sections	31	8 groups, all at `/developers/<section>`
Legal documents	3	Privacy notice, Cookie policy, Sub-processors, at `/legal/<doc>`
Console API functions	193	About 79 that read and about 114 that do something. The split is by function name.
Public REST API	19	19 operations on 18 addresses in the OpenAPI document
MCP endpoint	1	`POST /mcp`, serving the 34 built-in tools
Built-in MCP tools	34	18 read-only · 10 stage work for approval · 6 act

2. Menu screens by plan and role

PLAN	OWNER	ADMIN	APPROVER	VIEWER	AUDITOR
L1	37	37	14	25	22
L2	39	39	14	27	24
L3	41	41	15	29	26
Sovereign	41	41	15	29	26

1. Work (8): What needs me now?

SCREEN	ADDRESS	ROLES	FROM PLAN

Today	`/`	owner, admin, approver, viewer	L1
Approvals	`/approvals`	owner, admin, approver, viewer	L1
Reviews	`/work/reviews`	owner, admin, approver, viewer	L1
Approvers	`/work/approvers`	owner, admin	L1
Not done	`/work/not-done`	owner, admin, approver, viewer	L1
Alerts	`/alerts`	owner, admin, approver, viewer	L1
Incidents	`/incidents`	owner, admin, approver, viewer	L1
Channels	`/work/channels`	owner, admin	L1

2. Records (10): What is the state of things?

SCREEN	ADDRESS	ROLES	FROM PLAN
Records	`/records`	owner, admin, approver, viewer, auditor	L1
Activity	`/activity`	owner, admin, approver, viewer, auditor	L1
Rulebooks	`/rulebooks`	owner, admin, approver, viewer, auditor	L1
Connectors	`/connectors`	owner, admin, viewer	L1
AI inventory	`/inventory`	owner, admin, approver, viewer, auditor	L1
Assessments	`/assessments`	owner, admin, approver, viewer, auditor	L1
Regulatory packs	`/records/packs`	owner, admin, viewer, auditor	L1
Erasure	`/records/erasure`	owner, admin, viewer, auditor	L1
Consent ledger	`/records/consent`	owner, admin, viewer, auditor	L1
Declarations	`/records/declarations`	owner, admin, viewer, auditor	L1

3. Agents (9): Who and what is acting here?

SCREEN	ADDRESS	ROLES	FROM PLAN
Agents	`/agents`	owner, admin, approver, viewer, auditor	L1
Agent map	`/agents/map`	owner, admin, approver, viewer, auditor	L1
Autonomy	`/agents/autonomy`	owner, admin, approver, viewer, auditor	L3
Keys	`/agents/keys`	owner, admin, auditor	L1
People and roles	`/agents/people`	owner, admin	L1
Organisation	`/agents/organisation`	owner, admin	L1
Deployment	`/agents/deployment`	owner, admin	L1
Path to production	`/agents/production`	owner, admin	L1
Notices from Elan1	`/agents/notices`	owner, admin	L1

4. Assurance (14): Can I show someone this was done properly?

SCREEN	ADDRESS	ROLES	FROM PLAN
Auditor workspace	`/auditor`	owner, admin, auditor	L1
Overview	`/assurance`	owner, admin, viewer, auditor	L1
Proof	`/evidence`	owner, admin, viewer, auditor	L1
Chain	`/activity/chain`	owner, admin, viewer, auditor	L1
Timestamps	`/assurance/anchors`	owner, admin, viewer, auditor	L2

Refusals	`/assurance/refusals`	owner, admin, approver, viewer, auditor	L1
Coverage	`/compliance`	owner, admin, viewer, auditor	L1
Verifier profiles	`/assurance/profiles`	owner, admin, viewer, auditor	L2
Counterparties	`/assurance/counterparties`	owner, admin, viewer, auditor	L1
Disclosure	`/assurance/disclosure`	owner, admin, viewer, auditor	L3
Meter	`/billing`	owner, admin	L1
Exports	`/assurance/exports`	owner, admin, auditor	L1
Evidence requests	`/assurance/evidence-requests`	owner, admin, auditor	L1
Assurance levels	`/assurance/levels`	owner, admin, viewer, auditor	L1

---

3. Every page

Console pages (61)

#	ADDRESS	PAGE	KIND
1	`/`	Today	Menu screen
2	`/approvals`	Approvals	Menu screen
3	`/approvals/settings`	Approval settings	Page
4	`/approvals/:id`	Approval	Detail
5	`/activity`	Activity	Menu screen
6	`/activity/chain`	Chain	Menu screen
7	`/activity/:seq`	Receipt	Detail
8	`/agents`	Agents	Menu screen
9	`/agents/new`	Add an agent	Page
10	`/agents/map`	Agent map	Menu screen
11	`/agents/:slug`	Agent	Detail
12	`/rulebooks`	Rulebooks	Menu screen
13	`/rulebooks/suggestions`	Suggestions	Page
14	`/rulebooks/:slug`	Rulebook	Detail
15	`/connectors`	Connectors	Menu screen
16	`/connectors/:id`	Connector	Detail
17	`/evidence`	Proof	Menu screen
18	`/auditor`	Auditor workspace	Menu screen
19	`/inventory`	AI inventory	Menu screen
20	`/inventory/:id`	AI system	Detail
21	`/assessments`	Assessments	Menu screen
22	`/assessments/:id`	Assessment	Detail
23	`/compliance`	Coverage	Menu screen
24	`/compliance/:framework`	Framework	Detail
25	`/alerts`	Alerts	Menu screen

26	`/alerts/:id`	Alert	Detail
27	`/incidents`	Incidents	Menu screen
28	`/incidents/:id`	Incident	Detail
29	`/billing`	Meter	Menu screen
30	`/work/not-done`	Not done	Menu screen
31	`/work/reviews`	Reviews	Menu screen
32	`/work/approvers`	Approvers	Menu screen
33	`/work/channels`	Channels	Menu screen
34	`/records`	Records	Menu screen
35	`/records/packs`	Regulatory packs	Menu screen
36	`/records/packs/portfolio`	Pack portfolio	Page
37	`/records/packs/:id`	Pack	Detail
38	`/records/erasure`	Erasure	Menu screen
39	`/records/consent`	Consent ledger	Menu screen
40	`/records/declarations`	Declarations	Menu screen
41	`/records/:key`	Record	Detail
42	`/agents/autonomy`	Autonomy	Menu screen
43	`/agents/keys`	Keys	Menu screen
44	`/agents/people`	People and roles	Menu screen
45	`/agents/organisation`	Organisation	Menu screen
46	`/agents/deployment`	Deployment	Menu screen
47	`/agents/production`	Path to production	Menu screen
48	`/agents/notices`	Notices from Elan1	Menu screen
49	`/assurance`	Overview	Menu screen
50	`/assurance/anchors`	Timestamps	Menu screen
51	`/assurance/refusals`	Refusals	Menu screen
52	`/assurance/profiles`	Verifier profiles	Menu screen
53	`/assurance/counterparties`	Counterparties	Menu screen
54	`/assurance/disclosure`	Disclosure	Menu screen
55	`/assurance/exports`	Exports	Menu screen
56	`/assurance/evidence-requests`	Evidence requests	Menu screen
57	`/assurance/levels`	Assurance levels	Menu screen
58	`/assurance/upgrade`	Upgrade	Page
59	`/assurance/upgrade/closeout`	Upgrade close-out	Page
60	`/you`	Your preferences	Page
61	`/403`	Not allowed (403)	Page

Pages outside the console (15)

#	ADDRESS	PAGE	KIND
1	`/login`	Sign in	Page

2	`/signup`	Sign up	Page
3	`/forgot`	Forgot password	Page
4	`/reset/:token`	Reset password	Detail
5	`/invite/:token`	Accept invitation	Detail
6	`/onboarding`	Onboarding	Page
7	`/verify`	Verify a receipt	Page
8	`/developers/*`	Developer portal	Page
9	`/approve/:token`	Approve by link	Detail
10	`/counterparty/:token`	Counterparty portal	Detail
11	`/status`	Status	Page
12	`/legal/:doc`	Legal documents	Detail
13	`/fingerprint/:org`	Fingerprint (print)	Detail
14	`/maintenance`	Maintenance	Page
15	`/offline`	Offline	Page

Developer portal sections (31)

GROUP	SECTIONS
Get started	Overview · Quickstart · Path to production · Conformance
Connect	MCP · Built-in MCP tools · REST API · SDKs · Examples
Rules	Rulebook YAML · Risk tags · Earned autonomy (L3)
Events and evidence	Webhooks · Receipts and verification · Seal v6 and the bundle (L2) · Anchors and timestamps (L2) · Verifier and profiles · CLI · Verifier releases
Between organisations	Action Receipts and disclosure (L3) · Action Receipt standard
Regulation	Regulatory packs and erasure
Operate	SAML, OIDC and SCIM · Sovereign installation (Sovereign) · Status page · Support
Reference	Errors and refusal ids · Refusal codes · Glossary · Versioning and changelog · Terms and DPA

---

4. Public API (for agents and integrations)

#	METHOD	ADDRESS	WHAT IT DOES
1	`POST`	`/v1/check`	Ask for a decision before a tool call
2	`POST`	`/v1/record`	Record the outcome of a call the agent ran
3	`GET`	`/v1/approvals/{id}`	Read an approval, optionally waiting for a decision
4	`GET`	`/v1/receipts/{seq}`	A receipt with its seal (L2+) and anchor state
5	`GET`	`/v1/receipts/{seq}/proof`	Merkle inclusion proof and both RFC 3161 timestamp tokens (L2+)
6	`POST`	`/v1/receipts/{seq}/issue`	Issue a receipt to a counterparty, revealing only some fields (L3)
7	`POST`	`/v1/verify/action-receipt`	Check a receipt another organisation issued to you; only a verified one is added to your chain (L3)
8	`GET`	`/v1/disclosures/{token}`	Public: the disclosure behind a counterparty portal link

9	POST	/v1/exports	Export evidence: the L1 auditor pack, or the 8-member evidence bundle from L2
10	POST	/v1/autonomy/graduations	Propose graduating an agent and action class from A2 to A3 (L3). No API sets a level directly.
11	POST	/v1/autonomy/graduations/{id}/approve	A second, different person approves a graduation; A3 starts with a 30-day supervised period that samples 1 in 10 calls (L3)
12	DELETE	/v1/autonomy/grants/{id}	Revoke an agent's autonomy for an action class — one call by one person (L3)
13	GET	/.well-known/action-receipt-keys	Public keys an organisation signs Action Receipts with
14	GET	/v1/status	Public status: components, chain integrity per organisation, incidents
15	GET	/scim/v2/{org}/Users	SCIM 2.0: list provisioned users
16	POST	/scim/v2/{org}/Users	SCIM 2.0: provision a user; groups map to roles
17	GET	/scim/v2/{org}/Groups	SCIM 2.0: groups and the roles they map to
18	GET	/v1/openapi.json	This document
19	GET	/healthz	Liveness and receipt-store health
20	POST	/mcp	MCP over streamable HTTP: the 34 built-in tools below

Built-in MCP tools (34)

#	TOOL	SCOPE	WHAT IT DOES
1	read.records	read	List records of a write type, filtered by state or counterparty.
2	read.record	read	One record with its full timeline of receipts.
3	read.receipts	read	Receipts in a range, newest first.
4	read.receipt	read	One receipt by its number.
5	read.evidence	read	What evidence exists for a range: receipts, checkpoints, timestamps, unanchored head.
6	read.proof (L2)	read	The inclusion proof and both timestamp tokens for one receipt.
7	read.declaration	read	The rulebook or declaration in force, at its explicit version.
8	read.rulebook_diff	read	The plain-language difference between two rulebook versions.
9	read.meter	read	This month's governed actions, refusals and allowance used.
10	read.approvals	read	Approvals waiting, with who can decide and when they expire.
11	read.approval_status	read	The state of one held call. Long-polls up to 30 seconds. (Also answered as govern.approval_status.)
12	read.refusals	read	Refusals by code, rule and agent for a period.
13	read.chain_head	read	The chain head: number, hash and the last checkpoint.
14	read.agents	read	Agents with their route, status and autonomy.
15	read.autonomy (L3)	read	The autonomy grants for an agent, per write type.
16	read.counterparties	read	Registered counterparties and their key fingerprints.
17	read.status	read	Service status and chain integrity, as the status page shows it.
18	read.tools	read	The tools this agent may call, with their risk tags.
19	stage.write	stage	Prepare a write: validate the arguments and run every pre-write check, without applying anything. Returns a staged_id and what would be decided.

20	`stage.update`	stage	Change the arguments of a staged write. The checks run again.
21	`stage.validate`	stage	Check arguments against the write type's schema only.
22	`stage.simulate`	stage	Run the staged write against the rules in force and a draft version side by side.
23	`stage.diff`	stage	What the write would change in the target record, field by field.
24	`stage.attach_evidence`	stage	Attach a reference (document id or hash) a person will see when approving.
25	`stage.comment`	stage	Leave a note for the approver on a staged write.
26	`stage.list`	stage	Staged writes this agent has open.
27	`stage.get`	stage	One staged write, with its checks.
28	`stage.withdraw`	stage	Drop a staged write. Nothing was applied, so nothing is billed.
29	`act.write`	act	Commit a staged write. The full decision path runs again on the same bytes; allowed writes run with a 10-minute credential.
30	`act.escalate`	act	Ask a person to decide a staged write now, before it is refused.
31	`act.reverse`	act	Reverse a committed write inside its reversal window.
32	`act.retry`	act	Retry a write refused with a PLATFORM.* code, with the same intent_id.
33	`act.withdraw_escalation`	act	Withdraw a held call before a person decides.
34	`act.record_outcome`	act	Check and record only: report what happened after your code ran an allowed call.

---

5. Console API functions (193)

Every screen reads and changes data only through these. Today they run on the in-browser demo data. A real backend replaces the inside of each function without changing any screen.

Read (79)

`agent`
`agents`
`aiSystem`
`alerts`
`allowedApprovers`
`anchors`
`approval`
`approvalLink`
`approvals`
`approverGroups`
`assessment`
`assessments`
`autonomyBreaches`
`billing`
`bundleRangePreview`
`can`
`capabilities`
`chainSlice`
`compliance`
`connectors`
`counterparties`
`crossOrgReceipts`
`crossOrgStanding`
`custody`
`decisionBlocked`
`deployment`
`disclosureBundle`
`disclosureBundleByToken`
`disclosureBundles`
`disclosureByToken`
`disclosureProfiles`
`disclosures`
`erasures`
`escalation`
`evidence`
`firstIssueInfo`
`graduationCandidates`
`graduationProposals`
`grants`
`identityConfig`
`incidents`
`inclusionProof`
`integrityRuns`
`inventory`
`isBundleToken`
`level`
`levelOf`
`members`
`meter`
`org`
`orgs`
`pack`
`packExport`
`packFactory`
`packPortfolio`
`packs`
`previewPack`
`profileLifecycle`
`profiles`
`receipt`
`receipts`
`residency`
`reviews`
`reviewsCount`
`reviewsQueue`
`rulebook`
`rulebooks`
`seal`
`standingByToken`
`status`
`stopPreview`
`suggestions`
`supervision`
`testVectors`
`today`
`tools`
`upgradeCloseout`
`upgradeContacts`
`webhooks`

Act (114)

acceptReceived
acknowledgeFirstIssue
addAiSystem
addCounterparty
addUpstream
admitPackCandidate
anchorNow
applyUpdate
approveErasure
approveReview
cancelProfileOrder
cancelUpgradeNotice
compareUpgradeFingerprint
confirmBreachRevoke
createAgent
createDisclosure
createDisclosureBundle
createDisclosureChecked
createErasure
createUpgradeKey
decide
decideByLink
decideGraduation
discover
dismissFinding
disputeByToken
disputeReceived
downloadDisclosureBundleByToken
engageStop
executeErasure
explainReconException
exportDisclosureBundle
exportPack
extendApproval
installPack
issueKey
issueProfile
issueToCounterparty
issueToCounterpartyChecked
liftStop
noteProfileUsed
openDispute
orderProfile
proposeGraduation
proposePackCandidate
publish
reconcilePack
recordAuditorReading
recordDispute
recordPilotAirGap
recordPilotGd
recordPilotNecessity
recordPilotSelfExport
recordPilotVerdict
recordProfileSecondReader
recordReversalDrill
refuseReceived
registerFinding
rejectPackCandidate
removeDisclosureProfile
reportAutonomyBreach
requestReview
reroute
resolveApprovalLink
resolveDispute
reviewAssessment
reviewSample
revokeDisclosure
revokeDisclosureBundle
revokeGrant
revokeIssued
revokeKey
rollbackUpgrade
rotateKey
rotateScimToken
runDiscovery
runFirstBundle
runFirstTen
runIntegrity
runKeyCeremony
runPackTests
runProfile
runProfileFixtures
saveDisclosureProfile
saveDraft
scheduleUpgradeNotice
sendUpgradeNotice
setAgentStatus
setAlertStatus
setCounterpartySeats
setEscalation
setFramework
setIdentityConfig
setSuggestion
setToolEnabled
signCheckpoint
signIn
stageUpdate
startPilot
stopPilot
submitProfile
switchToL2
testOnPast
tryAction
uninstallPack
upgradeLevel
upgradePlan
verifyBundle
verifyReceived
verifyReceivedChecked
widenStop
withdrawDispute
withdrawProfile
writeClosingRecord

The read/act split is by function name. Every other count in this report is exact.