ELAN1 GOVERN · FRONT END · READ-ONLY CHECK

Completeness check — after the build

28 October 2026, night. Nothing was built or changed for this check. It covers the console, the receipt verifier, the developer portal, the counterparty, regulator and partner portals, the status, legal, fingerprint, maintenance and offline pages, and every demo sign-in, at L1, L2, L3 and Sovereign. The public site is not included: it is already built.

> **How it was checked.**
> - **Code reviews.** Five reviewers each read one area against the platform plan and the digests of the Information Memorandum, Technology Memorandum, Architecture Atlas and financial model. The five areas were: Work and access; Records; Agents and Sovereign; Assurance and billing; and the developer portal with the end-to-end journeys. Each finding comes with a file and line. I re-checked the most important findings in the code myself.
> - **Sign-in check.** Every demo account was tried in the running app with its published password.
> - **Link checks.**
>   - Static: every link target in the code was matched against the routes, including tab values and anchors.
>   - Live: every link was followed in the running app at each level. The live crawl was run earlier tonight on the same code.
>
> **Not counted:** the decisions in `08-conflict-decisions.md`, the defaults listed in §4 of `10-build-report`, items the memorandum marks LATER, the public site and backend internals.

---

1. Summary

~220	11	3	31	0
ITEMS VERIFIED AS BUILT	BROKEN	MISSING	PARTIAL	DEAD LINKS

All the screens exist, all the links resolve, and all the demo sign-ins work. The 45 findings are mostly details inside screens that already exist:

- a level gate or a line of copy that disagrees with the 28 Oct decisions;
- a role permission that differs from the Technology Memorandum's role table;
- a flow that stops one step short.

Five matter most:

- **Emergency stop confirmation.** Typing "stop" in lowercase leaves the button disabled, with no message.
- **Packs at L1.** Packs can't be installed from the Coverage page, and no agent can be admitted to a pack.
- **Pack checks on live calls.** An installed pack's checks never decide a live call.
- **Sovereign egress.** Approval links and single sign-on can still reach outside services, despite deny-all egress.
- **Auditor writes.** An auditor can write receipts to a client's chain.

By level

LEVEL	SCREENS AND JOURNEYS	FINDINGS THAT APPLY	SPECIFIC TO THIS LEVEL
L1 Guarded	All built; 12 journey steps traced to a receipt	35	Pack install and admission blocked; "signed" copy; erasure not counted in coverage; Autonomy page shows A3; retention can drop below 8 years
L2 Attested	All built; 9 journey steps traced	34	Export without the nightly integrity run; bundle member set; evidence-request export skips the export checks; auditor writes; Autonomy page shows A3

L3 Proven	All built; 7 journey steps traced	33	An approver can revoke a graduation; key ceremony swaps keys with no overlap; regulator profile run not in the portal
Sovereign	All built; 5 journey steps traced	35	Approval links offer WhatsApp and Slack; single sign-on can point at Okta, Entra or Google under deny-all egress

25 findings apply at every level, so the per-level counts overlap.

---

2. Sign-ins, links and build

CHECK	RESULT
Demo sign-ins (30 accounts)	**30 of 30 behave as designed.** • 26 console accounts sign in: 22 with a two-step code, and the 4 viewers, one per level, without. • Deepak Jain (L2) is refused as suspended, which is the seeded case. • The 3 portal accounts (counterparty, regulator, partner) reach their portal. • Every account has a matching user, membership, organisation and level, and the README table matches.
Static links	**0 dead.** This covers every link, navigation, nav entry, settings redirect, `?tab=` value, developer section and anchor.
Live crawl	**0 problems.** L1: 400 pages, 31,227 links. L2: 400 pages, 37,044 links. L3: 320 pages, 27,567 links. Sovereign: 320 pages, 30,403 links. The 17 pages outside the doors also load cleanly.
Type-check and production build	Both pass.
Placeholders	No "coming soon" text, toast-only buttons or buttons without a handler. The only "not yet available" text is for A4 and A5, as decided.

---

3. Findings

Status key:

- **Broken**: the screen exists but does the wrong thing.
- **Missing**: not built.
- **Partial**: built but a step or detail short.

3.1 Work door and access

#	LEVEL	ITEM	STATUS	WHAT IS WRONG OR MISSING
1	All	Typing STOP or RESUME to confirm	Broken	The field shows capitals, but the check compares the exact text `STOP`. Typing "stop" shows STOP on screen, yet the button stays disabled with no message. RESUME works the same way. shell/StopDialog.tsx:44,147; incidents/ResumeFlows.tsx:68,162,193,267
2	Sov	Single-use approval links under deny-all egress	Broken	At Deccan, an approval still offers WhatsApp, and Slack where chat is allowed. The link is issued with no Sovereign check, and the link page says approvals arrive in WhatsApp and Slack. approvals/ApprovalDetail.tsx:651; mock/platform.ts:1768–1790; ApproveByLinkPage.tsx:301
3	All	Approvers acknowledge and resolve alerts	Broken	The Technology Memorandum role table gives this to approvers. The approver role lacks it, and the screen and the API both refuse. lib/permissions.ts:40; alerts/AlertPage.tsx:27,116

4	All	Approvers draft and submit assessments	**Broken**	Flow F12 says an approver or admin drafts from a template. Approvers cannot author assessments, so the buttons stay disabled. lib/permissions.ts:40; assessments/backend.ts:90
5	All	Approver notified by email or WhatsApp	**Partial**	A held call records only channel names. No link is sent automatically and nothing reaches the demo outbox. A link issued by hand writes no receipt. mock/db.ts:1135–1156; mock/platform.ts:1768–1790
6	All	Approve in chat	**Partial**	The documents have in-chat buttons. The build sends a link that needs sign-in, and the Roles page still says chat buttons don't ask for a password. settings/sections/Roles.tsx:96
7	All	Incident report as PDF	**Partial**	It produces printable HTML ("print to save a PDF") and doesn't use the in-browser PDF writer that packs and framework reports use. incidents/IncidentPage.tsx:102
8	All	Stop banner for a stop on selected agents	**Partial**	The banners on every page and on Today say "every agent call is refused" even when only some agents were stopped. shell/AppShell.tsx:144; today/TodayPage.tsx:89
9	All	Approval queue filters and rows	**Partial**	There is no "raised by" filter, and rows don't show whether an agent or a person proposed the call. approvals/ApprovalsPage.tsx:57,313
10	L3, Sov	Regulator runs the profile for their regime	**Partial**	The portal roles promise it, but no portal page runs a verifier profile. settings/permissions.ts:76; features/portal/*

3.2 Records door

#	LEVEL	ITEM	STATUS	WHAT IS WRONG OR MISSING
11	L1	Install a pack from Coverage	**Broken**	At L1 the Coverage page shows "Upgrade to install" and a banner saying "packs start at L2". This contradicts the L1 dry-run decision. `/records/packs` does allow the install. compliance/CompliancePage.tsx:179,224
12	L1	Admit an agent to a pack	**Broken**	The pack admission assessment is refused below L2. A pack's rules apply only after admission, so a dry-run pack can never cover an agent at L1. assessments/templates.ts:148; StartAssessmentDialog.tsx:93
13	L1	Pack level wording	**Partial**	"Packs start at L2" is left on Records and Connectors, and the pack refusal class is tagged L2. records/RecordsPage.tsx:330; connectors/ConnectorsPage.tsx:96; activity/shared.tsx:103
14	All	Pack checks on live calls	**Partial**	The pack pages say the declaration "runs before every governed write". Only the consent check (G1) is registered, so an installed pack's checks and write-type limits never decide a call, and the "Regulatory pack" refusal class stays empty. mock/db.ts:1105; mock/records.ts:585; packs/PacksPage.tsx:40
15	L1, L2	Read-only counterparty register	**Partial**	The register is built on the Assurance page. But Records and the Assurance overview tile still say "starts at L3" and link to the upgrade. records/RecordsPage.tsx:184,213; assurancedoor/AssuranceHomePage.tsx:230

16	L1	Erasure in coverage and refusal analytics	Partial	Erasure works from L1, but at L1 its receipts don't count towards coverage, DPDP s.8(7) and s.12 show as gaps, and the erased-data refusal class is tagged L2. compliance/evidence.ts:52,65; activity/shared.tsx:105
17	L1	L1 copy says "signed"	Broken	The erasure page and plan, the data settings and two assessment answers say "signed" at every level, including L1. erasure/ErasurePage.tsx:145,248,311; erasure/plan.tsx:52; settings/sections/Data.tsx:91; assessments/templates.ts:51,134
18	All	Control set	Partial	Three documented controls are missing: separation of duties, retention set and recorded, and role changes. Retention is labelled "control EG-10", but EG-10 is the emergency stop. Retention changes count towards no control. mock/governance.ts:76; compliance/evidence.ts:28; settings/sections/Data.tsx:67
19	All	Next review after sign-off	Partial	The build uses 6 months for high-risk systems and 12 for everything else. The documents give 24 months for low and minimal risk. assessments/templates.ts:259
20	All	Rulebooks with the replay store off	Broken	With the replay store switched off, Test can't run, so no version can be reviewed or published. Suggestions can't be published either. The documents want a disabled state, not a dead end. api/index.ts:311; rulebooks/TestTab.tsx:93; PublishTab.tsx:144

3.3 Agents door and Sovereign

#	LEVEL	ITEM	STATUS	WHAT IS WRONG OR MISSING
21	L1, L2	Autonomy page below L3	Partial	Below L3 the page shows a level read from the rulebook, so any allow rule appears as "A3 Act reversible" with no graduation. The agent's own Autonomy tab says "A3 by graduation", so the two screens disagree. agentsdoor/AutonomyPage.tsx:105–107,147
22	All	Control token and read-only operations token	Missing	The memorandum names three token classes. Only agent keys (`gk_` / `sk_sbx_`) exist, and Keys has nowhere to issue the other two. analysis/01 digest lines 80, 458
23	All	Production keys never self-serve	Partial	Issuing a `gk_` key goes through the review. Rotating one issues a new production secret at once, with no review. agents/backend.ts:220,247
24	L2, L3, Sov	Signing-key rotation with a published successor	Partial	"Publish a successor" keeps the 30-day overlap. The key ceremony (L3, Sovereign) and the approved KMS rotation (L2) swap keys at once with no overlap. agentsdoor/KeysPage.tsx:168,323; mock/db.ts:1640
25	Sov	Single sign-on under deny-all egress	Broken	An owner at Deccan can switch to Okta, Entra or Google, and "Test connection" reports the discovery document "answered 200". This should be blocked and logged like Slack, WhatsApp and webhooks. settings/orgApi.ts:153–170; settings/sections/Sso.tsx:19
26	L3, Sov	Who can revoke a graduation	Partial	Through "Report a breach", an approver can trigger an immediate revoke. The permission matrix allows owners and admins only. agentsdoor/AutonomyBreaches.tsx:23,95; mock/l3autonomy.ts:103
27	All	Agent keys guidance text	Partial	The help text says to replace a key by issuing a new one by hand. A Rotate action with a grace period now exists. settings/sections/ApiKeys.tsx:93

3.4 Assurance door and billing

#	LEVEL	ITEM	STATUS	WHAT IS WRONG OR MISSING
28	All	The two invoice builders	Partial	The two builders agree on every rule from the 28 Oct decisions. The modelled builder still differs from the chain meter in seven ways: • it uses modelled volumes; • it bills Sovereign as a monthly floor; • it makes one combined pack line; • it can bill a re-ordered profile twice; • it has no discount, held, credit, pilot or sandbox lines; • it uses UTC month edges; • its months are fixed to April–October 2026, so it stops on 1 November. `/billing` uses the chain meter. But `/work/not-done` takes its "remaining this year" figure from the modelled builder, so it disagrees with `/billing`. mock/db.ts:573–655; billing/chainMeter.ts; work/NotDonePage.tsx:240
29	L2+	Evidence-request export and the first close-out bundle	Partial	Both call the export directly and skip the export checks: size split, chain-break check, and the residency, consent and declarations checks. They also don't verify the bundle first, and they don't show the ₹2,500 charge before the click. mock/keys.ts:794; mock/upgrade.ts:634; api/index.ts:392
30	L2+	Export needs a completed nightly integrity run	Missing	Nothing checks for an integrity run over the range; "Not checked" appears only as a chip. evidence/ExportGuards.tsx:33
31	L2+	Evidence bundle members	Partial	The specification lists a lexicon member, which the bundle doesn't have. Member names also differ from the specification (`chain.json`, `anchors/`, `declarations/`). lib/verify6.ts:54
32	All	The nine-section report	Partial	The console and the public verifier name different nine sections. Only the public verifier's set matches the specification: Verdict, Claim, Scope, Integrity, Clauses, First failure, Notes, Limits, Reproduction. assurancedoor/AssuranceHomePage.tsx:257; verify/ResultView.tsx:99
33	L2+	Auditor writing to the client's chain	Broken	An auditor can issue a verifier profile, record the second reader and run fixtures. Each writes a receipt on the client's chain, which contradicts the read-only auditor role and the banner "You cannot change the client's records". mock/packsFactory.ts:622,663,676; profiles/LifecyclePanel.tsx:39,92
34	All	Requests to Elan1: dispute, discount, reopen	Partial	A disputed line can only be withdrawn. No settlement can be recorded from the console; only the seed settles one. "Ask for a discount" and "Ask to reopen" stay with Elan1 for ever. billing/InvoiceDrawer.tsx:168; mock/billing.ts:281,633
35	All	Who can open a dispute	Partial	"Owners only" is enforced on screen, not in the API. billing/InvoiceDrawer.tsx:64,240
36	L2+	Enforcement mode per write type	Partial	Shown only as a 7-day total and an agent count, not per write type. assurancedoor/AssuranceHomePage.tsx:144

37	L1	Retention below 8 years	Partial	Without a write-once lock, 3 or 5 years can be set. The Atlas keeps proof for at least 8 years (MCA). settings/sections/Data.tsx:93; settings/orgApi.ts:518
38	L1, L2	Exit-code tables on Proof	Partial	The L1 table leaves out INCOMPLETE. The L2 table leaves out PASS_PAYLOAD_UNBOUND and PASS_L1_INTERNAL. evidence/EvidencePage.tsx:319,374

3.5 Developer portal, shell and pages outside the doors

#	LEVEL	ITEM	STATUS	WHAT IS WRONG OR MISSING
39	All	Ask Govern on an assessment or incident	Broken	The drawer opens with a specific title but shows only the five general questions. The context passed in is ignored. shell/AskPanel.tsx:98; assessments/AssessmentPage.tsx:145; incidents/IncidentPage.tsx:159
40	All	Ask Govern explains a rule	Missing	The plan says Ask Govern explains a receipt, a refusal or a rule. Receipts and refusals work; rules have no entry point and no explainer. store/ui.ts:7
41	All	Developer docs: system refusal ids	Partial	The Errors page leaves out `tool-disabled` and `sandbox-limit`, which the code produces. It also says a disabled tool refuses with `default`. developers/sections/More.tsx:148; Start.tsx:10,141
42	L1	Developer docs: auditor pack members	Partial	The docs list 4 members. The pack has 7: it adds the PDF summary, the compliance map and the README. developers/sections/Evidence.tsx:170
43	All	Refusal register compared with the memorandum	Partial	`GATE.COUNTERPARTY_UNKNOWN` is a core check in the memorandum but L3-only in the register. Three codes the memorandum names are absent: `POLICY.DECLARATION_INVALID`, `VERSION_NOT_SEQUENTIAL`, `NOT_CERTIFIED`. mock/devpathData.ts:61–75,113
44	All	Cookie policy table	Partial	One entry describes the wrong thing: `eg:dr-count` is the defect-report counter, not drill requests. The verifier-release key isn't listed. legal/LegalPage.tsx:138
45	All	404 for signed-out visitors	Partial	The catch-all route sits inside the sign-in guard. A mistyped public address sends a signed-out visitor to sign-in instead of the 404 page. App.tsx:136,207

---

4. Known and accepted

- **The pilot in the demo organisations.** The pilot invoice line and the Today tile appear only in organisations created by sign-up. This is already noted in `10-build-report`.
- **Seeded demo events.** They carry the time the seed ran, not a back-dated time, so the chain's timestamps keep running forward.
- **Single-authority batches.** The verifier handles a batch with only one timestamp authority ("degraded") in code. But every seeded batch has two, so it can't be shown in the demo.

5. What this check could not cover

- **Reviews.** The five code reviews read the code; they did not click through the app. The live crawl covers rendering, links and script errors, but not every button's result.
- **Single-use links.** Single-use approval and portal links were not opened, because opening one uses it up or records a view.
- **Devices.** Phone layouts at 360 px and installing the app on a real phone were not tested.
- **Read in part.** Some large screens were checked by targeted search rather than read line by line: the counterparty drawers, disclosure, bundles and the later part of the close-out page.