Tuwaiq 1000 bootcamp

JavaScript - Riyadh

Ashraf Alghamdi

- Create a collection called resturants
- Insert one resturant into the resturants collection

```
>_MONGOSH

/

> use W08D02HW

< 'switched to db W08D02HW'

> db.resturants.insertOne({name: "Mama-Norah", city: "Riyadh", score: 10})

< { acknowledged: true,
    insertedId: ObjectId("619b954393e20b5ca9d4e181") }

Atlas atlas-6dty28-shard-0 [primary] W08D02HW>
```

Insert many resturants into the resturants collection

Display all the documents in the collection restaurants.

Display all the documents in the collection restaurants, but exclude th field _id

```
> db.resturants.find({},{_id: 0})

< { name: 'Mama-Norah', city: 'Riyadh', score: 10 }

 { name: 'Herfy', city: 'Riyadh', score: 7 }

 { name: 'McDonalds', city: 'Riyadh', score: 10 }

 { name: 'Albaik', city: 'Riyadh', score: 9 }

 { name: 'Shawarmer', city: 'Riyadh', score: 6 }</pre>
```

• Display all the restaurants which is in "Riyadh" city.

 Display all the restaurants which is achieved a score grater than or equal to 9.

• Display all the restaurants which is achieved a score grater than or equal to 8 but less than 9.5.

```
> db.resturants.find({$and: [{score: {$gte: 8}}, {score: {$1t: 9.5}}]})

< { _id: ObjectId("619b96e493e20b5ca9d4e184"),
    name: 'Albaik',
    city: 'Riyadh',
    score: 9 }</pre>
```

• Display all the restaurants which is in "Riyadh" and achieved a score grater than or equal to 9.5.

 Display all the restaurants which is contain 'Al' as first two letters of its name.

• Display all the restaurants which is contains 'k' somewhere in its name, either k is big or small.

```
> db.resturants.find( {name: {$regex: /k/i}} )

< { _id: ObjectId("619b96e493e20b5ca9d4e184"),
    name: 'Albaik',
    city: 'Riyadh',
    score: 9 }</pre>
```

 Display all the restaurants by arranged the name of the restaurants in ascending order.

• Update "McDonalds" resturant which is in "Riyadh" to be in AlMadinah, and the name to "McDonald's", and the score to "9"

Delete the KFC restaurant

```
> db.resturants.deleteOne({name: "Shawarmer"})
< { acknowledged: true, deletedCount: 1 }
> db.resturants.find()
< { _id: ObjectId("619b954393e20b5ca9d4e181"),
    name: 'Mama-Norah',
    city: 'Riyadh',
    score: 10 }
{ _id: ObjectId("619b96e493e20b5ca9d4e182"),
    name: 'Herfy',
    city: 'Riyadh',
    score: 7 }
{ _id: ObjectId("619b96e493e20b5ca9d4e183"),
    name: 'McDonald\'s',
    city: 'AlMadinah',
    score: 9 }
{ _id: ObjectId("619b96e493e20b5ca9d4e184"),
    name: 'Albaik',
    city: 'Riyadh',
    score: 9 }</pre>
```