



广州海检检测有限公司
Guangzhou HJ Certification & Testing Co., Ltd

Material Safety Data Sheet (MSDS)

Edited by: Derek

Checked by: Sofia

Approved by: Jinhao

Official Seal: _____



Add: Room 411, Building 4, No. 3 Yongjia Road, Baiyun District, Guangzhou, Guangdong, China

Tel: 020-31216572//13450497686

P.C: 510650

Web site: <http://hj-fuwu.com/>

Washed stone

Version: V2.0.0.1
Report No.: HJ20251101-2
Creation Date: 2025/11/01
Revision Date: -



*Prepared according to UN GHS (the 10th revised edition)

1 Identification

Product identifier

Product Name	Washed stone
CAS No.	Not applicable
EC No.	Not applicable
Molecular Formula	Not applicable

Recommended use of the product and restrictions on use

Relevant identified uses	Please consult manufacturer.
Uses advised against	Please consult manufacturer.

Details of the supplier

Applicant Name	Jilin Province Aishangjia Environmental Protection New Materials Co., Ltd.
Applicant Address	Room 408, Building 3, Red Star International Plaza, Erdao District, Changchun City, Jilin Province,china
Applicant Post Code	——
Applicant Telephone	13086868181
Applicant Fax	——
Applicant E-mail	289866260@qq.com
Supplier Name	Jilin Province Aishangjia Environmental Protection New Materials Co., Ltd.
Supplier Address	Room 408, Building 3, Red Star International Plaza, Erdao District, Changchun City, Jilin Province,china
Supplier Post Code	——
Supplier Telephone	13086868181
Supplier Fax	——
Supplier E-mail	289866260@qq.com

Emergency phone number

Emergency phone number	0431-80857777
------------------------	---------------

2 Hazard(s) identification

Hazard classification according to GHS

Acute Toxicity - Oral	Category 5
Sensitization - skin	Category 1
Serious Eye Damage/Irritation	Category 2
Acute Toxicity - Inhalation	Category 5

GHS Label elements

Hazard pictograms	
Signal word	Warning

Hazard statements

H303	May be harmful if swallowed
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled

Precautionary statements

Prevention

P261	Avoid breathing dust/fume.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P264+P265	Wash hands and other parts of the body (if related) thoroughly after handling. Do not touch eyes.

Response

P321	Specific treatment (see related instructions on the label).
P301+P317	IF SWALLOWED: Get medical help.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P317	IF INHALED: Get medical help.
P333+P317	If skin irritation or rash occurs: Get medical help.
P337+P317	If eye irritation persists: Get medical help.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage

Storage	Not applicable
---------	----------------

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Hazard description

Physical and chemical hazards

	No information available
--	--------------------------

Health hazards

Inhaled	Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort.
Ingestion	Accidental ingestion of the product may be harmful to the health of the individual.
Skin Contact	The product may cause an allergic skin reaction following direct contact with the skin.

Eye	This product may cause serious eye irritation. Severe inflammation may be expected with pain following direct contact with the eye.
◆ Environmental hazards	
	Please refer to 12th chapter of SDS.

3 Composition/information on ingredients

Substance/mixture

	Mixture		
Component	CAS No.	EC No.	Concentration (wt, %)
Part One: Washed stone			
COLORED STONE	-	-	100
Part Two: A-Emulsion			
POLY(HEXAMETHYLENE DIISOCYANATE)	28182-81-2	500-060-2	≥99.8
1,6-DIISOCYANATOHEXANE	822-06-0	212-485-8	≤0.2
Part Three: B-Emulsion			
MODIFIED POLYOLS	-	-	100

4 First-aid measures

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of first-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms/effects, acute and delayed

1	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.
---	--

Indication of any immediate medical attention and special treatment needed

1	Treat symptomatically.
2	Symptoms may be delayed.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use extinguishing media suitable for surrounding area.
Unsuitable extinguishing media	There is no restriction on the type of extinguisher which may be used.

Specific hazards arising from the substance or mixture

1	Development of hazardous combustion gases or vapor possible in the event of fire.
2	May expansion or decompose explosively when heated or involved in fire.

Special protective equipment and precautions for fire-fighters

1	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
2	Fight fire from a safe distance, with adequate cover.
3	Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

1	Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.
2	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
3	Use personal protective equipment, do not breathe dust/fume.

Environmental precautions

1	Prevent further leakage or spillage if safe to do so.
2	Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

1	Cut off the source of the leak as much as possible.
2	Keep leaks in a ventilated place.
3	Isolation of contaminated areas and restrictions on access.
4	It is recommended that emergency personnel wear dust masks.
5	Collect the spill with a clean shovel and place it in a clean, dry, loosely closed container and move the container away from the leak.
6	Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

7 Handling and storage

Precautions for safe handling

1	Handling is performed in a well ventilated place.
2	Wear suitable protective equipment.
3	Avoid contact with skin and eyes.
4	Keep away from heat/sparks/open flames/ hot surfaces.

Conditions for safe storage, including any incompatibilities

1	Keep containers tightly closed.
2	Keep containers in a dry, cool and well-ventilated place.
3	Keep away from heat/sparks/open flames/hot surfaces.
4	Store away from incompatible materials and foodstuff containers.

8 Exposure controls/personal protection

Control parameters

Occupational exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
1,6-DIISOCYANATOHEXANE	Japan - JSOH(2024-2025)	0.005	0.034	-	-
	Permissible exposure standards for workers in the workplace	0.005	0.034	0.015	0.102
	Canada - Ontario	0.005	-	0.02	-
	Canada - Québec	0.005	0.034	-	-
	France	0.01	0.075	0.02	0.15
	Germany (AGS)	0.005	0.035	0.005	0.035

Biological limit values

Component	Standard	Biological monitoring index	Biological limits value	Sampling time	Remark
1,6-DIISOCYANATOHEXANE	USA -ACGIH	Hexamethylene diamine (with hydrolysis)(Creatinine in urine)	15µg/g	End of shift	

Monitoring methods

1	EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
2	GBZ/T 300 and GBZ/T 160 series standard Determination of toxic substances in workplace air.

Engineering controls

1	Ensure adequate ventilation, especially in confined areas.
2	Ensure that eyewash stations and safety showers are close to the workstation location.
3	Use explosion-proof electrical/ventilating/lighting/equipment.
4	Set up emergency exit and necessary risk-elimination area.

Personal protection equipment

General requirement	    
Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear appropriate chemical protective gloves.
Respiratory protection	Must wear appropriate personal respiratory protective equipment.
Skin and body protection	Must wear appropriate chemical protective clothing and chemical resistant shoes.

9 Physical and chemical properties

Physical and chemical properties

Physical state	Part One: Solid Part Two: liquid Part Three: liquid
Colour	Part One: Multicolor Part Two: Light yellow Part Three: Yellow transparent
Odor	Part One: Odorless Part Two: Odorless Part Three: Slight odor
Odor threshold	No information available
pH	No information available
Melting point/freezing point(°C)	No information available
Initial boiling point and boiling range(°C)	No information available
Flash point(Closed cup,°C)	Not applicable
Evaporation rate	Not applicable
Flammability	Nonflammable
Upper/lower explosive limits[% (v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	Not applicable
Relative vapour density(Air = 1)	Not applicable
Relative density(Water=1)	No information available
Solubility	No information available
n-octanol/water partition coefficient	No information available
Auto-ignition temperature(°C)	No information available
Decomposition temperature(°C)	No information available
Kinematic viscosity	Not applicable
Particle characteristics	No information available

10 Stability and reactivity

Stability and reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Possibility of hazardous reactions	No information available.
Conditions to avoid	Incompatible materials, heat, flame and spark.
Incompatible materials	Water, acids, alkalis, ammonia, tertiary amine, trace amounts of chloride and alcohols.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information

Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
1,6-DIISOCYANATOHEXANE	738mg/kg(Rat)	> 7000mg/kg(Rabbit)	0.124mg/L(Rat)

Carcinogenicity

Component	List of carcinogens by the IARC Monographs	Report on Carcinogens by NTP
COLORED STONE	Not Listed	Not Listed
POLY(HEXAMETHYLENE DIISOCYANATE)	Not Listed	Not Listed
1,6-DIISOCYANATOHEXANE	Not Listed	Not Listed
MODIFIED POLYOLS	Not Listed	Not Listed

Others

Washed stone	
Skin corrosion/irritation	Based on available data, the classification criteria are not met
Serious eye damage/irritation	Causes serious eye irritation(Category 2)
Skin sensitization	May cause an allergic skin reaction(Category 1)
Respiratory sensitization	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met

12 Ecological information

Acute aquatic toxicity

Acute aquatic toxicity	No information available
------------------------	--------------------------

Chronic aquatic toxicity

Chronic aquatic toxicity	No information available
--------------------------	--------------------------

Persistence and degradability

Component	Persistence (water/soil)	Persistence (air)
POLY(HEXAMETHYLENE DIISOCYANATE)	High	High

Bioaccumulative potential

Component	Bioaccumulative potential	Comments
POLY(HEXAMETHYLENE DIISOCYANATE)	Low	Log Kow=7.5795

Mobility in soil

Component	log Koc	Remark
-----------	---------	--------

POLY(HEXAMETHYLENE DIISOCYANATE)	7.269	
1,6-DIISOCYANATOHEXANE	2.77	

Results of PBT and vPvB assessment

Component	Results of PBT and vPvB assessment [according to (EC) No 1907/2006]
POLY(HEXAMETHYLENE DIISOCYANATE)	Insufficient information, temporarily unable to evaluate
1,6-DIISOCYANATOHEXANE	Not PBT/vPvB

13 Disposal considerations

Disposal considerations

Waste chemicals	Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging.

14 Transport information

Label and Mark

Transporting Label	Not applicable
---------------------------	----------------

IMDG-CODE

IMDG-CODE	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
------------------	--

IATA-DGR

IATA-DGR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
-----------------	--

UN-ADR

UN-ADR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
---------------	--

Special precautions for user

	Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.
--	---

Transport in bulk according to IMO instruments

- ◆ Transport in bulk according to Annex II of MARPOL and the IBC code

	Not Available
--	---------------

- ◆ Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

	Not Available
--	---------------

- ◆ Transport in bulk in accordance with the IGC Code

	Not Available
--	---------------

15 Regulatory information

International chemical inventory

Component	A	B	C	D	E	F	G	H	I	J	K	L	M
COLORED STONE	×	×	×	×	×	×	×	×	×	×	×	×	×
POLY(HEXAMETHYLENE DIISOCYANATE)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓	✓
1,6-DIISOCYANATOHEXANE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
MODIFIED POLYOLS	×	×	×	×	×	×	×	×	×	×	×	×	×

- 【A】 China Inventory of Existing Chemical Substances(IECSC)
 【B】 European Inventory of Existing Commercial Chemical Substances(EC inventory)
 【C】 United States Toxic Substances Control Act Inventory(TSCA)
 【D】 Canadian Domestic Substances List(DSL)
 【E】 New Zealand Inventory of Chemicals(NZIoC)
 【F】 Philippines Inventory of Chemicals and Chemical Substances(PICCS)
 【G】 Korea Existing Chemicals Inventory(KECL)
 【H】 Australian. Inventory of Industrial Chemical (AIICS)
 【I】 Japan Inventory of Existing & New Chemical Substances(ENCS)
 【J】 Thailand Existing Chemicals Inventory(TECI)
 【K】 Mexico National Inventory of Chemical Substances (INSQ)
 【L】 Russia Inventory of Existing Substances(DRAFT)
 【M】 Inventory of Existing Chemical Substances in Taiwan, China (TCSI)

List of Chemical Substances under International Conventions

Component	A	B	C
COLORED STONE	×	×	×
POLY(HEXAMETHYLENE DIISOCYANATE)	×	×	×
1,6-DIISOCYANATOHEXANE	×	×	×
MODIFIED POLYOLS	×	×	×

- 【A】 The Montreal Protocol on Substances that Deplete the Ozone Layer
 【B】 Stockholm Convention on Persistent Organic Pollutants (POPs)
 【C】 Rotterdam Convention on the prior informed consent procedure for certain hazardous chemicals and pesticides in international trade

Note:

- “✓” Indicates that the substance included in the regulations.
 “×” No data or not included in the regulations.

16 Other information

Information on revision

Creation Date	2025/11/01
Revision Date	-
Reason for revision	-

Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>.
 [2] IARC, website: <http://www.iarc.fr/>.
 [3] OECD: The Global Portal to Information on Chemical Substances, website: <https://www.chemportal.org/chemportal/>.

- [4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>.
[5] NLM: ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>.
[6] EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>.
[7] U.S. Department of Transportation: ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>.
[8] Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

Abbreviations and acronyms

CAS	Chemical Abstracts Service	UN	The United Nations
PC-STEL	Short term exposure limit	OECD	Organization for Economic Co-operation and Development
PC-TWA	Time Weighted Average	IMDG-CODE	International Maritime Dangerous Goods CODE
MAC	Maximum Allowable Concentration	IARC	International Agency for Research on Cancer
DNEL	Derived No Effect Level	ICAO	International Civil Aviation Organization
PNEC	Predicted No Effect Concentration	IATA	International Air Transportation Association
NOEC	No Observed Effect Concentration	ACGIH	American Conference of Governmental Industrial Hygienists
LC ₅₀	Lethal Concentration 50%	NFPA	National Fire Protection Association
LD ₅₀	Lethal Dose 50%	NTP	National Toxicology Program
EC ₅₀	Effective Concentration 50%	PBT	Persistent, Bioaccumulative, Toxic
EC _x	Effective Concentration X%	vPvB	very Persistent, very Bioaccumulative
P _{ow}	Partition coefficient Octanol: Water	CMR	Carcinogens, mutagens or substances toxic to reproduction
BCF	Bioconcentration factor	RPE	Respiratory Protective Equipment
ED	Endocrine disruptor		

Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 10th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.



广州海检检测有限公司

Guangzhou HJ Certification & Testing Co., Ltd

Statement

1. All samples and goods are accepted by The Guangzhou HJ Certification & Testing Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Client").
2. Test report is invalid if not affixed with authorized stamp of test .
3. Test report is invalid without signature of verifier and approver.
4. Test report is invalid if being supplemented, deleted or altered.
5. Without prior written permission of the Company, the test report can not be reproduced in part (except in whole).
6. The result(s) shown in this test report refer only to the sample(s) tested, and do not apply to the same batch, the same size or the same brand of products (except the test sample) or to proving the related methods of making, processing or production of the test samples, the correctness and rationality of processes or process.
7. Objections to the test report must be submitted to the Company within 15 days. Otherwise, it will automatically deem to have accepted this test report.
8. If the sample(s) is(are) submitted by Client for detection, sample source information is provided by the customer and the Company is not responsible for its authenticity.
9. As any report is issued as a result of this application for testing services, the Company will strictly keep confidentiality to the clients. Without the consent of the Clients, the Company will not enter into any discussion or correspondence with any third party concerning the contents of the report, unless required by the relevant government authorities, laws or court orders.
10. The result(s) or conclusion shown in this test report about the description of the characteristics, composition, properties or quality are based on the specific time, specific methods and specific applicable criteria . Using different methods and criteria or under different environmental conditions for testing, it may come to different conclusions.
11. Related projects are not within the scope of qualification recognition, only for scientific research, teaching or internal quality control reference; This report has no demonstrative effect on society. This report can not be used in judicial decisions, administrative decisions, arbitration decisions, social economy , public welfare activities and any other statutory purposes.
12. Since the Company's causes lead to modify the contents of the test report, the Company shall reissue the test report and bear the modification cost. The Client shall return the original test report.

Since the Client's causes lead to modify the contents of the test report, the Client need to submit an application form for report change to the Company. The Client shall bear the modification cost and return the original test report if the Company approves to reissue the test report.
13. The English version of this statement is translated from Chinese one. So with any disagreement between them, the Chinese version shall prevail.