

Tappo d'imbarco

Deck filler



Caratteristiche tecniche

Technical features



DF40/DF50



DF40AW

Tappo d'imbarco realizzato in alluminio anticorrosione anodizzato e acciaio inox 316L lucidato a specchio. Lavorazione CNC da barra; chiusura a baionetta 0-90° a perfetta tenuta stagna, non necessita di tubi di drenaggio. Sono disponibili in due versioni:

- con flangia forata (tipo A), da montare tramite viti e bulloni da sopra;
- con flangia senza fori, per montaggio tramite viti M6 da sotto, eventualmente recessato.

Entrambe le versioni sono disponibili con bocchettone Ø 38 mm e Ø 50 mm. Le incisioni vengono eseguite su richiesta (water, fuel, diesel, petrol, ecc.). Il tappo WASTE è realizzato secondo la normativa ISO 8099:2000. Anch'esso è disponibile nelle versioni con e senza fori, sia in alluminio che in acciaio inox AISI316.

The deck fillers are CNC machined anticorrosion aluminium, silver anodized and CNC machined 316L stainless steel, mirror polished. Watertight bayonet lock 0-90 degrees movement; no draining pipes are required. Two versions available:

- one with drilled flange (A type) and bevelled edges, to be installed with bolts from outside;*
- one with flat flange and rounded edges, to be installed - even recessed - with screws M6 from beneath.*

They are both available with hose fitting Ø 38 mm and Ø 50 mm. Engravings on client's request (water, fuel, diesel, petrol, etc.).

The WASTE filler complies with the ISO 8099:2000 standard. It is available in both versions with and without drilled flange and both finish, silver anodized aluminium and mirror polished stainless steel.



DF40AX



316L stainless steel





aluminium silver anodizing



black hardcote anodizing

Riepilogo dimensioni

Dimension sheet



Type	Materials	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Weight (g)
DF40X	AISI 316L	95	65	38	74	8	47	880
DF40	Aluminium	95	65	38	74	8	47	375
DF40AX	AISI 316L	95	65	38	74	8	47	880
DF40A	Aluminium	95	65	38	74	8	47	375
DF50X	AISI 316L	95	65	50	87	8	60	890
DF50	Aluminium	95	65	50	87	8	60	380
DF50AX	AISI 316L	95	65	50	87	8	60	890
DF50A	Aluminium	95	65	50	87	8	60	380

Istruzioni di montaggio e manutenzione

Installation instructions and maintenance

**ATTENZIONE. LEGGERE
ATTENTAMENTE QUESTE
ISTRUZIONI PRIMA DI INSTALLARE
E USARE QUESTO PRODOTTO.
SI CONSIGLIA DI FAR INSTALLARE
I TAPPI D'IMBARCO DA UN CANTIERE
O DA PERSONALE QUALIFICATO.**

**CAUTION. READ ALL INSTRUCTION
CAREFULLY BEFORE INSTALLING
AND USING THIS PRODUCT.
IT IS RECOMENDED THAT THE
INSTALLATION OF THE DECK FILLERS
BE DONE BY A BOAT BUILDER
OR QUALIFIED PERSONNEL.**

MANUTENZIONE. Pulire le parti
regolarmente con acqua corrente
ed eventualmente un detergente neutro,
risciacquare accuratamente. Non usare
mai prodotti abrasivi, spazzole
metalliche o prodotti aggressivi.

MAINTENANCE. *Clean parts with direct
fresh water. When using soap, be sure to use
mild dishwashing liquid and to rinse thoroughly.
Never use abrasive cleaning products.
Never use steel or brass wool, polishing
wheels or polishing compounds.*

1. Con la fresa a tazza praticare
un foro sulla coperta della dimensione
adatta al tipo di tappo da applicare.

*1. Cut the deck using a hole saw
to make the housing for the filler.*

2. Inserire il bicchiere prestando
attenzione alla sigillatura, quindi
avvitare le viti o i bulloni fino a completo
serraggio, utilizzando anche del frenafili.



*2. Apply a proper bead of marine sealant
under the flange of deck socket to prevent
leakage. Then place the socket into
the deck, screw the bolts and tighten firmly,
using thread sealant as well.*

ATTREZZATURA PER INSTALLAZIONE.


- Chiave inglese, o chiave a tubo
- fresa a tazza
- trapano
- sigillante poliuretanico/siliconico
- frenafili.

REQUIRED FOR INSTALLATION.



- Deep-socket wrench
- hole saw
- drill
- polyurethane/siliconic marine sealant
- thread sealant.




DATE	04/09/15	SCALE : 1/ 1	A4	
SIGNATURE	Ing. Mirko Antonelli			
DESCRIPTION	TAPPO IMBARCO Ø40 FLUSH			ITEM
Seasmart is the proprietor of this drawing and is not be reproduced or used for any purpose, other than in conjunction with the project or design for which it was drawn, without Seasmart prior written consent. Copyright © Seasmart				
				DF40




DATE	04/09/15	SCALE : 1/ 1	A4		
SIGNATURE	Ing. Mirko Antonelli				
DESCRIPTION	TAPPO IMBARCO Ø40 ROUND			ITEM	DF40A
Seasmart is the proprietor of this drawing and is not be reproduced or used for any purpose, other than in conjunction with the project or design for which it was drawn, without Seasmart prior written consent. Copyright © Seasmart					





DATE	04/09/15	SCALE : 1/ 1	A4	
SIGNATURE	Ing. Mirko Antonelli			
DESCRIPTION	TAPPO IMBARCO Ø50 FLUSH			ITEM
Seasmart is the proprietor of this drawing and is not be reproduced or used for any purpose, other than in conjunction with the project or design for which it was drawn, without Seasmart' prior written consent. Copyright © Seasmart				



DATE	04/09/15	SCALE : 1/ 1	A4		
SIGNATURE	Ing. Mirko Antonelli				
DESCRIPTION	TAPPO IMBARCO Ø50 ROUND			ITEM	DF50A
Seasmart is the proprietor of this drawing and is not be reproduced or used for any purpose, other than in conjunction with the project or design for which it was drawn, without Seasmart prior written consent. Copyright © Seasmart					



DATE	04/09/15	SCALE : 1/ 1	A4		
SIGNATURE	Ing. Mirko Antonelli				
DESCRIPTION	TAPPO WASTE Ø40 FLUSH			ITEM	DF40W
Seasmart is the proprietor of this drawing and is not be reproduced or used for any purpose, other than in conjunction with the project or design for which it was drawn, without Seasmart® prior written consent. Copyright © Seasmart					



DATE	04/09/15	SCALE : 1/ 1	A4	
SIGNATURE	Ing. Mirko Antonelli			
DESCRIPTION	TAPPO WASTE Ø40 ROUND			
Seasmart is the proprietor of this drawing and is not be reproduced or used for any purpose, other than in conjunction with the project or design for which it was drawn, without Seasmart® prior written consent, Copyright © Seasmart			ITEM	DF40AW