



TECHNICAL DOCUMENTATION

TECHNISCHE DOKUMENTATION

Compact Unit

EDITION / AUSGABE - 08.03.2022

CUSTOMER / KUNDE:
WS-ORDER NO. / WS-BESTELL
NR.:
SERIES / SERIE:
PROJECT / PROJEKT:
MODEL / MODELL:
REVISION / REVISION:

Luerssen-Kroeger Werft
2452414325
9606-382 / 9606-383
MY COSMOS
2 x CU F 6 / DO
00

Die Verfasser freuen sich immer über Kommentare und Ratschläge diese Dokumentation betreffend. Sie können gesandt werden an

The authors are always for comments and suggestions for improving the documentation. They can be sent to

© GEA Westfalia Separator Group GmbH



GEA Westfalia Separator Group GmbH

Werner-Habig-Str. 1, 59302 Oelde, Germany
Tel.: +49 2522 77-0, Fax +49 2522 77-2488
www.gea.com

CONTENTS / INHALT

COVER SHEET

DECKBLATT

1 SAFETY

SICHERHEIT

1.1 SAFETY INSTRUCTIONS FOR INSTALLATIONS

SICHERHEITSHINWEISE FUER ANLAGEN

1.2 QUALIFICATION PERSONNEL

QUALIFIKATION PERSONAL

1.3 SAFETY PRECAUTIONS AND USER INFO

SICHERHEITS- UND BENUTZERHINWEISE

2 SYSTEM DESCRIPTION

SYSTEMBESCHREIBUNG

2.1 INSTALLATION INSTRUCTIONS

INSTALLATIONSRICHTLINIEN

2.2 MAINTENANCE SCHEDULE AND PARTS LIST

WARTUNGSPLAN U. ERSATZTEILLISTE

3 DOCUMENTS RELATING TO ORDERS

PROJEKTBEZOGENE DOKUMENTE

3.1 GRAPHIC SYMBOLS

GRAFIKSYMBOLS

3.2 ORDER INFORMATION SPARE PARTS FOR INSTALLATIONS

BESTELLINFO ERSATZTEILE F. ANLAGEN

3.3 EQUIPMENT LIST

GERAETELISTE

3.4 INSTALLATION PLAN

AUFSTELLUNGSPLAN

3.5 DATA SHEET

PROZESSDATENBLATT

3.6 INSTALLATION DIAGRAM

INSTALLATIONSSCHEMA

4 CONTROL UNIT

STEUER- UND REGELEINRICHTUNG

4.1 CONTROL AND DISPLAY UNIT

BEDIEN-U.ANZEIGEGERAET

SIMATIC HMI

- 4.2 INSTRUCTION MANUAL
BETRIEBSANLEITUNG
- 4.3 FREQUENCY CONVERTER
FREQUENZUMRICHTER
FC 302
- 4.4 CONFIGURATION INSTRUCTIONS
KONFIGURATIONSANLEITUNG
- 4.5 CIRCUIT DIAGRAM
STROMLAUFPLAN
- 4.6 CIRCUIT DIAGRAM
STROMLAUFPLAN

5 CENTRIFUGE

ZENTRIFUGE

- 5.1 TABLE OF LUBRICATING OILS
SCHMIEROELTABELLE
- 5.2 INSTRUCTION MANUAL
BETRIEBSANLEITUNG
- 5.3 SEPARATOR
SEPARATOR
- 5.4 PARTS CATALOGUE
ERSATZTEILKATALOG
- 5.5 SEPARATOR
SEPARATOR
- 5.6 PARTS CATALOGUE
ERSATZTEILKATALOG

6 PUMP

PUMPE

- 6.1 DIAPHRAGM PUMP, COMPLETE
MEMBRANPUMPE VOLLST.
DM20/75ANV-X
- 6.2 GEAR PUMP UNIT WITH MOTOR CPL.
ZAHNRADPUMPENAGGREGAT M.MOTOR V.
KF 2,5 - 630

7 FILTER

FILTER

- 7.1 STRAINER, COMPL.
SCHMUTZFAENGER VOLLST.

BR

BR

8 VALVES, FITTINGS, ASSEMBLY

VENTILE, ARMATUREN, ZUBEHÖR

8.1 3/2-WAY PISTON-TYPE CONTR.VALVE CPL
3/2-WEGE-KOLBENSTEUERVENTIL VOLLST.
DN25/PN16

8.2 3/2 WAY SOLENOID VALVE
3/2-WEGE-MAGNETVENTIL
DIRECT-CONTROLLED

8.3 BALL VALVE
KUGELHAHN
IM-10-BV

8.4 SOLENOID-VALVE BLOCK, COMPLETE
MAGNETVENTILBLOCK VOLLST.
5281
10168
TFU006
10168

8.5 NON-RETURN VALVE
RUECKSCHLAGVENTIL
RVA
M14X1,5 CW614N-MS FKM

8.6 AIR CONTROL ASSY.
WARTUNGSEINHEIT
AC

9 MEASUREMENT

MESSTECHNIK

9.1 PRESSURE GAUGE
DRUCKMESSGERAET
213.53
213.40

9.2 PRESSURE TRANSMITTER

DRUCKTRANSMITTER

8256NAE

9.3 LIMIT SWITCH

GRENZSCHALTER

LBFS

LBFS

9.4 CABLE CONNECTION BOX

KABELANSCHLUSSDOSE

EVC006

9.5 RESISTANCE THERMOMETER

WIDERSTANDSTHERMOMETER

2XPT100

W083

W083

W083

10 MOTOR

MOTOR

10.1 GEAR PUMP UNIT WITH MOTOR CPL.

ZAHNRADPUMPENAGGREGAT M.MOTOR V.

IM-447-MOT

11 CERTIFICATE

ZERTIFIKATE

11.1 2881414325_02/12

2881414325_02/12

Quality test certificate / 测试报告
DIN 55350-18-4.2.2



Certificate No.: 1414325-2

Our Order-No.: 2881414325 2000 生产订单号								Reference Document: WS Standard WSN76-0087-85					
Purchaser: GEA WESTFA, OELDE, DE 采购方													
Purchase dest.: DE MY Cosmos 目的地:													
Customer: Unknown DE 客户:				Yard-No.: MY Cosmos 船号									
Throughput 通过量 (l/h)			Temperature 温度 °C	Viscosity of oil 油粘度 mm2/s	Pump / 泵		Discharge pressure / 出口压力 (bar)		Speed / 转速(r/min)				
Oil 油	Water 水	Total 流量			Suction height 吸入高度 kPa/bar	Pressure height 气压高度	Oil 油	Water 水	Bowl 转鼓	Motor 电机	Ampere 电流	Volt 电压	Hz 频率
T 2503	-	2500	85	68 cSt/40°C	-	-	2	-	12000	12000	5.8	398	400
Separator / 分离机 Manufacture GEA MECHANICAL EQUIPMENT(TIANJIN) CO.,LTD. Model OSF 6-91-162/5 Serial No. 9606-382 Bowl No. 9606-382 Bowl speed 12000 转鼓速度					Pump / 泵 Manufacture Type WITHOUT No. 序号 V = l/h p = bar n = t/min			Motor / 电机 Manufacture GEA Type DE 90/4-50 K No. 011473 序号 P = 6 Kw I = 11.6 A U = 398 V n = 12000 r/min			Heater / 加热器 Manufacture Type WITHOUT No. 序号 P = Kw U = V p = bar		
Stamp 签章					Stamp 签章			Stamp 签章			Stamp 签章		

We hereby certify, that the material described above has been tested and complies with the terms of the order contract.

The running properties of the tested bowl meet the requirements

GEA Mechanical Equipment (Tianjin) Co., Ltd.

No.8 QUANDA ROAD,WUQING DEVELOPMENT AREA,TIANJIN,CHINA

Quality Department

Surveyor
审核员

Date
检验日期 2021.9.9



Quality test certificate / 测试报告
DIN 55350-18-4.2.2



Certificate No.: 1414325-12

Our Order-No.: 288-414325 12000 生产订单号								Reference Document: WS Standard WSN76-0087-85					
Purchaser: GEA WESTFA, OELDE, DE 采购方													
Purchase dest.: DE MY Cosmos 目的地:													
Customer: Unknown DE 客户:				Yard-No.: MY Cosmos 船号									
Throughput 通过量 (l/h)			Temperature 温度 °C	Viscosity of oil 油粘度 mm2/s	Pump / 泵		Discharge pressure / 出口压力 (bar)		Speed / 转速 (r/min)				
Oil 油	Water 水	Total 流量			Suction height 吸入高度 kPa/bar	Pressure height 气压高度	Oil 油	Water 水	Bowl 转鼓	Motor 电机	Ampere 电流	Volt 电压	Hz 频率
T 2493	-	2500	87	68 cSt/40°C	-	-	2	-	12000	12000	5.6	398	400
Separator / 分离机 Manufacture GEA MECHANICAL EQUIPMENT(TIANJIN) CO.,LTD. Model OSF 6-91-162/5 Serial No. 96C6-383 Bowl No. 96C6-383 Bowl speed 1200 转鼓速度					Pump / 泵 Manufacture Type WITHOUT No. 序号 V = l/h p = bar n = t/min			Motor / 电机 Manufacture GEA Type DE 90/4-50 K No. 011474 序号 P = 6 Kw I = 11.6 A U = 398 V n = 12000 r/min			Heater / 加热器 Manufacture Type WITHOUT No. 序号 P = Kw U = V p = bar		
Stamp 签章					Stamp 签章			Stamp 签章			Stamp 签章		

We hereby certify, that the material described above has been tested and complies with the terms of the order contract.

The running properties of the tested bowl meet the requirements

GEA Mechanical Equipment (Tianjin) Co., Ltd.

No.8 QUANDA ROAD,WUQING DEVELOPMENT AREA,TIANJIN,CHINA

Quality Department

Surveyor
审核员

Date
检验日期 2021.9.9

Workinspector
检验员



