



MAINTENANCE REPORTS

**INHALTSVERZEICHNIS**

1. INDOOR CLIMATE.....	2
2. ALL SILOUETE BLINDS - 39 PIECE	FEHLER! TEXTMARKE NICHT DEFINIERT.
3. ALL BLACK-OUT BLINDS - 35 PIECE	FEHLER! TEXTMARKE NICHT DEFINIERT.
4. SKYLIGHT BLINDS - 01 PIECE	5
5. FLOOR AND MIRROR HEATING	6
6. SLIDING DOORS – DOOR-NO.: XX.....	8
7. SAFES – SAFE-NO.: XX.....	9
8. FRIDGES	10

1. INDOOR CLIMATE

The temperature and humidity inside the rooms has to be checked monthly. The measured values have to be logged in the table "A_020-03-015_climate report" within this folder.

Interior areas - Climate report												Nr.	A_020-03-015
Please log the temperature and humidity in every room at least once a month. Temperature and humidity has to be logged in the rooms and/or in the outspace area behind the rooms.												Rev.	A 09/22
Room / Date	01.04.2026	01.05.2026	01.06.2026	01.07.2026	01.08.2026	01.09.2026	01.10.2026	01.11.2026	01.12.2026	01.01.2027	01.02.2027	01.03.2027	
SD - V D 6 - Elevator													
SD - V D 0 - Staircase													
SD - V D 4 - Day Head													
SD - V D 5 - Day Head													
BD - V C 12 - Elevator													
BD - V C 0 - Main Staircase													
BD - VI C 1 - Day Head													
BD - VI C 3 - Lobby													
GD - V B 12 - Elevator													
GD - V B 0 - Main Staircase													
GD - VI B 0 - Guest Corridor													
GD - VI B 1 - Guest No.6													
GD - VI B 2 - Guest No.5													
GD - VI B 3 - Guest Bath No.6													
GD - VI B 4 - Guest Bath No.5													
GD - VII B 1 - Guest No.4													
GD - VII B 2 - Guest No.3													
GD - VII B 3 - Guest Bath No.4													
GD - VII B 4 - Guest Bath No.3													
GD - VIII B 1 - Guest No.2													
GD - VIII B 2 - Guest No.1													
GD - VIII B 3 - Guest Bath No.2													
GD - VIII B 4 - Guest Bath No.1													
GD - VIII B 5 - Guest Corridor FWD													
GD - VIII B 8 - VIP Bathroom													
GD - VIII B 9 - VIP Dressing													
GD - VIII B 12 - VIP Day Head													
GD - IX B 0 - VIP Cabin													
MD - III H 4 - Day Head Ext.													
MD - V H 8 - Elevator													
MD - V H 0 - Main Staircase													
MD - VI H 3 - Day Head													
MD - VI H 5 - Corridor													
LD - II Z 0 - Beach Club													
LD - II Z 2 - Steam Shower													
LD - II Z 4 - Day Head													
LD - II Z 10 - Dive Equipment													
LD - III Z 1 - Lobby													
LD - III Z 10 - Lobby													
LD - IV Z 0 - Cat Walk													

We would guarantee the quality of our products at room temperatures between 15°C and 25°C and at relative air humidity between 40 % and 60 %.

Please consider, 15°C with 40% air humidity would create a much dryer environment than at 25°C with the same air humidity level. Same would 25°C with 60% air humidity give a much more humid environment than 60% air humidity at 15°C, as the air on higher temperatures can carry much more water.

The given values therefore are more or less a range only that should be kept at a balanced level, not really the minimum and maximum that can be reached, other than temporary in seldom short peaks.



These are “normal room conditions” which also would be necessary for personal well-being, with guests on board, but in any case should also be controlled at all other times, even when without a charter.

Please note, even we give a range for temperature and RH, it also would be important that fluctuations should not exceed $\pm 10\%$ in 24 hours and / or avoiding fluctuations in relative humidity below 2.5% per hour.

This is followed by day, week and seasonal fluctuations in the relative humidity ($<5\%$, depending on the material $\pm 5\%$ RH) as well as fluctuations in the temperature of 1 K per hour and a seasonal glide.

Generally, the absorption of moisture (adsorption) in the materials is faster than the release of moisture (desorption), so as soon/as quick as fabrics start sagging, it will take them much longer to tighten again, same but opposite for cracks in wood caused by dry air, as they open up much faster than closing again afterwards.

2. ALL SILHOUETTE BLINDS - 39 PIECE

TASK	INTERVAL	DONE	COMMENTS
check electrical connections	annual		
check condition of all electrical wires	annual		
check if all functions are working	monthly		
check fabric (cracks and damages)	monthly		
clean all components	monthly		

General comments

DATE
ENGINEER

NAME ENGINEER

SIGNATURE

VEDDER GmbH

Sitz der Gesellschaft: Lüdinghausen
Geschäftsführer: Nicolas Held, Marc Koch
Amtsgericht: Coesfeld HRB 6891
Steuernummer: 5333/5995/0109
USt-ID-Nummer: DE811221106

Industriestr. 3 | 59348 Lüdinghausen | Germany | Phone: +49 2591 929-0
Wallersdorfer Str. 17 | 94522 Wallersdorf | Germany | Phone: +49 9933 910-0

Sparkasse Westmünsterland | IBAN DE 93 4015 4530 0000 0017 76 | BIC WELADE33XXX
Commerzbank AG | IBAN DE86 4004 0028 0428 0087 00 | BIC COBADEFFXXX

vedder@vedder.net | vedder.net

**3. ALL BLACK-OUT BLINDS -35 PIECE**

TASK	INTERVAL	DONE	COMMENTS
check electrical connections	annual		
check condition of all electrical wires	annual		
check if all functions are working	monthly		
check fabric (cracks and damages)	monthly		
clean all components	monthly		

General comments

DATE

NAME ENGINEER

SIGNATURE ENGINEER

VEDDER GmbH

vedder@vedder.net | vedder.net

Sitz der Gesellschaft: Lüdinghausen
Geschäftsführer: Nicolas Held, Marc Koch
Amtsgericht: Coesfeld HRB 6891
Steuernummer: 5333/5995/0109
USt-ID-Nummer: DE811221106

Industriestr. 3 | 59348 Lüdinghausen | Germany | Phone: +49 2591 929-0
Wallersdorfer Str. 17 | 94522 Wallersdorf | Germany | Phone: +49 9933 910-0

Sparkasse Westmünsterland | IBAN DE 93 4015 4530 0000 0017 76 | BIC WELADE3WXXX
Commerzbank AG | IBAN DE86 4004 0028 0428 0087 00 | BIC COBADEFFXXX



4. SKYLIGHT BLINDS - 01 PIECE

TASK	INTERVAL	DONE	COMMENTS
check electrical connections inside control box and motors	annual		
check condition of all electrical wires	annual		
check if all functions are working	monthly		
check move in mechanism (damages, noise)	monthly		
check tension of the belt	annual		
lubricate all bearings (spring and tension pulley)	annual		
check tension of fabric	annual or if nec.		
check fabric (cracks and damages)	monthly		
clean all components	monthly		

General comments

DATE

NAME ENGINEER

SIGNATURE ENGINEER

VEDDER GmbH

vedder@vedder.net | vedder.net

Sitz der Gesellschaft: Lüdinghausen
 Geschäftsführer: Nicolas Held, Marc Koch
 Amtsgericht: Coesfeld HRB 6891
 Steuernummer: 5333/5995/0109
 USt-ID-Nummer: DE811221106

Industriestr. 3 | 59348 Lüdinghausen | Germany | Phone: +49 2591 929-0
 Wallersdorfer Str. 17 | 94522 Wallersdorf | Germany | Phone: +49 9933 910-0

Sparkasse Westmünsterland | IBAN DE 93 4015 4530 0000 0017 76 | BIC WELADE3WXXX
 Commerzbank AG | IBAN DE86 4004 0028 0428 0087 00 | BIC COBADEFFXXX



5. FLOOR AND MIRROR HEATING

YEARLY FUNCTION CHECK			DONE	COMMENTS
SD - V D 0 - Staircase	xxxx	Floorheating		
SD - V D 4 - Day Head	xxxx	Floorheating		
SD - V D 5 - Day Head	xxxx	Floorheating		
SD - V D 6 - Elevator	xxxx	Floorheating		
BD - V C 0 - Main Staircase	xxxx	Floorheating		
BD - VI C 1 - Day Head	xxxx	Floorheating		
GD - IX B 0 - VIP Cabin	xxxx	Floorheating		
GD - V B 0 - Main Staircase	xxxx	Floorheating		
GD - VI B 3 - Guest Bath No.6	xxxx	Floorheating		
GD - VI B 3 - Guest Bath No.6	xxxx	Mirrorheating		
GD - VI B 4 - Guest Bath No.5	xxxx	Floorheating		
GD - VI B 4 - Guest Bath No.5	xxxx	Mirrorheating		
GD - VII B 3 - Guest Bath No.4	xxxx	Floorheating		
GD - VII B 3 - Guest Bath No.4	xxxx	Mirrorheating		
GD - VII B 4 - Guest Bath No.3	xxxx	Floorheating		
GD - VII B 4 - Guest Bath No.3	xxxx	Mirrorheating		
GD - VIII B 12 - VIP Day Head	xxxx	Floorheating		
GD - VIII B 3 - Guest Bath No.2	xxxx	Floorheating		
GD - VIII B 3 - Guest Bath No.2	xxxx	Mirrorheating		
GD - VIII B 4 - Guest Bath No.1	xxxx	Floorheating		
GD - VIII B 4 - Guest Bath No.1	xxxx	Mirrorheating		
GD - VIII B 8 - VIP Bathroom	xxxx	Floorheating		
GD - VIII B 8 - VIP Bathroom	xxxx	Mirrorheating		
MD - III H 4 - Day Head Ext.	xxxx	Floorheating		
MD - V H 0 - Main Staircase	xxxx	Floorheating		

VEDDER GmbH

vedder@vedder.net | vedder.net

Sitz der Gesellschaft: Lüdinghausen
 Geschäftsführer: Nicolas Held, Marc Koch
 Amtsgericht: Coesfeld HRB 6891
 Steuernummer: 5333/5995/0109
 USt-ID-Nummer: DE811221106

Industriestr. 3 | 59348 Lüdinghausen | Germany | Phone: +49 2591 929-0
 Wallersdorfer Str. 17 | 94522 Wallersdorf | Germany | Phone: +49 9933 910-0

Sparkasse Westmünsterland | IBAN DE 93 4015 4530 0000 0017 76 | BIC WELADE3WXXX
 Commerzbank AG | IBAN DE86 4004 0028 0428 0087 00 | BIC COBADEFFXXX



MD - VI H 3 - Day Head	xxxx	Floorheating		
MD - VI H 5 - Corridor	xxxx	Floorheating		
LD - II Z 2 - Steam Shower	xxxx	Seatheating		
LD - II Z 2 - Steam Shower	xxxx	Floorheating		
LD - II Z 4 - Day Head	xxxx	Floorheating		
LD - III Z 10 - Lobby	xxxx	Floorheating		
LD - IV Z 0 - Cat Walk	xxxx	Floorheating		

General comments

DATE

NAME ENGINEER

SIGNATURE ENGINEER

VEDDER GmbH

vedder@vedder.net | vedder.net

Sitz der Gesellschaft: Lüdinghausen
Geschäftsführer: Nicolas Held, Marc Koch
Amtsgericht: Coesfeld HRB 6891
Steuernummer: 5333/5995/0109
USt-ID-Nummer: DE811221106

Industriestr. 3 | 59348 Lüdinghausen | Germany | Phone: +49 2591 929-0
Wallersdorfer Str. 17 | 94522 Wallersdorf | Germany | Phone: +49 9933 910-0

Sparkasse Westmünsterland | IBAN DE 93 4015 4530 0000 0017 76 | BIC WELADE3WXXX
Commerzbank AG | IBAN DE 86 4004 0028 0428 0087 00 | BIC COBADEFFXXX



6. SLIDING DOORS – DOOR-NO.: XX

TASK (for further information see “technical user manual”)	INTERVAL	DONE	COMMENTS
Check and clean the linear rail	annual		
Carriage: Renew grease, first after 3 years, then as needed – see instructions	every 3 years, also		
Maintain belt with spray (Recommendation: Liqui Moli V-belt spray 400 ml Art. 4085)	annual		
Check belt for tension, adjust if necessary	annual		
Check stop for carriages, retighten if necessary or readjust	annual		
Check door hanger, tighten if necessary	annual		
Check floor guide, adjust if necessary	annual		
Check door leaf for ease of movement, adjust if necessary	annual		
Check safety devices (safety sensors, light barriers, IXIO, etc.), adjust if necessary	annual		
Check fasteners, tighten if necessary	annual		
Check electrical wiring, repair if necessary	annual		
Check for function: Switch button, motion detector, or similar	annual		
Function test door – general	annual		
Function test door – battery operation	annual		
Replace batteries	after 3 years at		

General comments

DATE

NAME ENGINEER

SIGNATURE ENGINEER

VEDDER GmbH

vedder@vedder.net | vedder.net

Sitz der Gesellschaft: Lüdinghausen
 Geschäftsführer: Nicolas Held, Marc Koch
 Amtsgericht: Coesfeld HRB 6891
 Steuernummer: 5333/5995/0109
 USt-ID-Nummer: DE811221106

Industriestr. 3 | 59348 Lüdinghausen | Germany | Phone: +49 2591 929-0
 Wallersdorfer Str. 17 | 94522 Wallersdorf | Germany | Phone: +49 9933 910-0

Sparkasse Westmünsterland | IBAN DE 93 4015 4530 0000 0017 76 | BIC WELADE3WXXX
 Commerzbank AG | IBAN DE86 4004 0028 0428 0087 00 | BIC COBADEFFXXX



7. SAFES – SAFE-NO.: XX

TASK (for further info see user manual)	INTERVAL	DONE	COMMENTS
Check function of the safe	annual		
Clean safe with a wet cleaning cloth	weekly or if nec.		
CAUTION! Do not use any sharp or hard objects or cleaning agents for cleaning as this can damage the product			

General comments

 DATE

 NAME ENGINEER

 SIGNATURE ENGINEER

VEDDER GmbH

vedder@vedder.net | vedder.net

Sitz der Gesellschaft: Lüdinghausen
 Geschäftsführer: Nicolas Held, Marc Koch
 Amtsgericht: Coesfeld HRB 6891
 Steuernummer: 5333/5995/0109
 USt-ID-Nummer: DE811221106

Industriestr. 3 | 59348 Lüdinghausen | Germany | Phone: +49 2591 929-0
 Wallersdorfer Str. 17 | 94522 Wallersdorf | Germany | Phone: +49 9933 910-0

Sparkasse Westmünsterland | IBAN DE 93 4015 4530 0000 0017 76 | BIC WELADE3WXXX
 Commerzbank AG | IBAN DE86 4004 0028 0428 0087 00 | BIC COBADEFFXXX



8. FRIDGES

TASK (for further info see user manual)	INTERVAL	DONE	COMMENTS
Check function of the fridge	annual		
Clean the interior and accessories with a wet cleaning cloth	weekly or if nec.		
Clean the condensate channel	weekly or if nec.		
Clean the ventilation gaps	weekly or if nec.		
Clean the door seal	weekly or if nec.		
CAUTION! Do not use any sharp or hard objects or cleaning agents for cleaning as this can damage the product, we recommend using lukewarm water with a little washing-up liquid to clean surfaces of the appliance.			

General comments

DATE

NAME ENGINEER

SIGNATURE ENGINEER

VEDDER GmbH

vedder@vedder.net | vedder.net

Sitz der Gesellschaft: Lüdinghausen
 Geschäftsführer: Nicolas Held, Marc Koch
 Amtsgericht: Coesfeld HRB 6891
 Steuernummer: 5333/5995/0109
 USt-ID-Nummer: DE811221106

Industriestr. 3 | 59348 Lüdinghausen | Germany | Phone: +49 2591 929-0
 Wallersdorfer Str. 17 | 94522 Wallersdorf | Germany | Phone: +49 9933 910-0

Sparkasse Westmünsterland | IBAN DE 93 4015 4530 0000 0017 76 | BIC WELADE33XXX
 Commerzbank AG | IBAN DE 86 4004 0028 0428 0087 00 | BIC COBADE33XXX



This documentation is a recommendation. VEDDER cannot make any guarantee due to eventually incorrect service, use of may mentioned and/or recommended products. The liability in case of incorrect method is precluded.

In case of improper use or improper operation, the agreed warranty period shall be null and void and all indirect and consequential damages as a result of such improper use or improper operation shall be excluded.

At any doubts or severe findings please be so kind to contact us directly, we would be glad to assist you.

The information stated in the chapters before are given by the companies who outfitted the ship:

Vedder GmbH
Industriestraße 3
59348 Lüdinghausen
Germany
vedder@vedder.net
spares.supply@vedder.net
www.vedder.net

VEDDER GmbH

vedder@vedder.net | vedder.net

Sitz der Gesellschaft: Lüdinghausen
Geschäftsführer: Nicolas Held, Marc Koch
Amtsgericht: Coesfeld HRB 6891
Steuernummer: 5333/5995/0109
USt-ID-Nummer: DE811221106

Industriestr. 3 | 59348 Lüdinghausen | Germany | Phone: +49 2591 929-0
Wallersdorfer Str. 17 | 94522 Wallersdorf | Germany | Phone: +49 9933 910-0

Sparkasse Westmünsterland | IBAN DE 93 4015 4530 0000 0017 76 | BIC WELADE3WXXX
Commerzbank AG | IBAN DE86 4004 0028 0428 0087 00 | BIC COBADEFFXXX