



assignment 1

assignment 2* x

Limit to 1000 rows

```
18 • UPDATE users SET email = 'new.email@example.com' WHERE username = 'rahul_sharma';
19 • UPDATE users SET is_active = 0;
20 • DELETE FROM users WHERE id = 2;
21 • DELETE FROM users WHERE is_active = 0;
22 • SELECT * FROM users;
23 • SELECT * FROM users WHERE is_active = 1;
24 • DESC users;
```

Result Grid Filter Rows: Export: Wrap Cell Content:

	Field	Type	Null	Key	Default	Extra
▶	id	int	NO	PRI	NULL	auto_increment
	username	varchar(100)	YES		NULL	
	email	varchar(100)	YES		NULL	
	birthdate	date	YES		NULL	
	is_active	tinyint(1)	YES		NULL	

Result Grid

Form Editor

Field Types

Query Stats

Execution Plan

Result 1 x

Read Only

Context Help

Output

Action Output

#	Time	Action	Message
✖ 1	20:50:55	desc users	Error Code: 1046. No database selected Select the default DB to be used by double-clicking its name in the S
✖ 2	20:51:20	DESC users	Error Code: 1046. No database selected Select the default DB to be used by double-clicking its name in the S
✔ 3	20:51:30	USE Ashu1	0 row(s) affected
✔ 4	20:51:36	DESC users	5 row(s) returned



Search

ENG
IN



assignment 1

assignment 2 x

SQLAdditions



Limit to 1000 rows

```
1 • CREATE DATABASE Ashu1;
2 • USE Ashu1;
3 • CREATE TABLE users (
4     id INT PRIMARY KEY AUTO_INCREMENT,
5     username VARCHAR(50),
6     email VARCHAR(100),
7     birthdate DATE,
8     is_active BOOLEAN
9 );
10 • ALTER TABLE users ADD created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
11 ✖ ALTER TABLE users MODIFY COLUMN username VARCHAR(100);
12 • ALTER TABLE users DROP COLUMN created_at;
13 • INSERT INTO users (username, email, birthdate, is_active) VALUES ('rahul_sharma', 'rahul.sharma@example.com', '2010-03-15', 1);
14 • INSERT INTO users (username, email, birthdate, is_active) VALUES
15     ('priya_verma', 'priya.verma@example.com', '2000-07-22', 1),
16     ('arjun_mehta', 'arjun.mehta@example.com', '2001-11-05', 0),
17     ('sneha_patel', 'sneha.patel@example.com', '2005-01-30', 1);
18 • UPDATE users SET email = 'new.email@example.com' WHERE username = 'rahul_sharma';
19 • UPDATE users SET is_active = 0;
20 • DELETE FROM users WHERE id = 2;
21 • DELETE FROM users WHERE is_active = 0;
22 • SELECT * FROM users;
23 • SELECT * FROM users WHERE is_active = 1;
24 • desc users
25
```

Automat
disabled.
manuall
current c
toggle

Context Help

Output

Action Output

#	Time	Action	Message
---	------	--------	---------



Search

ENG
IN

Assignment

1. Create a table named "users" with the following columns:

- o `id`
- o `username`
- o `email`
- o `birthdate`
- o `is\_active`

2. Add a new column "created_at" to track when the user was added.
3. Modify the username column to allow up to 100 characters.
4. Drop the "created_at" column from the table.
5. Insert a single user record into the users table.

Sample Data:

('rahul_sharma', 'rahul.sharma@example.com', '2010-03-15', 1)

6. Insert multiple user records into the users table at once.

Sample Data:

('priya_verma', 'priya.verma@example.com', '2000-07-22', 1),

('arjun_mehta', 'arjun.mehta@example.com', '2001-11-05', 0),

('sneha_patel', 'sneha.patel@example.com', '2005-01-30', 1),

7. Update the email of a specific user.

8. Deactivate all users

9. Delete a user by their id.

10. Delete all users who are "inactive".

11. Select all records from the users table.

12. Select only the users who are "active".