# BloqFin API Docs

1. Request Access:

Enter your email, preferably with a company email, and press the 'Request Access' button.

We'll get back to you once we launch our beta publicly to know more about the project and how to integrate it with our API

2. How to use BloqFin

1. Go to Login Page
2. Login with credentials provided
3. Click on the add button
4. Add your contract address, ABI, code (code explained in next part)
   Add a title to it. Chain IDs include 'ROPSTEN', 'MATIC' and 'BSC' for Ethereum's test chain Ropsten, Polygon Matic, and Binance Smart Chain respectively.
   'Enter On Success Webhook Link' and 'Enter your Input Parameters' will record your input but they aren't active yet. Will explain about them in future versions
5. Click on save
6. You'll be redirected to dashboard, click on the project with that title
7. Please wait until you get the link, it will be displayed on the top
8. Once you get the link, use it in the next part 'How to code with BloqFin'

1.

2.

3.

BloqFin

Add Contract

Title

Contract Address

Chian ID

Status
Private

Enter your ABI:

Enter your code:

4.

Chian ID

Status
Private

Enter your ABI:

Enter your code:

Enter On Success Webhook Link:

Enter your Input Parameters:

5. SAVE CANCEL

BloqFin

Ropsten Demo Contract

This is for our team
may take up to 2

Link should be here once activated

Contract Address
0x4D1076d32152c8451947e5Aae6E4273d3DF785d9

ChainID
MATIC

Contract ABI

[{ "anonymous": false, "inputs": [{ "indexed": true, "internalType": "address", "name": "owner", "type": "address" }, { "indexed": true, "internalType": "address", "name": "approved", "type": "address" }, { "indexed": true, "internalType": "uint256", "name": "tokenId", "type": "uint256" }], "name": "Approval", "type": "event" }, { "anonymous": false, "inputs": [{ "indexed": true, "internalType": "address", "name": "owner", "type": "address" }, { "indexed": true, "internalType": "address", "name": "operator", "type": "address" }, { "indexed": false, "internalType": "bool", "name": "approved", "type": "bool" }], "name": "ApprovalForAll", "type": "event" }, { "anonymous": false, "inputs": [{ "indexed": true, "internalType": "address", "name": "from", "type": "address" }, { "indexed": true, "internalType": "address", "name": "to",

6.

==============