

Order Date : 28-07-2026 08:54 AM
Receipt No: LEK01O1785209076137
Receipt Timestamp : 28-07-2026 08:58 AM



Received with Thanks from **BHABESH ACHARYA** Mobile No : **7975460981** an amount of **Rs. 1999 /-** (Rupees One Thousand Nine Hundred And Ninety Nine only)

SNO	Name	Age	Services
1	BHABESH ACHARYA	43Y/Male	TOTAL HEALTH PROFILE PLUS, VITD3

Grand Total : Rs. 1999 received

Specimen Collected at : (5621257897),Gps diagnostic centre,Rajivghadhi nagar pandit agahara sarjapur,562125

This is system generated payment receipt. Does not required seal and signature.

Expenses on Preventive healthcare checkup are eligible for a maximum tax Benefit of upto Rs. 5000/- in a year if done either for self or spouse, dependent children or parent(s).

Thyrocare Technologies Ltd., D-37/1, MIDC, Turbhe, Navi Mumbai- 400703
Phone: 022 27622762 / 3090 0000| WhatsApp No:9870666333 | <https://thyrocare.com/Wellness> |
wellness@thyrocare.com
CIN NO : L85110MH2000PLC123882

Name : Mr. Bhabesh Achary Age : 43 Sex : M Date : 13/07/26
Pulse : _____ BP : _____ SPO2 : _____ Weight : _____ Height : _____

Rx

Clw Neck pain & 1 month

Obs - Tenderness ++

No swelling

D3/B12

Sp. BP
is

} 2 weeks

Neck.
Pre. Avoid forward bending.

✓



Tests you can trust

Name : Bhabesh Acharya(43Y/M)

Date : 28 Jul, 2026

Test Asked : Total Health Profile Plus

Report Status : Complete Report



First National Diagnostic Chain
to have 100% of its Labs with
NABL Accreditation[#]

Accredited by



NABL From 2005[#]



ISO 9001: 2015 - From 2015



CAP From 2011^{*}



Your reports are digitally verifiable

Scan the QR code inside the report
to check authenticity of reported values

QR code will remain active for 30 days from report release date



98% Reports
released within
06 Hours
of sample reaching the lab^{*}



9 out of 10 Doctors Trust
that Thyrocare
reports are
Accurate & Reliable^{*}



1200+
Tests & Profiles



Temperature-
Controlled
Sample Logistics



Unique Barcode
Tracking



Fully Automated
Machines Inspected
Daily



Abnormal Values
Re-Checked Twice



Reports Verified By Expert
MD Pathologists Stationed
at Every Lab

Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit agahara sarjapur, 562125

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Availability Summary

Note: Please refer to the table below for status of your tests.

 **13** Ready  **0** Ready with Cancellation  **0** Processing  **0** Cancelled in Lab

TEST DETAILS

REPORT STATUS

TOTAL HEALTH PROFILE PLUS	Ready 
FASTING BLOOD SUGAR(GLUCOSE)	Ready 
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP)	Ready 
IRON	Ready 
VITAMIN B-12	Ready 
HBA PROFILE	Ready 
HEMOGRAM - 6 PART (DIFF)	Ready 
LIVER FUNCTION TESTS	Ready 
ROUTINE URINE ANALYSIS	Ready 
SERUM ELECTROLYTES	Ready 
KIDPRO	Ready 
LIPID PROFILE	Ready 
VITAMIN D PROFILE	Ready 
T3-T4-USTSH	Ready 

Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit agahara sarjapur, 562125

Tests Done : TOTAL HEALTH PROFILE PLUS

Tests Outside Reference Range

Note: Please refer to the table below for tests outside reference range.

Test Name	Observed Value	Units	Bio. Ref. Interval.
COMPLETE HEMOGRAM			
BASOPHILS - ABSOLUTE COUNT	0.01	X 10 ³ / μ L	0.02 - 0.1
HEMOGLOBIN	12.3	g/dL	13.0-17.0
LYMPHOCYTE	44.7	%	20-40
MEAN CORP. HEMO. CONC (MCHC)	30.1	g/dL	31.5-34.5
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	23.6	pq	27.0-32.0
MEAN CORPUSCULAR VOLUME (MCV)	78.7	fL	83.0-101.0
PLATELET DISTRIBUTION WIDTH (PDW)	15.7	fL	9.6-15.2
LIPID			
HDL / LDL RATIO	0.29	Ratio	> 0.40
LDL CHOLESTEROL - DIRECT	142	mg/dL	< 100
NON-HDL CHOLESTEROL	180.6	mg/dL	< 160
TC/ HDL CHOLESTEROL RATIO	5.5	Ratio	3 - 5
TOTAL CHOLESTEROL	221	mg/dL	< 200
TRIG / HDL RATIO	6.44	Ratio	< 3.12
TRIGLYCERIDES	261	mg/dL	< 150
VLDL CHOLESTEROL	52.18	mg/dL	5 - 40
LIVER			
GAMMA GLUTAMYL TRANSFERASE (GGT)	87.1	U/L	< 55
SERUM GLOBULIN	3.57	gm/dL	2.5-3.4
VITAMINS			
VITAMIN B-12	171	pg/mL	197-771
VITAMIN D TOTAL	25.43	ng/mL	30-100

Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 15:27
Report Released on (RRT) : 28 Jul 2026 21:24
Sample Type | Barcode : SERUM | FT421682

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval
TOTAL CHOLESTEROL	PHOTOMETRY	221	mg/dL	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	41	mg/dL	40-60
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	142	mg/dL	< 100
TRIGLYCERIDES	PHOTOMETRY	261	mg/dL	< 150
TC/ HDL CHOLESTEROL RATIO	CALCULATED	5.5	Ratio	3 - 5
TRIG / HDL RATIO	CALCULATED	6.44	Ratio	< 3.12
LDL / HDL RATIO	CALCULATED	3.5	Ratio	1.5-3.5
HDL / LDL RATIO	CALCULATED	0.29	Ratio	> 0.40
NON-HDL CHOLESTEROL	CALCULATED	180.6	mg/dL	< 160
VLDL CHOLESTEROL	CALCULATED	52.18	mg/dL	5 - 40

Please correlate with clinical conditions.

Method :

CHOL - Cholesterol Oxidase, Esterase, Peroxidase
HCHO - Direct Enzymatic Colorimetric
LDL - Direct Measure
TRIG - Enzymatic, End Point
TC/H - Derived from serum Cholesterol and Hdl values
TRI/H - Derived from TRIG and HDL Values
LDL/ - Derived from serum HDL and LDL Values
HD/LD - Derived from HDL and LDL values.
NHDH - Derived from serum Cholesterol and HDL values
VLDL - Derived from serum Triglyceride values

***REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:**

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Remarks : LabCode:2807043636/LEK01

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)



Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 15:27
Report Released on (RRT) : 28 Jul 2026 21:24
Sample Type | Barcode : SERUM | FT421682

TEST NAME	TECHNOLOGY	VALUE	UNITS
VITAMIN B-12 Bio. Ref. Interval. :-	E.C.L.I.A	171	pg/mL

Normal: 197-771 pg/ml

Clinical significance :

Vitamin B12 or cyanocobalamin, is a complex corrinoid compound found exclusively from animal dietary sources, such as meat, eggs and milk. It is critical in normal DNA synthesis, which in turn affects erythrocyte maturation and in the formation of myelin sheath. Vitamin-B12 is used to find out neurological abnormalities and impaired DNA synthesis associated with macrocytic anemias. For diagnostic purpose, results should always be assessed in conjunction with the patients medical history, clinical examination and other findings.

Specifications: Intra assay (%CV):2.6%, Inter assay (%CV):2.3 %

Kit Validation Reference : Thomas L.Clinical laborator Diagnostics : Use and Assessment of Clinical laboratory Results 1st Edition, TH Books-Verl-Ges, 1998:424-431

Please correlate with clinical conditions.

Method:- Fully Automated Electrochemiluminescence Compitative Immunoassay

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Remarks : LabCode:2807043636/LEK01

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)



Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 15:27
Report Released on (RRT) : 28 Jul 2026 21:24
Sample Type | Barcode : SERUM | FT421682

TEST NAME	TECHNOLOGY	VALUE	UNITS
VITAMIN D2	LC-MS/MS	0.8	ng/mL

Method : LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY

VITAMIN D3	LC-MS/MS	24.63	ng/mL
------------	----------	-------	-------

Method : LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY

VITAMIN D TOTAL	CALCULATED	25.43	ng/mL
------------------------	-------------------	--------------	--------------

Bio. Ref. Interval. :

Deficiency : <20 ng/mL
Insufficiency : 20-30 ng/mL
Sufficiency : 30-100 ng/mL
Toxicity : >100 ng/mL

Method : Derived from VD2 and VD3 values

Please correlate with clinical conditions.

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Remarks : LabCode:2807043636/LEK01

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)



Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 15:27
Report Released on (RRT) : 28 Jul 2026 21:24
Sample Type | Barcode : SERUM | FT421682

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval.
TOTAL TRIIODOTHYRONINE (T3)	E.C.L.I.A	126	ng/dL	80-200
TOTAL THYROXINE (T4)	E.C.L.I.A	6.96	µg/dL	4.8-12.7
TSH - ULTRASENSITIVE	E.C.L.I.A	2.12	µIU/mL	0.54-5.30

Comments : IF NOT ON DRUGS SUGGESTED FT3 & FT4 ESTIMATION

The Biological Reference Ranges is specific to the age group. Kindly correlate clinically.

Method :

T3, T4 - Fully Automated Electrochemiluminescence Competitive Immunoassay
USTSH - Fully Automated Electrochemiluminescence Sandwich Immunoassay

Disclaimer : Results should always be interpreted using the reference range provided by the laboratory that performed the test. Different laboratories do tests using different technologies, methods and using different reagents which may cause difference. In reference ranges and hence it is recommended to interpret result with assay specific reference ranges provided in the reports. To diagnose and monitor therapy doses, it is recommended to get tested every time at the same Laboratory.

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Remarks : LabCode:2807043636/LEK01

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)

Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 15:27
Report Released on (RRT) : 28 Jul 2026 21:24
Sample Type | Barcode : SERUM | FT421682

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	14.34	mg/dL	7.94 - 20.07
CREATININE - SERUM	PHOTOMETRY	0.88	mg/dL	0.72-1.18
BUN / SR.CREATININE RATIO	CALCULATED	16.3	Ratio	9:1-23:1
UREA (CALCULATED)	CALCULATED	30.69	mg/dL	Adult : 17-43
UREA / SR.CREATININE RATIO	CALCULATED	34.87	Ratio	< 52
CALCIUM	PHOTOMETRY	9.41	mg/dL	8.8-10.6
URIC ACID	PHOTOMETRY	7.3	mg/dL	4.2 - 7.3
SODIUM	I.S.E - INDIRECT	138.75	mmol/L	136 - 145
POTASSIUM	I.S.E - INDIRECT	4.18	mmol/L	3.5 - 5.1
CHLORIDE	I.S.E - INDIRECT	103.64	mmol/L	98 - 107

Please correlate with clinical conditions.

Method :

BUN - Kinetic UV Assay.
SCRE - Creatinine Enzymatic Method
B/CR - Derived from serum Bun and Creatinine values
UREAC - Derived from BUN Value.
UR/CR - Derived from UREA and Sr.Creatinine values.
CALC - Arsenazo III Method, End Point.
URIC - Uricase / Peroxidase Method
SOD - ION SELECTIVE ELECTRODE - INDIRECT
POT - ION SELECTIVE ELECTRODE - INDIRECT
CHL - ION SELECTIVE ELECTRODE - INDIRECT

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Remarks : LabCode:2807043636/LEK01

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)

Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 15:27
Report Released on (RRT) : 28 Jul 2026 21:24
Sample Type | Barcode : SERUM | FT421682

TEST NAME	TECHNOLOGY	VALUE	UNITS	Bio. Ref. Interval
ALKALINE PHOSPHATASE	PHOTOMETRY	45.7	U/L	45-129
BILIRUBIN - TOTAL	PHOTOMETRY	0.7	mg/dL	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.16	mg/dL	0 - 0.20
BILIRUBIN (INDIRECT)	CALCULATED	0.54	mg/dL	0-0.9
GAMMA GLUTAMYL TRANSFERASE (GGT)	PHOTOMETRY	87.1	U/L	< 55
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	19	U/L	< 35
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	28.1	U/L	< 45
SGOT / SGPT RATIO	CALCULATED	0.68	Ratio	< 2
PROTEIN - TOTAL	PHOTOMETRY	7.66	gm/dL	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	4.09	gm/dL	3.2-4.8
SERUM GLOBULIN	CALCULATED	3.57	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.15	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - Modified IFCC method
BILT - Diazonium salt DPD method
BILD - Diazonium salt DPD method
BILI - Derived from serum Total and Direct Bilirubin values
GGT - Modified IFCC method
SGOT - IFCC* Without Pyridoxal Phosphate Activation
SGPT - IFCC* Without Pyridoxal Phosphate Activation
OT/PT - Derived from SGOT and SGPT values.
PROT - Biuret Method
SALB - Albumin Bcg¹ method (Colorimetric Assay Endpoint)
SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
A/GR - Derived from serum Albumin and Protein values

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Remarks : LabCode:2807043636/LEK01

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)

Processed At :
5CA-711, 3rd Floor, HRBR 2nd
Block, Hennur, Bengaluru-560043



Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation*

Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 15:27
Report Released on (RRT) : 28 Jul 2026 21:24
Sample Type | Barcode : SERUM | FT421682

TEST NAME	TECHNOLOGY	VALUE	UNITS
IRON Bio. Ref. Interval. :- Male : 65 - 175 Female : 50 - 170	PHOTOMETRY	121.61	µg/dL

Please correlate with clinical conditions.

Method:- Ferrozine method without deproteinization

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Remarks : LabCode:2807043636/LEK01

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)



Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 15:27
Report Released on (RRT) : 28 Jul 2026 21:24
Sample Type | Barcode : SERUM | FT421682

TEST NAME	TECHNOLOGY	VALUE	UNITS
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP) Bio. Ref. Interval. :-	IMMUNOTURBIDIMETRY	2.8	mg/L

< 1.00 - Low Risk
1.00 - 3.00 - Average Risk
> 3.00 - 10.00 - High Risk
> 10.00 - Possibly due to Non-Cardiac Inflammation

Disclaimer: Persistent unexplained elevation of HSCRP >10 should be evaluated for non-cardiovascular etiologies such as infection, active arthritis or concurrent illness.

Clinical significance:

High sensitivity C- reactive Protein (HSCRP) can be used as an independent risk marker for the identification of Individuals at risk for future cardiovascular Disease. A coronary artery disease risk assessment should be based on the average of two hs-CRP tests, ideally taken two weeks apart.

Kit Validation Reference:

1. Clinical management of laboratory data in medical practice 2003-2004, 207(2003).
2. Tietz : Textbook of Clinical Chemistry and Molecular diagnostics : Second edition : Chapter 47: Page no. 1507- 1508.

Please correlate with clinical conditions.

Method:- FULLY AUTOMATED LATEX AGGLUTINATION - BECKMAN COULTER

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Remarks : LabCode:2807043636/LEK01

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)



Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 15:27
Report Released on (RRT) : 28 Jul 2026 21:24
Sample Type | Barcode : SERUM | FT421682

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR) Bio. Ref. Interval. :-	CALCULATED	109	mL/min/1.73 m2

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease
<15 : Kidney Failure

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- 2021 CKD EPI Creatinine Equation

Tests Done : TOTAL HEALTH PROFILE PLUS

Report Remarks : LabCode:2807043636/LEK01

M. Anuswaru

Dr. Anuswaru MBBS, MD
(Biochem)



Scan QR to verify (valid for
30 days from release time)

Processed At :

1st Floor, 889 HSR layout Sector-7
(BDA), No 1159, Bangalore

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation*

Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 13:09
Report Released on (RRT) : 28 Jul 2026 15:27
Sample Type | Barcode : EDTA Whole Blood | FY583510

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
HEMOGLOBIN	Colorimetry	12.3	g/dL	13.0-17.0
Hematocrit (PCV)	CPH Detection	40.9	%	40.0-50.0
Total RBC	HF & EI	5.2	X 10 ⁶ /μL	4.5-5.5
Mean Corpuscular Volume (MCV)	Calculated	78.7	fL	83.0-101.0
Mean Corpuscular Hemoglobin (MCH)	Calculated	23.6	pq	27.0-32.0
Mean Corp.Hemo. Conc (MCHC)	Calculated	30.1	g/dL	31.5-34.5
Red Cell Distribution Width - SD (RDW-SD)	Calculated	39.9	fL	39-46
Red Cell Distribution Width (RDW - CV)	Calculated	13.4	%	11.6-14
RED CELL DISTRIBUTION WIDTH INDEX (RDWI)	Calculated	202.8	-	*Refer Note below
MENTZER INDEX	Calculated	15.1	-	*Refer Note below
TOTAL LEUCOCYTE COUNT (WBC)	HF & FC	5.77	X 10 ³ / μL	4.0 - 10.0
DIFFERENTIAL LEUCOCYTE COUNT				
Neutrophils Percentage	Flow Cytometry	42.8	%	40-80
Lymphocytes Percentage	Flow Cytometry	44.7	%	20-40
Monocytes Percentage	Flow Cytometry	8.4	%	2-10
Eosinophils Percentage	Flow Cytometry	3.7	%	1-6
Basophils Percentage	Flow Cytometry	0.2	%	0-2
Immature Granulocyte Percentage (IG%)	Flow Cytometry	0.2	%	0-0.5
Nucleated Red Blood Cells %	Flow Cytometry	0.01	%	0.0-5.0
ABSOLUTE LEUCOCYTE COUNT				
Neutrophils - Absolute Count	Calculated	2.47	X 10 ³ / μL	2.0-7.0
Lymphocytes - Absolute Count	Calculated	2.58	X 10 ³ / μL	1.0-3.0
Monocytes - Absolute Count	Calculated	0.48	X 10 ³ / μL	0.2 - 1.0
Basophils - Absolute Count	Calculated	0.01	X 10³ / μL	0.02 - 0.1
Eosinophils - Absolute Count	Calculated	0.21	X 10 ³ / μL	0.02 - 0.5
Immature Granulocytes (IG)	Calculated	0.01	X 10 ³ / μL	0-0.3
Nucleated Red Blood Cells	Calculated	0.01	X 10 ³ / μL	0.0-0.5
PLATELET COUNT	HF & EI	266	X 10 ³ / μL	150-410
Mean Platelet Volume (MPV)	Calculated	10.2	fL	6.5-12
Platelet Distribution Width (PDW)	Calculated	15.7	fL	9.6-15.2
Platelet to Large Cell Ratio (PLCR)	Calculated	26.6	%	19.7-42.4
Plateletcrit (PCT)	Calculated	0.27	%	0.19-0.39

Remarks : Alert!!! Predominantly normocytic normochromic with microcytes & ovalocytes. Platelets: Appear adequate in smear.

*Note - Mentzer index (MI), RDW-CV and RDWI are hematological indices to differentiate between Iron Deficiency Anemia (IDA) and Beta Thalassemia Trait (BTT). MI >13, RDWI >220 and RDW-CV >14 more likely to be IDA. MI <13, RDWI <220, and RDW-CV <14 more likely to be BTT. Suggested Clinical correlation. BTT to be confirmed with HB electrophoresis if clinically indicated.

Method : Fully automated bidirectional analyser

(Reference : *FC- flowcytometry, *HF- hydrodynamic focussing, *EI- Electric Impedence, *Hb- hemoglobin, *CPH- Cumulative pulse height)

Tests Done : HBA PROFILE, HEMOGRAM - 6 PART (DIFF)

Report Remarks : LabCode:2807086962/LEK01

Dr Yashashwini
MD(Path)

Dr Priya Tripathi
MD(Path)

Scan QR to verify (valid for
30 days from release time)





Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703. 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation[#]

Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 13:09
Report Released on (RRT) : 28 Jul 2026 15:27
Sample Type | Barcode : EDTA Whole Blood | FY583510

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c	H.P.L.C	5.5	%

Bio. Ref. Interval. :

As per ADA Guidelines

Below 5.7% : Normal
5.7% - 6.4% : Prediabetic
≥ 6.5% : Diabetic

Guidance For Known Diabetics

Below 6.5% : Good Control
6.5% - 7% : Fair Control
7.0% - 8% : Unsatisfactory Control
≥ 8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG) CALCULATED 112 mg/dL

Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HbA1c values

Please correlate with clinical conditions.

Tests Done : HBA PROFILE, HEMOGRAM - 6 PART (DIFF)

Report Remarks : LabCode:2807086962/LEK01

Dr Yashashwini
MD(Path)

Dr Priya Tripathi
MD(Path)



Scan QR to verify (valid for
30 days from release time)



Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 13:13
Report Released on (RRT) : 28 Jul 2026 17:33
Sample Type | Barcode : URINE | FH899150

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Complete Urinogram				
<u>Physical Examination</u>				
VOLUME	Visual Determination	3	mL	-
COLOUR	Visual Determination	PALE YELLOW	-	Pale Yellow
APPEARANCE	Visual Determination	CLEAR	-	Clear
SPECIFIC GRAVITY	pKa change	1.025	-	1.003-1.030
PH	pH indicator	5.5	-	5-8
<u>Chemical Examination</u>				
URINARY PROTEIN	PEI	ABSENT	mg/dL	Absent
URINARY GLUCOSE	GOD-POD	ABSENT	mg/dL	Absent
URINE KETONE	Nitroprusside	ABSENT	mg/dL	Absent
URINARY BILIRUBIN	Diazo coupling	ABSENT	mg/dL	Absent
UROBILINOGEN	Diazo coupling	Normal	mg/dL	<=0.2
URINE BLOOD	Peroxidase reaction	ABSENT	-	Absent
NITRITE	Diazo coupling	ABSENT	-	Absent
LEUCOCYTE ESTERASE	Esterase reaction	ABSENT	-	Absent
<u>Microscopic Examination</u>				
URINARY LEUCOCYTES (PUS CELLS)	Microscopy	ABSENT	cells/HPF	0-5

(Reference : *PEI - Protein error of indicator, *GOD-POD - Glucose oxidase-peroxidase)

Tests Done : ROUTINE URINE ANALYSIS

Report Remarks : LabCode:2807087579/LEK01

Dr Yashashwini
MD(Path)

Dr Priya Tripathi
MD(Path)



Scan QR to verify (valid for
30 days from release time)



Patient Name : BHABESH ACHARYA (43Y/M)
Referred By : SELF
Address : (5621257897), Gps diagnostic centre, Rajivghadhi nagar pandit
agahara sarjapur, 562125

Sample Collected on (SCT) : 28 Jul 2026 07:30
Sample Received on (SRT) : 28 Jul 2026 13:16
Report Released on (RRT) : 28 Jul 2026 14:14
Sample Type | Barcode : FLUORIDE PLASMA | FR692070

TEST NAME	TECHNOLOGY	VALUE	UNITS
FASTING BLOOD SUGAR(GLUCOSE)	PHOTOMETRY	90.4	mg/dL

Bio. Ref. Interval. :-

As per ADA Guideline: Fasting Plasma Glucose (FPG)	
Normal	70 to 100 mg/dl
Prediabetes	100 mg/dl to 125 mg/dl
Diabetes	126 mg/dl or higher

Note :

The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic. The concentration of Glucose in a given specimen may vary due to differences in assay methods, calibration and reagent specificity. For diagnostic purposes results should always be assessed in conjunction with patients medical history, clinical findings and other findings.

Please correlate with clinical conditions.

Method:- GOD-POD METHOD

Tests Done : BLOOD SUGAR (F)

Report Remarks : LabCode:2807088220/LEK01

Dr Yashashwini
MD(Path)

Dr Priya Tripathi
MD(Path)



Scan QR to verify(valid for
30 days from release time)

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient, as the reported results are dependent on individual assay method(s) used/ equipments used and quality of specimen received.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume:
 - (a) any liability including any bodily injury, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report,
 - (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- Thyrocare Discovery video link:- <https://youtu.be/nbdYeRgYyQc>

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recorded by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints, clinical support or feedback, write to us at customersupport@thyrocare.com or call us on 022-3090 0000.

Launching

Jaanh

For a closer look at your health with

Doctor-Curated Specialised Packages All Under One Roof

Heart

Fever

Cancer

Women's - Reproductive Health

Thyroid

Diabetes

STDs

Skin Care

Hair Fall

Thyrocare
Tests you can trust

PRIVY LEAGUE



kotak

Kotak Mahindra Bank

359/39 - Bren Mercury Koikondrahalli, Sarjapur Main Road,
Bangalore Bengaluru 560035 Karnataka India
IFSC : KKBK0008107

दिनांक
Date

Valid for three months from the date of issue

D	D	M	M	Y	Y	Y	Y		

या धारक को Or Bearer

Pay

रुपये Rupees

अदा करें। ₹

खाता सं.
A/C No.

1349767678

CORPORATE ACE SALARY ACCOUNT
CBS

BHABESH CHANDRA ACHARYA

20/02/2025

Payable At-par at all branch locations of Kotak Mahindra Bank Ltd.

Please sign above

⑈000001⑈ 560485027⑈ 014492⑈ 31

STRIFF