

Lab 1 and 2 :

Selenium IDE - Labs

Project: Labs

Executing ▾

Lab 1 and 2

https://www.google.com/

	Command	Target	Value
1.	open	https://www.google.com/	
2.	set window size	1050x852	
3.	click	id=tl6dpd	
4.	type	id=tl6dpd	testing methods
5.	click	css=#jZ2SBf > .wM6W7d > span	
6.	pause	3000	
7.	verify element present	css=.WJFise	

Command: #

Target:

Value:

Description:

Runs: 1 Failures: 0

Log Reference

Lab 3 :

Selenium IDE - Labs*

Project: Labs*

Executing ▾

Lab 3

https://tutorialsninja.com/demo/

	Command	Target	Value
1.	open	https://tutorialsninja.com/demo/	
2.	set window size	1050x852	
3.	click	linkText=Desktops	
4.	click	linkText=Mac (1)	
5.	pause	3000	
6.	click	id=input-sort	
7.	select	id=input-sort	label=Name (A - Z)
8.	pause	3000	
9.	click	css=.button-group > button:nth-child(1)	
10.	run script	window.scrollTo(0,347.3333435058594)	

Command: #

Target:

Value:

Description:

Runs: 1 Failures: 0

Log Reference

Lab 4:

Selenium IDE - Labs*

Project: Labs*

Executing ▾

Lab 4

https://tutorialsninja.com/demo/

	Command	Target	Value
1	open	https://tutorialsninja.com/demo/	
2	set window size	1050x652	
3	click	linkText=Desktops	
4	click	linkText=Mac (1)	
5	pause	3000	
6	click	id=input-sort	
7	select	id=input-sort	label=Name (A - Z)
8	pause	3000	
9	click	css=button-group > button:nth-child(1)	
10	click	name=search	
11	type	name=search	monitor
12	click	css=input-group-btn > .btn	

Command ▾

Target

Value

Description

Runs: 1 Failures: 0

Log Reference

Selenium IDE - Labs*

Project: Labs*

Executing ▾

Lab 4

https://tutorialsninja.com/demo/

	Command	Target	Value
8	pause	3000	
9	click	css=button-group > button:nth-child(1)	
10	click	name=search	
11	type	name=search	monitor
12	click	css=input-group-btn > .btn	
13	pause	3000	
14	click	id=input-search	
15	type	id=input-search	
16	click	id=description	
17	click	id=button-search	

Command ▾

Target

Value

Description

Runs: 1 Failures: 0

Log Reference