

C. Droughts**D. Cyclones****Code :**

A	B	C	D
(a) 3	1	2	4
(b) 3	1	4	2
(c) 2	3	1	4
(d) 4	2	3	1

3. Plains of Uttar Pradesh and Bihar**4. Mid-Eastern India.****47th B.P.S.C. (Pre) 2005****Ans. (b)**

"Flood Forecast & Warning Organisation" was set up by Central Water Commission in 1969 to establish forecasting sites on Inter-State rivers at various flood-prone places in the country. The "National Flood Forecasting and Warning Network" of Central Water Commission, which comprised of 338 flood forecasting sites. The most drought-affected area is middle east India. Generally, the Cyclones affect-eastern coast of India. Central eastern India is most affected by cyclones originating in the Bay of Bengal. Cyclones are generated more frequently in Odisha and West Bengal.

4. Richter scale is used to measure

- (a) volcano eruption (b) flood intensity
(c) earthquake (d) More than one of the above
(e) None of the above

B.P.S.C. School Teacher (Class 9-10) 07-12-2023**Ans. (c)**

An earthquake is measured with a machine called seismograph. The magnitude of the earth is measured on Richter scale. An earthquake of 2.0 or less can be felt only a little. An earthquake over 5.0 can cause damage from things falling. A 6.0 or higher magnitude is considered very strong and 7.0 is classified as a major earthquake.

SOILS**i. Black Soil****1. Which of the following terms is also used for black soil?**

- (a) Regur
(b) Bangar
(c) Black cotton soil
(d) Khadar
(e) None of the above / More than one of the above

B.P.S.C. CDPO 2022**Ans. (e)**

Black soil is also called as Regur soil or Black cotton soil, since cotton has been the most common traditional crop in areas where they are found. It is the third major group of soil in India and forms the top part of the earth's surface, that includes disintegrated rock, humus, inorganic, and organic materials. Black soils are derivatives of trap lava and are spread mostly across interior Gujarat, Maharashtra, Karnataka, and Madhya Pradesh on the Deccan lava plateau and the Malwa Plateau, where there is both moderate rainfall and underlying basaltic rock.

2. Regur is the name of –

- (a) Red soil (b) Alluvial soil
(c) Black soil (d) Lateritic soil

42nd B.P.S.C. (Pre) 1998**44th B.P.S.C. (Pre) 2000****Ans. (c)**

The black soil is also called 'Regur', cotton soils and tropical Chernozem, etc. This soil is mainly found in part of Maharashtra, Madhya Pradesh part of Karnataka, Andhra Pradesh, Gujarat, and Tamil Nadu. Geographically, Black soil is spread over 5.46 lakh sq km.

3. Regur soil is most widespread in –

- (a) Maharashtra (b) Tamil Nadu
(c) Andhra Pradesh (d) Jharkhand

44th B.P.S.C. (Pre) 2000**Ans. (a)**

See the explanation of the above question.

ii. Alluvial Soil**1. Which one of the following soils is deposited by rivers?**

- (a) Red soil
(b) Black soil
(c) Alluvial soil
(d) Lateritic soil
(e) None of the above / More than one of the above

63rd B.P.S.C. (Pre) 2017**Ans. (c)**

Alluvial soil is formed by the sediments released from the rivers. Alluvial soil is mixture of sand, silt and clay. Alluvial soils are divided into two subclasses -

1. New Alluvium or Khadar - It is deposited by floods annually, which enriches the soil by depositing fine silts.
2. Older Alluvium or Bhargar - It represents a system of older alluvium, deposited away from the flood plains.