

## 6. Drainage System

### I. Ganga Drainage System

\*The Himalayan Drainage System comprises the most famous river systems of India i.e. **the Indus, the Ganga and the Brahmaputra**. Most of these rivers are **perennial** in character, obtaining water from the glaciers, springs and rains.

\*These rivers carve out a number of erosional landforms like **gorges, waterfalls and steep-sided valleys**, etc.

\***Ganga** is the longest river (2525 km.) in India. The five confluences, known as the **Panch Prayag**, are all along the **Alaknanda**. They are, in downstream order, **Vishnuprayag** (Dhauliganga joins the Alaknanda), **Nandprayag** (where Nandakini joins Alaknanda), **Karnaprayag** (where Pindar joins Alaknanda), **Rudraprayag** (where Mandakini joins Alaknanda) and **Devprayag** (where Bhagirathi joins Alaknanda).

\*The mainstream of Ganga begins at the confluence of Bhagirathi and Alaknanda in Devprayag. Ganga enters the plain area at Haridwar, flowing through the north of Rajmahal Hills, it finally enters Bangladesh by flowing through Farakka in West Bengal. In Bangladesh, it is known as the **Padma**. The Padma is joined by **Jamuna** (Brahmaputra). Further downstream, the Padma joins the **Meghna River**. Here onwards the whole river system is known as the **Meghna River system** which drains into the Bay of Bengal.

\*The world's largest delta (**Ganga - Brahmaputra-Meghna Delta**) is formed between the Hugli river and the Meghna river.

\*The important **left bank tributaries** of the Ganga are the **Ramganga, the Gomati, the Ghaghara, the Gandak, the Kosi and the Mahananda**.


\*The Yamuna is the right bank and the longest tributary of the Ganga. It has its source in the **Yamunotri Glacier** on the western slopes of the **Banderpunch Peak**. It joins the Ganga at **Prayag (Prayagraj)**.

\***The Chambal, the Sindh, the Betwa and the Ken** are

the right bank tributaries of the Yamuna, while **the Tons, Hanuman Ganga and the Sasur Khaderi** are its left bank tributaries.

\***The Chambal River** originates near **Dr. Ambedkar Nagar (Old Name - Mhow)** in the Malwa Plateau of Madhya Pradesh. It flows through a **gorge**. The Chambal is famous for its **badland topography**, which is called the **Chambal Ravines**. The **Gandak** originates from the Nepal Himalayas and joins the Ganga at **Sonpur** near Patna. The Ghaghara originates from the glacier of Mapchachungo. The river Sharda (Kali or Kali Ganga) joins it in the plain before it finally meeting Ganga at Revilganj (Saran, Bihar).

\*The river **Ramganga** joins the Ganga near **Kannauj**. The river **Damodar** flows through a **rift valley** and finally joins the **Hugli**. The **Barakar** is its main tributary. The Damodar River is known as the '**Sorrow of Bengal**'. The **Mahananda** is the last left bank tributary of the Ganga joining it in West Bengal. \*The Son is the major right bank tributary of Ganga. It originates in the Amarkantak Hill and joins the Ganga at near **Patna** (Bihar).



The antecedent rivers are those streams that originate prior to the uplift of the land surface of an upland or mountain but maintain their original course of flow even after the landmass is uplifted, by cutting through the uplifted landmass. The Ganga river is an example of an antecedent river. \*The Alaknanda has its source in the Satopath glacier above Badrinath.

**1. The Ganga river is an example of :**

- (a) The Antecedent Drainage
- (b) Consequent Drainage System
- (c) Superimposed Drainage System
- (d) Subsequent Drainage System

**U.P.U.D.A./ L.D.A. (Pre) 2013**

**Ans. (a)**

The Ganga river is an example of antecedent drainage.

**2. In Bangladesh, the River Ganges is known as –**

- (a) Meghana
- (b) Padma
- (c) Bhagirathi
- (d) Mahaganga

**Uttarakhand P.C.S. (Pre) 2005**

**Ans. (b)**

The Ganga is the longest river in India. The total length of Ganga is 2525 km. Ganga flowing north to Rajmahal hills at the border of Jharkhand and West Bengal. Ganga enters Bangladesh by flows through Farakka in West Bengal. Here Ganga is known as the Padma. Ganga merges with the Brahmaputra river in Bangladesh and further this stream merges with the Meghna river. Meghna river finally empties into the Bay of Bengal and forms the largest delta. This delta of the Ganga, Brahmaputra and Meghna rivers is created between Hugli and Meghna rivers.

**3. River Ganga, after entering Bangladesh is known by which of the following names ?**

- (a) Lohit
- (b) Padma
- (c) Kaliganga
- (d) Nabaganga

**U.P.P.C.S. (Mains) 2016**

**Ans. (b)**

After entering Bangladesh, the main branch of the Ganges is known as 'Padma'. The Padma is joined by the Brahmaputra river (known as Jamuna). Further, it meets Meghna river and is commonly known as Meghna, which flows into the Bay of Bengal.

**4. On entering Bangladesh, Ganga is called –**

- (a) Padma
- (b) Meghna
- (c) Hoogly
- (d) Lohit

**Uttarakhand Lower (Sub) (Pre) 2010**

**Ans. (a)**

See the explanation of above question.

**5. Sunderban Delta is formed by the rivers –**

- (a) Ganga and Brahmaputra
- (b) Ganga and Jhelum

(c) Sindhu and Jhelum

(d) Ganga and Sindhu

**M.P.P.C.S. (Pre) 2014**

**Ans. (a)**

Sunderban Delta is the world's largest delta formed by the river Ganga, Brahmaputra and Meghna. Two-thirds of Sunderban Delta is in Bangladesh while the rest is in India.

**6. Assertion (A) : The Ganga is a highly polluted river.  
Reason (R) : The holier the river, the more polluted it is.**

**Select the correct answer from the following code:**

- (a) Both (A) and (R) are true, and (R) is the correct explanation of (A).
- (b) Both (A) and (R) are true, but (R) is not the correct explanation of (A).
- (c) (A) is true, but (R) is false.
- (d) (A) is false, but (R) is true.

**U.P.P.C.S. (Pre) 2005**

**Ans. (c)**

It is correct that the Ganga is one of the most polluted rivers in the world but its reason is not its sanctity. A large proportion of the polluted water with a higher organic load from urban areas is dumped in the Ganges which is the root cause of pollution in the Ganga.

**7. The depth of Gangetic alluvial soil below the land surface is about –**

- (a) 6000 meter
- (b) 600 meter
- (c) 800 meter
- (d) 100 meter

**39th B.P.S.C. (Pre) 1994**

**Ans. (a)**

According to Oldham the depth of Gangetic alluvial soil below the land surface is about 4000-6000 meters and according to Glancy, it is about 2000 meters.

**8. Examine the following statements and select the correct answer by using codes given below:**

- 1. Devprayag is located at the confluence of the Bhagirathi and Alaknanda rivers.
- 2. Rudraprayag is located at the confluence of the Mandakini and Alaknanda rivers.
- 3. Alaknanda flows from Badrinath.
- 4. Kedarnath is considered the biggest seat established by Adi Shankaracharya.

**Code :**

- (a) 1, 2, 3
- (b) 2, 3, 4
- (c) 1, 2, 4
- (d) 1, 2, 3 and 4

**U.P. Lower Sub. (Pre) 2002**

**Ans. (a)**

The explanation of the above statements is as follows:

- Devprayag is located at the confluence of the Bhagirathi and Alaknanda rivers. Hence, statement (1) is correct.
- Rudraprayag is located at the confluence of the Mandakini and Alaknanda rivers. Hence, statement (2) is also correct.
- Alaknanda flows through Chamoli, Tehri Garhwal and Pauri Garhwal districts. Badrinath is a Nagar Panchayat of Chamoli districts which is situated on the bank of the Alaknanda river. Hence statement (3) is correct.
- Joshimath (Badrinath) was established as a major pilgrimage site by Adi Shankaracharya, not Kedarnath. It is one of the 12 Jyotirlingas of Lord Shiva in India. Kedarnath is known as Samadhi Sthal of Adi Shankaracharya. Hence, statement (4) is wrong.

9. Match List-I with List-II and select the correct answer by using codes given below:

| List-I<br>(Place) | List-II<br>(Confluence of Rivers) |
|-------------------|-----------------------------------|
| A. Rudraprayag    | 1. Bhagirathi - Alaknanda         |
| B. Nandprayag     | 2. Mandakini - Alaknanda          |
| C. Karnaprayag    | 3. Alaknanda - Pindar             |
| D. Devprayag      | 4. Vishnu Ganga - Mandakini       |

Code :

|     | A | B | C | D |
|-----|---|---|---|---|
| (a) | 1 | 3 | 2 | 4 |
| (b) | 2 | 4 | 3 | 1 |
| (c) | 3 | 2 | 4 | 1 |
| (d) | 4 | 1 | 3 | 2 |

U.P.U.D.A./L.D.A. (Pre) 2013

Ans. (\*)

The places mentioned in the list Rudraprayag, Karnaprayag, and Devprayag are correctly matched with Mandakini - Alaknanda, Alaknanda - Pindar and Bhagirathi - Alaknanda of the list II, respectively, while Nandprayag is not matched with Vishnu Ganga - Mandakini. Nandprayag is located at the confluence of the Nandakini and Alaknanda rivers. U.P.P.S.C. held option (b) as the correct answer.

10. Match List-I with List-II and choose the correct answer using the codes given below in the lists:

| List-I<br>(Place) | List-II<br>(Confluencing Rivers) |
|-------------------|----------------------------------|
| A. Devprayag      | 1. Alaknanda and Pindar          |
| B. Rudraprayag    | 2. Alaknanda and Bhagirathi      |

C. Karnaprayag

D. Tehri

3. Bhagirathi and Bhilangna

4. Alaknanda and Mandakini

Codes :

|     | A | B | C | D |
|-----|---|---|---|---|
| (a) | 4 | 1 | 2 | 3 |
| (b) | 2 | 3 | 1 | 4 |
| (c) | 4 | 1 | 3 | 2 |
| (d) | 2 | 4 | 1 | 3 |

UPPSC (Pre) 2024

Ans. (d)

The correct match is -

| Place       | Confluencing Rivers      |
|-------------|--------------------------|
| Devprayag   | Alaknanda and Bhagirathi |
| Rudraprayag | Alaknanda and Mandakini  |
| Karnaprayag | Alaknanda and Pindar     |
| Tehri       | Bhagirathi and Bhilangna |

It is noteworthy that at Vishnuprayag, the Vishnu Ganga (which is known as the Alaknanda River after this point) merges with the Dhauliganga River, while at Nandprayag the Alaknanda River meets the Nandakini River.

11. Devprayag is situated at the confluence of rivers Alaknanda and :

- Bhagirathi
- Mandakini
- Nandakini
- None of the above

Chhattisgarh P.C.S. (Pre) 2023

Ans. (a)

See the explanation of the above question.

12. Which one of the following place is the confluence of the river Alaknanda and the Bhagirathi?

- Dev Prayag
- Vishnu Prayag
- Rudra Prayag
- Karn Prayag

U.P.P.C.S. (Pre) 2023

Ans. (a)

Devprayag is a pilgrimage town in the Tehri Garhwal district of Uttarakhand. Alaknanda and Bhagirathi rivers merge to form the holy River Ganga at Devprayag. The small town is situated on the route from Rishikesh to Badrinath. Devprayag literally means 'holy confluence'. It is an extremely important religious site for Hindus. Ganga, the biggest and the holiest river in India, starts its journey to the plains and further towards Bay of Bengal from Devprayag.

**13. With which drainage system or main river is Mandakini associated ?**

- (a) Alaknanda (b) Bhagirathi  
(c) Yamuna (d) Dhaul Ganga

**Uttarakhand P.C.S. (Pre) 2006**

**Ans. (a)**

The Mandakini river originates at Chorabari Taal. It is fed by Vasukiganga/Son Ganga river at Son Prayag and flows past the Hindu Temple Madhyamaheswar in Ukhimath. Further, it merges with the Alaknanda in Rudraprayag, south of Badrinath.

**14. Eastern Dhauliganga (Poorvi Dhauliganga) is a tributary of :**

- (a) Alaknanda river (b) Kali river  
(c) Gomti river (d) Sharda river

**Uttarakhand P.C.S. (Pre) 2016**

**Ans. (b)**

The Eastern Dhauliganga river is a tributary of the Kali river. The Kali River flows from Kalapani near Lipulekh Pass. Its major tributaries are Gori, Saryu, Lohavati, Ladhiya, etc.

**15. Bhagirathi and Alaknanda rivers meet at**

- (a) Devprayag (b) Karnaprayag  
(c) Vishnuprayag (d) Rudraprayag

**U.P.P.C.S. (Mains) 2016**

**Ans. (a)**

The Ganga is the most important river in India. It rises in Gangotri glacier near Gaumukh in Uttarkashi district of Uttarakhand. Here it is known as Bhagirathi. It cuts through the Central and the Lesser Himalayas. Bhagirathi meets Alaknanda at Devprayag, thereafter it is known as Ganga.

**16. Which of the following is the place of confluence of the Alaknanda and the Bhagirathi?**

- (a) Vishnuprayag (b) Karnaprayag  
(c) Rudraprayag (d) Devprayag

**M.P.P.C.S. (Pre) 2013**

**Ans. (d)**

See the explanation of above question.

**17. At which of the following towns the Alaknanda and the Bhagirathi combine to form River Ganga?**

- (a) Haridwar  
(b) Rishikesh

(c) Rudraprayag

(d) Devprayag

(e) None of the above/More than one of the above

**60<sup>th</sup> to 62<sup>nd</sup> B.P.S.C. (Pre) 2016**

**Ans. (d)**

See the explanation of above question.

**18. Name the river which flows between Kedarnath and Rudra prayag ?**

- (a) Bhagirathi (b) Alaknanda  
(c) Saryu (d) Mandakini

**Uttarakhand P.C.S. (Pre) 2006**

**Ans. (d)**

The Mandakini river flows between Kedarnath and Rudraprayag. Mandakini originates from the Chorabari Taal near Kedarnath in Uttarakhand. Mandakini is fed by Vasukiganga/Son Ganga river at Sonprayag. Mandakini joins The Alaknanda at Rudraprayag. Alaknanda then proceeds towards Devprayag where it joins Bhagirathi river to form the Ganga river.

**19. Along which of the following river banks the famous temple of Badrinath is located?**

- (a) Alaknanda (b) Bhagirathi  
(c) Mandakini (d) Ganga

**U.P.U.D.A./ L.D.A. (Pre) 2013**

**Ans. (a)**

The famous Badrinath temple is situated near the bank of Alaknanda river while Kedarnath Temple is located near the banks of Mandakini river in Uttarakhand.

**20. The longest flowing river in India is-**

- (a) Mahanadi (b) Godavari  
(c) Ganga (d) Narmada

**40<sup>th</sup> B.P.S.C. (Pre) 1995**

**Ans. (c)**

The lengths of the flowing rivers of India (mentioned in the question) are given below:

|                |   |         |
|----------------|---|---------|
| Ganga river    | – | 2525 km |
| Godavari river | – | 1465 km |
| Narmada river  | – | 1312 km |
| Mahanadi river | – | 851 km  |

**21. The longest river in India is**

- (a) Brahmaputra (b) Ganga  
(c) Godavari (d) Indus

**M.P. P.C.S. (Pre) 2018**

**Ans. (b)**

The Ganges is the longest river (2525 km) in India. It rises in Western Himalayas in the Indian state of Uttarakhand.

**22. The Bhagirathi river originates from –**

- (a) Gomukh (b) Gangotri
- (c) Tapovan (d) Vishnu Prayag

**M.P.P.C.S. (Pre) 2013**  
**Uttarakhand P.C.S. (Pre) 2006**  
**Chhattisgarh P.C.S. (Pre) 2011**

**Ans. (a)**

Bhagirathi emerges from Gomukh of Gangotri Glacier, 18 km away from Shivalinga Peak.

**23. Identify the only tributary of River Ganges which rises in the plains.**

- (a) Son (b) Sharda or Saryu
- (c) Gomti (d) Ram Ganga

**U.P. Lower Sub. (Pre) 2008**

**Ans. (c)**

The Gomti river originates from Gomat Taal (Fulhar lake) near Pilibhit district in Uttar Pradesh. It is the only tributary of River Ganges which rises in the plains.

**24. With reference to the Himalayan rivers joining the Ganga downstream of Prayagraj from West to East, which one of the following sequences is correct?**

- (a) Ghaghara-Gomati-Gandak-Kosi
- (b) Gomati-Ghaghara-Gandak-Kosi
- (c) Ghaghara-Gomati-Kosi-Gandak
- (d) Gomati-Ghaghara-Kosi-Gandak

**I.A.S. (Pre) 2024**

**Ans. (b)**

A large number of tributaries like Alaknanda, Ramganga, Kali, Yamuna, Gomti, Ghaghara, Gandak, Kosi and Sone, draining 11 States of the country, join the River Ganga at different confluence points during its journey. Major left-bank tributaries include the Gomti River, Ghaghara River, Gandak River, and Kosi River, which join the Ganga downstream of Prayagraj from West to East, respectively. Gomti joins the Ganga in Ghazipur district near Varanasi in Uttar Pradesh. Ghaghara meets the Ganga in Saran district near Chapra in Bihar. Gandak joins the Ganga at Sonapur (District- Saran) near Patna in Bihar. Kosi river joins the Ganga in the Katihar district of Bihar.

**25. Assertion (A) : Yamuna becomes a dead river between Delhi and Agra most of the year.**

**Reason (B) : Yamuna is a non-perennial river.**

**Select the correct answer from the code given below:**

- (a) Both (A) and (R) are true, and (R) is the correct explanation of (A).
- (b) Both (A) and (R) are true, but (R) is not the correct explanation of (A).
- (c) (A) is true, but (R) is false.
- (d) (A) is false, but (R) is true.

**U.P.P.C.S. (Pre) 2015**

**Ans. (c)**

The Yamuna becomes a dead river between Delhi and Agra most of the year because of domestic discharge and industrial waste in Delhi, Ghaziabad, Mathura and Agra. So, assertion (A) is correct while the Yamuna River is a perennial river, so Reason (R) is false.

**26. Which one of the following rivers is not a tributary of Yamuna?**

- (a) Betwa (b) Chambal
- (c) Ken (d) Ram Ganga

**U.P.P.S.C. (GIC) 2010**

**Ans. (d)**

The Ram Ganga river originates from Dudhatoli ranges in Pauri Garhwal, Uttarakhand. It is a tributary of the river Ganges while Chambal, Betwa and Ken are tributaries of river Yamuna.

**27. The river Yamuna originates from –**

- (a) Chaukhamba (b) Bandar Poonch
- (c) Nanda Devi (d) Neelkanth

**Uttarakhand U.D.A./L.D.A. (Mains) 2006**

**Ans. (b)**

The Yamuna originates from Yamunotri Glacier near Bandar Poonch Peak.

**28. Consider the following tributaries of River Yamuna and arrange them from West to East :**

1. Betwa
2. Ken
3. Sindh
4. Chambal

**Select the correct answer from the codes given below.**

**Codes :**

- (a) 4, 3, 1 and 2 (b) 1, 2, 3 and 4
- (c) 3, 2, 1 and 4 (d) 2, 3, 1 and 4

**U.P. P.C.S. (Pre) 2020**

**Ans. (a)**

The tributaries of the Yamuna flowing from west to east are - Chambal - Sindh - Betwa - Ken. The Chambal River originates near Dr. Ambedkar Nagar (Old name - Mhow) in Madhya Pradesh. This river flows through Sawai Madhopur and Dholpur in Rajasthan and finally joins the Yamuna.

**29. Which of the following rivers does not fall into river Yamuna ?**

- (a) Ken (b) Betwa  
(c) Son (d) Chambal

**M.P.P.C.S. (Pre) 2008**

**Ans. (c)**

Son is one of the main rivers of Madhya Pradesh, it is a tributary of the river Ganges, while Chambal, Betwa and Ken are tributaries of the river Yamuna.

**30. Which one of the following rivers does not join the river Chambal?**

- (a) Kshipra (b) Kali Sindh  
(c) Betwa (d) Parvati

**M.P. P.C.S. (Pre) 2018**

**Ans. (c)**

River Betwa rises in the Vindhya Range and it is a tributary of Yamuna. It joins the river Yamuna near Hamirpur town Uttar Pradesh.

**31. Betwa river originates from :**

- (a) Aravalli Hills (b) Satpura Hills  
(c) Vindhyan Hills (d) Western Ghats

**M.P.P.C.S. (Pre.) 2020**

**Ans. (c)**

See the explanation of the above question.

**32. Betwa river joins the –**

- (a) Ganga (b) Yamuna  
(c) Brahmaputra (d) Son

**U.P.R.O./A.R.O. (Pre) 2014**

**Ans. (b)**

See the explanation of the above question.

**33. Which of the following tributaries of the Ganga system flows Northwards?**

- (a) Kosi (b) Ghaghra  
(c) Son (d) Gandak

**Uttarakhand Lower Sub. (Pre) 2010**

**Ans. (c)**

The Son which originates near Amarkantak in Madhya Pradesh is the main right bank tributary of the river Ganga which flows northwards to join the Ganga near Patna. Other rivers are tributaries of river Ganga on its left bank and flow Southwards.

**34. Which river among the following does not join the Ganga river from left?**

- (a) Gomati (b) Ghaghra  
(c) Kosi (d) Son

**Uttarakhand P.C.S. (Pre) 2012**

**Ans. (d)**

See the explanation of the above question.

**35. Which range acts as a water divide between Yamuna and Son?**

- (a) Bhandar (b) Kaimur  
(c) Maikal (d) Mukundwara

**M.P.P.C.S. (Pre) 2016**

**Ans. (b)**

The Kaimur Range forms the watershed or divides two major rivers of Peninsular India, the Son to the south and the Tons (a tributary of Yamuna) to the north.

**36. The catchment area of which of the following river is maximum :**

- (a) Mahananda (b) Son  
(c) Ramganga (d) Gandak

**R.O. / A.R.O. (Mains), 2017**

**Ans. (b)**

Among the given options, the catchment area of Son river is maximum-

Mahananda - 23700 sq. km

Son - 70,055 sq. km

Ramganga - 30,811.48 sq. km

Gandak - 45,731 sq. km

**37. The other name of river Gandak is:**

- (a) Burhi Gandak (b) Mahananda  
(c) Narayani (d) Punpun

**69<sup>th</sup> B.P.S.C. (Pre), 2023**

**Ans. (c)**

In Nepal, the Gandak River is also referred to as the Gandaki and Narayani Rivers. Significantly, the Gandak comprises two streams, namely Kaligandak and Trishulganga. It rises in the Nepal Himalayas between the Dhaulagiri and Mount Everest and drains the central part of Nepal.

38. 'Moribund Delta' is a sub-division of which of the following Delta ?

- (a) Krishna-Godawari Delta
- (b) Mahanadi Delta
- (c) Bengal Delta
- (d) Cauvery Delta

U.P.P.C.S. (Pre) 2019

Ans. (c)

"Moribund Delta" is a sub-division of Bengal Delta. The Moribund delta areas are in the southwestern part of the country, south of the Ganges river, where tributaries are highly silted and are profusion of oxbow lakes. Such areas are Jessore, Kushtia and Faridpur. The immature delta is to the south of the Moribund delta and mainly consists of sea beaches and tidally influenced lands. The Sundarbans belong to this region. The mature delta part is more towards the central part of the southern section of Bangladesh. The active delta is situated mainly at the delta of the Meghna River entering the Bay of Bengal. Regular flooding and the formation of "chars" and "offshore islands" are its characteristics.

39. Among the following tributaries, which one is the part of the Ganga river basin?

- (a) Sankh
- (b) North Koel
- (c) South Koel
- (d) Barakar
- (e) None of the above/More than one of the above

65<sup>th</sup> B.P.S.C. (Pre) 2019

Ans. (e)

North Koel is a river flowing from Jharkhand, a tributary of the Son River, it joins the right bank of the Son River. The Son River is the second longest (first Yamuna) tributary of the Ganges River from the southern part of the Ganges near Patna. The South Koel river flows into Jharkhand and Odisha. The South Koel river flows in association with the Northern Karo River as the Koel River, which joins the Sankh River near Rourkela in Odisha as the Brahmani River. The Barakar River is the main tributary of the Damodar River, which originates from the Koderma Plateau in Jharkhand and Joins Damodar via Hazaribagh. Damodar joins the Hooghly River in the lower Ganges basin. The Damodar River Basin is a sub-basin of the Ganges River Basin. Thus, Barakar and North Koel are sub-rivers of the Ganges river valley. Hence the correct answer to this question is option (e).

40. The number of districts situated on the bank of Ganga river in Bihar State is :

- (a) 21
- (b) 17
- (c) 12
- (d) 6
- (e) None of the above/More than one of the above.

65<sup>th</sup> B.P.S.C. (Pre) 2019

Ans. (c)

12 districts of the state of Bihar are located on the banks of the river Ganges, which include Saran, Buxar, Bhojpur, Patna, Vaishali, Samastipur, Begusarai, Lakhisarai, Munger, Khagaria, Bhagalpur and Katihar.

41. The district of Bihar which has a longer length of Ganga river is :

- (a) Bhagalpur
- (b) Katihar
- (c) Patna
- (d) Begusarai
- (e) None of the above/More than one of the above.

65<sup>th</sup> B.P.S.C. (Pre) 2019

Ans. (c)

The Ganges River passes through 12 districts of Bihar, in which the maximum length of the Ganges is in Patna (approx. 99 km). Bhagalpur comes in second place, where the length of the Ganges river is approx. 97 km.

42. Which one of the following rivers is NOT the part of Indian Ganga river basin?

- (a) Punpun river
- (b) Ajoy river
- (c) Jalangi river
- (d) Jonk river

U.P.P.C.S. (Pre) 2021

Ans. (d)

The Jonk river is a tributary of the Mahanadi, which flows through the states of Odisha and Chhattisgarh in India.

43. Which of the following river does not flow through the state of Uttar Pradesh ?

- (a) Son River
- (b) Hindon River
- (c) Gandak River
- (d) Sharda River

U.P.R.O./A.R.O. (Pre) 2021

Ans. (c)

The Gandak river does not flow through the state of Uttar Pradesh, this river enters Bihar after leaving Nepal and joins the Ganges near Sonpur Patna. Son, Hindon and Sharda rivers flow through the state of Uttar Pradesh.

44. Which one of the following rivers joins the Ganga at Fatuha?

- (a) Son
- (b) Punpun