

Codes :

- (a) Both (A) and (R) are true and (R) is correct explanation of (A).
- (b) Both (A) and (R) are true, but (R) is not correct explanation of (A).
- (c) (A) is true, but (R) is false.
- (d) (A) is false, but (R) is true.

U.P.P.C.S. (Pre) 2021


Ans. (a)

Historically, the Teesta river was a tributary of the Ganga and now it is a tributary of Brahmaputra. River capture is a natural process that is more active in the youthful stage of the valley development because the streams are actively engaged in headward erosion and valley lengthening but river capture also occurs during mature and senile stages of the valley development through the process of lateral erosion and meander intersection.

iii. The South Indian Rivers

*The main water divide in Peninsular India is formed by the Western Ghats, which run from north to south close to the western coast. Most of the major rivers of the Peninsula such as **the Mahanadi, the Godavari, the Krishna, and the Cauvery** flow eastwards and drains into the Bay of Bengal.

*These rivers form deltas at their mouths. **The Narmada, the Tapi and the Mahi** are the major rivers that flow west and creates **estuaries**. *Peninsular rivers are characterized by a **fixed course, absence of meanders** and **non-perennial** flow of water. The river Narmada and the Tapi which flow through the **rift valley** are, however, exceptions.



***The Narmada:** The Narmada originates from the Amarkantak Hill of the Maikal mountain range. It flows through a rift valley between the **Satpura** in the south and the **Vindhyan range** in the north. It forms **Dhuandhar waterfall** near Jabalpur. It travels a distance of 1312 km. It forms an estuary at its mouth. The **Sardar Sarovar Dam** has been constructed on this river.

***The Tapi:** The river Tapi originates from the Satpura range near Multai in the **Betul** district of Madhya Pradesh. It is 724 km long and flows through the states of Maharashtra, Madhya Pradesh and Gujarat. It also forms an **estuary** at its mouth.

***The Godavari:** The Godavari is the longest river in Peninsular India. It is also known as the '**Vridha Ganga**' and '**Dakshin Ganga**'. It originates near Trimbakeshwar in the **Nashik district** of Maharashtra and discharges its water into the Bay of Bengal. *It is **1465** km long. Godavari basin extends over the states of Maharashtra, Madhya Pradesh, Chhattisgarh, Odisha, Karnataka, Puducherry, Telangana and Andhra Pradesh. It forms the delta at its mouth. Its major tributaries are the **Indravati, the Pranhita, the Manjra, etc.**

The Krishna: The Krishna river rises near the **Mahabaleshwar** in the **Western Ghats**. It is **1400** km long and discharges its water into the Bay of Bengal. Its major tributaries are **the Koyna, the Tungabhadra and the Bhima, etc.** Its basin covers the states of Maharashtra, Karnataka, Andhra Pradesh, and Telangana. **Krishna river water dispute** involves the states of Maharashtra, Karnataka and Andhra Pradesh (Now- Andhra Pradesh and Telangana) since 1957. A number of committees and two different tribunals (KWDT-I & II) under the chairmanship of retired judges of the Supreme Court, **R.S. Bachawat** (KWDT-I) and **Brijesh Kumar** (KWDT-II), have been constituted to adjudicate this dispute.

***The Mahanadi:** The Mahanadi rises near Sihawa (Dhamtari District) in Chhattisgarh and flows through Odisha to discharge its water into the Bay of Bengal. It forms a delta near Paradeep in the Bay of Bengal. It is **851** km long.

***The Cauvery :** The Cauvery river rises in the **Brahmagiri hills** (Talakaveri) of Kodagu district in Karnataka. It is **800** km long. It discharges its water into the Bay of Bengal near Poom Puhar (Tamil Nadu). Its drainage basin covers the states of Kerala, Karnataka, Tamil Nadu and the Union Territory of Puducherry. It forms the islands of Srirangam, Shivasamudram and Srirangapatna along its course

*Its major tributaries are **Kabini, the Bhavani, the Amravati, the Hemavati, etc.**

*The largest waterfall in India in terms of volume is formed by the Cauvery river. It is known as the Shivasamudram.

*An **estuary** is a partially enclosed coastal body where the river empties into the open sea. Estuaries form a transition zone between river environments and maritime environments.

*The world's largest estuary is formed by the **Saint Lawrence River**.

1. **Assertion (A) : The rivers of Western Ghats do not form the delta.**

Reason (R) : They flow through short courses with high speed over hard-rocks.

Select the correct answer from the codes given below:

Code :

- (a) Both (A) and (R) are correct, and (R) is the correct explanation of (A)
- (b) Both (A) and (R) are correct, but (R) is not the correct explanation of (A)
- (c) (A) is true, but (R) is false
- (d) (A) is false, but (R) is true

U.P.P.C.S. (Pre) 2014

U.P. U.D.A./L.D.A. (Pre) 2010

U.P.R.O./A.R.O. (Mains) 2013

Ans. (a)

Major rivers of Peninsular India originate from the Western Ghats. Eastward flowing peninsular rivers follow the long route and also form Deltas. The westward flowing peninsular rivers pass through hard rocks and follow a shorter route. This is why these rivers do not form deltas. So, both (A) and (R) are correct and (R) is the correct explanation of (A).

2. **Assertion (A) : While all major rivers of peninsular India flow into the Bay of Bengal, the Narmada and the Tapi flow into the Arabian Sea.**

Reason : (R) : The Narmada and the Tapi rivers flow in a rift valley.

Select the correct answer using the codes given below:

Code :

- (a) Both (A) and (R) are true, and (R) is the correct explanation of (A).
- (b) Both (A) and (R) are true, but (R) is not the correct explanation of (A).
- (c) (A) is true, but (R) is false.
- (d) (A) is false, but (R) is true.

U.P.P.C.S. (Mains) 2002

U.P.P.C.S. (Pre) 1999

Ans. (a)

All major rivers of Peninsular India flow into the Bay of Bengal except the Narmada and Tapi (Tapi) because of the rift valley course of these rivers. These rivers do not follow the slope of the plateau and flow through the rift.

3. **The Narmada river flows to the West, while most other large peninsular rivers flow to the East. why?**

- 1. **It occupies a linear Rift valley**
- 2. **It flows between the Vindhyas and the Satpuras.**
- 3. **The land slopes to the west from Central India.**

Select the correct answer using the code given below

- (a) Only 1
- (b) 2 and 3
- (c) 1 and 3
- (d) None of these

I.A.S. (Pre) 2013

Ans. (*)

Narmada, the largest west flowing river of the Peninsula, rises near Amarkantak Hill of Maikal range in Madhya Pradesh. It is the longest river of Indian Peninsula which falls into the Arabian Sea. It is one of the rivers in India that flows in a rift valley, between the Satpura and Vindhya ranges. Had statements (1) and (2) been together in an option, it would have been the correct answer. However, since (1) and (2) are not together in any option (a) is the most appropriate answer.

4. **The Narmada Valley lies between which of the following mountain ranges?**

- (a) Bhandar and Maikal
- (b) Satpura and Aravalli
- (c) Satpura and Vindhya
- (d) Vindhya and Aravalli

M.P.P.C.S. (Pre) 2014

Ans. (c)

See the explanation of above question.

5. **Which of these west flowing rivers flows between two mountain ranges?**

- (a) Sharavati
- (b) Narmada
- (c) Mahi
- (d) Sabarmati

U.P.P.C.S. (Pre) 2012

Ans. (b)

See the explanation of above question.

6. **Assertion (A) : The Narmada forms a delta at its mouth.**

Reason (R) : It flows through a rift valley.

Select the correct answer from the codes given below:

Code :

- (a) Both (A) and (R) are true, and (R) is the correct explanation of (A)
- (b) Both (A) and (R) are true, but (R) is not the correct explanation of (A)
- (c) (A) is true, but (R) is false
- (d) (A) is false, but (R) is true

U.P.P.C.S. (Mains) 2005

Ans. (d)

The Narmada river does not form a delta at its mouth. This is because it flows through the rift valley and does not deposit silt.

7. The river which flows through a fault trough, is :

- (a) Narmada
- (b) Brahmaputra
- (c) Ganga
- (d) Krishna

44th B.P.S.C. (Pre) 2000

U.P.P.C.S (Pre) 2010

Ans. (a)

See the explanation of above question.

8. Narmada Valley is an example of –

- (a) Fault Scarp
- (b) Rift Valley
- (c) Nappe
- (d) Horst

M.P.P.C.S. (Pre) 2014

Ans. (b)

See the explanation of above question.

9. Which of the following rivers does not form delta?

- (a) Mahanadi
- (b) Godavari
- (c) Narmada
- (d) Cauvery

Chhattisgarh P.C.S. (Pre) 2011

Ans. (c)

See the explanation of above question.

10. Which one of the following rivers is different from the others ?

- (a) Tungabhadra
- (b) Narmada
- (c) Penganga
- (d) Mahanadi

70th B.P.S.C. Pre-2024

Ans. (b)

The rivers in the eastern direction of India, such as the Tungabhadra, Penganga, and the Mahanadi, flow into the Bay of Bengal, while the Narmada River flows westward. The Narmada river's origin is in the Maikal ranges on Amarkantak peak and it flows through the rift valley between the Satpura and Vindhya mountain ranges before emptying into the Arabian Sea.

11. Which of the following characteristic feature is appropriate for Narmada river?

- (a) Volcanic origin
- (b) Wind origin
- (c) Structural origin
- (d) Glacial origin

Jharkhand P.C.S. (Pre) 2021

Ans. (c)

Out of the given features the structural characteristic is suitable for the Narmada river. The Narmada river flows forming a fault.

12. Which of the following rivers does not make delta?

- (a) Ganga
- (b) Swarnarekha
- (c) Narmada
- (d) Tapi

M.P.P.C.S. (Pre) 2013

Ans. (*)

The west flowing rivers like Narmada and Tapi etc. do not form deltas; rather, they create estuaries. Due to their flow through rift valleys and high speed, there is little silt in these rivers. Therefore, they do not form deltas at their mouth.

13. Among the following which river flows in rift valley?

- (a) Cauvery
- (b) Yamuna
- (c) Son
- (d) Tapi (Tapti)
- (e) Rihand

Chhattisgarh P.C.S. (Pre) 2016

Ans. (d)

See the explanation of above question.

14. Which of the following rivers flows through rift valley?

- (a) Tapi
- (b) Krishna
- (c) Mahanadi
- (d) Godavari

U.P.G.I.C. 2017

Ans. (a)

See the explanation of above question.

15. Which of the following rivers does not falls into the Bay of Bengal?

- (a) Mahanadi
- (b) Krishna
- (c) Tapi
- (d) Godavari

Uttarakhand P.C.S. (Pre) 2006

Ans. (c)

See the explanation of above question.

16. Which of the following pairs is not correctly matched?

- | Capital | Country |
|---------------|------------|
| (a) Naypyidaw | — Myanmar |
| (b) Khartoum | — Ethiopia |

- (c) Dublin — Ireland
(d) Ottawa — Canada

UPPSC (Pre) 2024

Ans. (b)

Khartoum is the capital of Sudan. Addis Ababa is the capital of Ethiopia. Notably, Juba is the capital of South Sudan. The confluence of the White Nile and the Blue Nile occurs in Khartoum, the capital of Sudan.

17. Which of the following rivers passes through a rift valley?

- (a) Krishna (b) Godavari
(c) Tapi (d) Cauvery

U.P.U.D.A./L.D.A. (Pre) 2013

Ans. (c)

The Tapi river passes through the rift valley. The river originates at Multai in Betul district in the Satpura Mountain Ranges in Madhya Pradesh. The river flows through the states of Maharashtra, Madhya Pradesh and Gujarat and falls into the Arabian Sea.

18. Which of the following districts is part of Narmada basin?

- (a) Rajnandgaon (b) Raipur
(c) Bastar (d) Korba

Chhattisgarh P.C.S. (Pre) 2011

Ans. (a)

Among the above districts of Chhattisgarh, 5.68% part of Rajnandgaon (Undivided) district falls in the basin of the Narmada river. Raipur, Korba, and Bastar are not part of this basin. Most of this basin lies in Maharashtra, Chhattisgarh, Madhya Pradesh and Gujarat.

19. Son, Narmada, and Mahanadi originate from –

- (a) Pulamu hills (b) Amarkantak
(c) Eastern Ghats (d) Aravalli

44th B.P.S.C. (Pre) 2000

Ans. (*)

Son and Narmada originate from Amarkantak Hill. The source of the Mahanadi river is in Dhamtari (Sihawa Hills) district of Chhattisgarh which is a part of the Maikal Range.

20. Which one of the following rivers originates at Amarkantak ?

- (a) Damodar (b) Mahanadi
(c) Narmada (d) Tapi

U.P.P.C.S. (Mains) 2008

I.A.S. (Pre) 2007

Ans. (c)

See the explanation of above question.

21. Narmada river originates –

- (a) Bhedaghat (b) Shahdol
(c) Hoshangabad (d) Amarkantak

Jharkhand P.C.S. (Pre) 2003

M.P.P.C.S. (Pre) 1993

Ans. (d)

See the explanation of above question.

22. Which of the following is the actual source of Son river?

- (a) Amarkantak in Shahdol district
(b) Sonmuda in Shahdol district
(c) Son Bacharwar in Bilaspur district
(d) Mandla Plateau

U.P.P.C.S. (Mains) 2007

Ans. (a)

Two states— MP and Chhattisgarh have own claims and counterclaims regarding the origin of the Son River.

The website of Anuppur district (M.P.) mentions that the origin of Son river is at a place called Sonmuda, located in Anuppur.

In 1952-53, the then President Rajendra Prasad was shown the origin of the Son river at Sonmuda in Amarkantak (hill). Because of this reason, Sonmuda (Anuppur District, formerly part of Shahdol district) gained popularity and obtained public recognition as a place of origin of the Son river in various published sources.

Chhattisgarh recognizes that the flow of Sonmuda from Anuppur joins the Arpa river via Amanala, Amadob Nala, and Mati Nala. Arpa joins the Mahanadi via Shivnath.

According to Chhattisgarh, the actual origin of the Son river is Sonbachharwar village of Gaurela-Pendra-Marwahi district (formerly part of Bilaspur district) of Chhattisgarh. Factual details are available in support of Sonbachharwar in Authentic maps of the Sidhi District Gazetteer Survey of India (published during joint state of Madhya Pradesh and Chhattisgarh), the Archaeological Survey of India, 19th century A.D. and the book 'Son Ke Pani Ka Rang' by Dev Kumar Mishra.

According to the India Water Resources Information Systems of the Ministry of Jal Shakti, Government of India, the source of Son River is located on the Amarkantak hill of Maikal mountain range in Chhattisgarh.

According to the Envis Centre of the Ministry of Environment, too, the origin of Son River is in Pendra Road Tehsil. Presently this tehsil is located in Gaurela-Pendra Marwahi district of Chhattisgarh.

See lines mentioned in the District Census Handbook Bilaspur published by the Office of the Registrar General and Census Commissioner, Government of India - According to saying, Son river originates from Amarkantak, but according to Geologists, this river originates from Sonekund, about 19 km. southeast of Pendra Road in Chhattisgarh.

In fact, confusion originates also arises due to the fact that in both places, the origin of Son river is shown in the kund (pool). After this, the river flows underground. From the surface, the Son river flows from the village of 'Cholna' in Anuppur district.

According to mythology, Son (male) and Narmada (female) are like lovers, and the origin of rivers of this type cannot be very close, i.e., from the same place.

The rivers originating from the same place are in the form of brother and sister. Even if we view it from this perspective, the origin of Son seems to be inclined in favor of Chhattisgarh.

What do aspirants do?

- If the options as the source of Son are the Maikal mountain range or Amarkantak hill, then there is no problem as both the sites are situated on Amarkantak hill of Maikal mountain range.
- If the option remains only Anuppur or only Sonbathharwar, then there is no problem as both places are recognized as the place of origin.
- If both places are given in the options, first of all, it has to be seen in which state exam this question has been asked. If the question is asked in MP then answer must be Anuppur, and if the questions asked in Chhattisgarh, then the place of Chhattisgarh will have to be selected as the place of origin.
- The language of the question also matters. For example there is the above question which is asked in U.P. P.C.S. but stated to be the 'original' place of origin. That is why the answer to this question has been considered as Son Bathharwar of Chhattisgarh.
- It is also true that if the origin of the Son in Chhattisgarh is recognized, the number of states, districts and areas increases where Son river flows.

23. Westward flowing rivers are –

- (i) Narmada (ii) Tapi
(iii) Rapti

Code :

- (a) (i) and (ii) (b) (ii) and (iii)
(c) (i) and (iii) (d) (i), (ii) and (iii)

43rd B.P.S.C. (Pre) 1999

Ans. (a)

Narmada, Tapi, and Mahi are three major westward-flowing rivers in India. The Rapti river is a tributary of the Ghaghara river which flows in a North- West to South -East direction. So, option (a) is the correct answer.

24. Which one of the following rivers flows towards the west?

- (a) Ganga (b) Narmada
(c) Godavari (d) Yamuna

Uttarakhand U.D.A./L.D.A. (Pre) 2003

M.P.P.C.S. (Pre) 2000

Ans. (b)

See the explanation of above question.

25. Which of the following rivers of India does not originate from the Western Ghats?

- (a) Godavari (b) Tapi/Tapi
(c) Cauvery (d) Kabam

U.P. P.C.S. (Pre) 2018

Ans. (b)

The Tapi river has its source in Central India, in the Betul district of Madhya Pradesh.

26. Purna river is a tributary of which of the following rivers?

- (a) Narmada (b) Tapi
(c) Sonar (d) Dhasan

M.P.P.C.S. (Pre) 2023

Ans. (b)

River Purna is one of the largest tributaries of Tapi. Significantly Tapi originates from the Multai hills of Satpura range in the Betul district of Madhya Pradesh and flows from east to west. Tapi is the second largest westward flowing river in India. It travels through three states, viz. Madhya Pradesh, Maharashtra and Gujarat.

27. Which of the following rivers falls into the Arabian Sea?

- (a) Godavari (b) Tapi
(c) Krishna (d) Mahanadi

U.P.P.C.S. (Pre) 1992

Ans. (b)

Tapi or Tapi river rises from Satpura Hills near Multai in Betul district of Madhya Pradesh. Its length is about 724 km and the drainage area is 65145 sq. km. It drains through the Gulf of Khambhat into the Arabian Sea. Mahanadi, Krishna, and Godavari empty into the Bay of Bengal.

28. Which one of the following rivers thrice forks into two streams and reunites a few miles further on, thus forming the islands of Srirangapatnam, Sivasamudram, and Srirangam?

- (a) Cauvery (b) Tungabhadra
(c) Krishna (d) Godavari

I.A.S. (Pre) 1996

Ans. (a)

Cauvery river rises in the Brahmagiri hills (Talakaveri) of Kodagu district in Karnataka and flows 800 km in a drainage area of 81,155 sq. km. It empties into the Bay of Bengal near Poom Puhar (Tamil Nadu) and the Union Territory of Puducherry. It flows through Karnataka, Kerala, Tamil Nadu and Union Territory of Puducherry. This river forms islands of Srirangapatnam, Shivasamudram, and Srirangam in the Deccan Plateau.

29. The source of Cauvery River lies in –

- (a) Sahyadri (b) Brahmagiri Hills
(c) Gavaligarh Hills (d) Amarkantak

U.P.R.O./A.R.O. (Mains) 2013

U.P.P.C.S. (Mains) 2011

Ans. (b)

See the explanation of above question.

30. River Cauvery flows through –

- (a) Gujarat, Madhya Pradesh, Tamil Nadu
(b) Karnataka, Kerala, Tamil Nadu
(c) Karnataka, Kerala, Andhra Pradesh
(d) Madhya Pradesh, Maharashtra, Tamil Nadu

42nd B.P.S.C. (Pre) 1997

Ans. (b)

See the explanation of above question.

31. Match the following pairs and identify the correct code:

- | Rivers | Area of Origin |
|------------------|---------------------------|
| (1) Kaveri | (i) Satpura range |
| (2) Sabarmati | (ii) Brahmagiri hills |
| (3) Tapti (Tapi) | (iii) Mewad hills |
| (4) Damodar | (iv) Chota Nagpur Plateau |

Code:

- | | | | |
|-----------|-------|-------|------|
| (1) | (2) | (3) | (4) |
| (a) (i) | (ii) | (iii) | (iv) |
| (b) (iii) | (iv) | (i) | (ii) |
| (c) (ii) | (iii) | (i) | (iv) |
| (d) (iv) | (ii) | (iii) | (i) |

M.P.P.C.S. (Pre) 2024

Ans. (c)

The correct match of the river and their area of origin is as follows:

River	Area of Origin
Kaveri	Brahmagiri hills
Sabarmati	Mewad hills
Tapti (Tapi)	Satpura range
Damodar	Chota Nagpur Plateau

32. Which one of the following rivers is called the Ganga of the South ?

- (a) Cauvery (b) Krishna
(c) Godavari (d) Narmada

U.P.P.C.S. (Pre) 2015

Ans. (a)

Cauvery river is known as the Ganga of the South. Cauvery emerges from Brahmagiri hills (TalaKaveri) in the Western Ghats mountain range. The Godavari is called Vriddha (old) Ganga' or Dakshin Ganga.

33. The Krishna River dispute exists between –

- (a) Karnataka & Maharashtra
(b) Karnataka & Andhra Pradesh
(c) Andhra Pradesh & Tamil Nadu
(d) Andhra Pradesh & Maharashtra

U.P.U.D.A./L.D.A. (Pre) 2013

Ans. (*)

The Krishna river water dispute is between Andhra Pradesh (Now- Andhra Pradesh and Telangana), Karnataka and Maharashtra since 1957. Besides many committees, two separate tribunals were set up under the chairmanship of Justice R.S. Bachawat and Brijesh Kumar. The commission held option (b) as the correct answer in its initial answer key however, it was omitted from evaluation later.

34. What is the correct sequence of the rivers – Godavari, Mahanadi, Narmada and Tapi in the descending order of their lengths?

- (a) Godavari–Mahanadi–Narmada–Tapi
(b) Godavari–Narmada–Mahanadi–Tapi
(c) Narmada–Godavari–Tapi–Mahanadi
(d) Narmada–Tapi–Godavari–Mahanadi

I.A.S. (Pre) 2003

Ans. (b)

The correct sequence of the rivers given in the options in descending order of their lengths is Godavari (1465 km), Narmada (1312 km), Mahanadi (851 km) and Tapi/Tapti (724 km).

35. Four rivers have been mentioned below. What will be the decreasing order of these rivers in length (starting from the longest to the shortest)?

- (i) Mahanadi
- (ii) Krishna
- (iii) Godavari
- (iv) Narmada

- (a) (iv) (i) (ii) (iii)
- (b) (ii) (iii) (i) (iv)
- (c) (i) (ii) (iv) (iii)
- (d) (iii) (ii) (iv) (i)

Chhattisgarh P.C.S. (Pre) 2020

Ans. (d)

The decreasing order of the given rivers is :
Godavari (1465 km) > Krishna (1400 km) > Narmada (1312 km) > Mahanadi (851 km)

36. River Kabini is a tributary of the :

- (a) Cauvery
- (b) Narmada
- (c) Tapi
- (d) Godavari

Uttarakhand P.C.S. (Pre) 2024

Ans. (a)

The Kabini River, also known as the Kapila River, is a major tributary of the Cauvery River in southern India. It originates from the confluence of the Panamaram and Mananthavady rivers in Kerala's Wayanad district and merges with the Cauvery River at Tirumakudalu Narsipur in Karnataka. The Cauvery River has a flow length of approximately 800 kilometers.

37. Which one of the following Peninsular rivers has longest course length?

- (a) Godavari
- (b) Krishna
- (c) Narmada
- (d) Cauvery

Uttarakhand P.C.S. (Pre) 2024

Ans. (a)

Among the given peninsular rivers, the Godavari has a length of approximately 1,465 kilometers, the Krishna flows for about 1,400 kilometers, the Narmada for around 1,312 kilometers, and the Cauvery has a length of about 800 kilometers. Therefore, the Godavari river system has the greatest length among these rivers.

38. Which of the following is the longest river?

- (a) Narmada
- (b) Cauvery (Kaveri)
- (c) Krishna
- (d) Godavari

M.P.P.C.S. (Pre) 2025

Ans. (d)

River	Length (Km.)
Narmada	1312
Kaveri	800
Krishna	1400
Godavari	1465

39. Recently, linking of which of the following rivers was undertaken?

- (a) Cauvery and Tungabhadra
- (b) Godavari and Krishna
- (c) Mahanadi and Son
- (d) Narmada and Tapi

I.A.S. (Pre) 2016

Ans. (b)

The project to link Godavari and Krishna rivers was completed on 16th September, 2015. Notably, 16 links for peninsular rivers and 14 links for Himalayan rivers are proposed under River Linking Project.

40. The correct sequence of the eastward flowing rivers of peninsular India from North to South is:

- (a) Subarnarekha, Mahanadi, Godavari, Krishna, Pennar, Cauvery and Vaigai
- (b) Subarnarekha, Mahanadi, Krishna, Godavari, Cauvery, Pennar and Vaigai
- (c) Mahanadi, Subarnarekha, Godavari, Cauvery, Pennar and Vaigai
- (d) Mahanadi, Subarnarekha, Krishna, Godavari, Cauvery, Vaigai and Pennar

I.A.S. (Pre) 2002

Ans. (a)

The correct sequence of the eastward flowing rivers of peninsular India from north to south is Subarnarekha, Mahanadi, Godavari, Krishna, Pennar, Cauvery and Vaigai.

41. Which of the following rivers does not drain into Arabian Sea?

- (a) Krishna
- (b) Sabarmati
- (c) Tapi
- (d) Narmada

Jharkhand P.C.S. (Pre) 2023

Ans. (a)

The Krishna river rises in the Western Ghats at an elevation of about 1337 m just north of Mahabaleshwar, about 64 km. from the Arabian Sea. It flows for about 1400 km and out-falls into the Bay of Bengal.

42. The rivers of South India mainly have which of the following drainage patterns ?

- (a) Radial (b) Intermittent
(c) Dendritic (d) Trellis

U.P.P.C.S. (Pre) 2014

Ans. (c)

The rivers of South India mainly have the dendritic drainage pattern. A drainage pattern which looks like tree branches with lots of twigs is known as the dendritic drainage pattern.

43. Which one of the following statements is not correct?

- (a) Mahanadi River rises from Chhattisgarh plateau
(b) Godavari River rises in Maharashtra
(c) Cauvery River rises in Andhra Pradesh
(d) Tapi River rises in Madhya Pradesh

I.A.S. (Pre) 2006

Ans. (c)

Mahanadi rises from Sihawa hills in Dhamtari district of Chhattisgarh and flows eastwards. The drainage area of this river is spread across Chhattisgarh, Odisha, Jharkhand, Madhya Pradesh and Maharashtra. Its total length is 851 km. Godavari river originates at Trimbakeshwar in Nasik district Maharashtra. It travels 1465 km and empties into the Bay of Bengal.

Cauvery is one of the historical rivers of India and is revered by Hindus as a sacred river. It originates at Brahmagiri hills (Talakaveri) of Western Ghats in Kodagu district of Karnataka.

Tapti (Tapi) is among three major rivers that flow from east to west. It rises in Betul district of Madhya Pradesh and has a length of 724 km.

44. The river, which differs from others is:

- (a) Narmada (b) Indus
(c) Tapi (d) Mahanadi

R.A.S./R.T.S. (Pre) 1999

Ans. (*)

The Narmada, Indus and Tapi (Tapi) rivers have mouths in the Arabian Sea, while the Mahanadi river forms its delta in the Bay of Bengal. On this basis, Mahanadi is different from the other three. The origin of the Indus river is outside India, while the other rivers originate in India. Hence, both options (b) and (d) are correct.

45. Which of the following rivers does not make an estuary?

- (a) Narmada (b) Tapi

(c) Mandavi

(d) Mahanadi

Jharkhand P.C.S. (Pre) 2003

Ans. (d)

Mahanadi originates near Sihawa hills in Dhamtari district of Chhattisgarh. The length of this river is 851 km. It flows through Chhattisgarh and Odisha and forms a delta in the Bay of Bengal near Paradeep.

46. Which one of the following Indian rivers forms an estuary?

- (a) Godavari (b) Cauvery
(c) Tapi (d) Mahanadi

U.P.P.C.S. (Pre) 2006

Ans. (c)

An estuary is a partly enclosed coastal body of water with one or more rivers or streams flowing into it, and with free access to the open sea. Estuaries form a transition zone between river environments and ocean environments and are subject to both marine influences, such as tides, waves, and the influx of saline water; and riverine influences, such as the flow of freshwater and sediments. The inflow of both seawater and freshwater provides high levels of nutrients in both the water column and sediment, making estuaries among the most productive natural habitats in the world. The St. Lawrence River makes the world's largest estuary, while the Narmada and Tapi (Tapi) make India's largest estuary.

47. Which river forms its delta in Odisha?

- (a) Godavari (b) Mahanadi
(c) Narmada (d) Tapi

U.P.R.O./A.R.O. (Pre) 2014

Ans. (b)

Mahanadi is a river in east-central India which rises from Sihawa hills in Chhattisgarh and flows eastwards. Traversing over 851 km through Chhattisgarh and Odisha, this river forms delta near Paradeep in the Bay of Bengal.

48. River Tel is a tributary of which of the following rivers?

- (a) Bagmati (b) Ghaghara
(c) Gandak (d) Kamla
(e) None of the above / More than one of the above

60th to 62nd B.P.S.C. (Pre) 2016

Ans. (e)

Tel river is the main tributary of Mahanadi. Other tributaries of the Mahanadi are Seonath, Jonk and Hasdo, Mand, Ib, Ong etc.

49. Which of the following river is the right bank tributary of river Mahanadi?

- (a) Ebb (b) Seonath
(c) Tel (d) Mand

Chhattisgarh P.C.S. (Pre) 2024

Ans. (c)

Shivnath (Seonath), hasdeo, Mand and Ebb are left-bank tributaries of the Mahanadi River. While ong, Tel and Jonk are right-bank tributaries of the Mahanadi River.

50. Which of the following quays of Indian rivers have water deficiency ?

Select the correct answer using codes given below.

- (1) Sabarmati (2) Tapti
(3) Krishna (4) Cauvery

Code:

- (a) 1 and 2 (b) 2 and 3
(c) 1, 2 and 3 (d) 1, 3 and 4

U.P. Lower Sub. (Pre) 2002

Ans. (a)

The quays of Sabarmati and Tapti (Tapi) rivers have a deficiency of water.

51. At which one of the following places do two important rivers of India originate while one of them flows towards north and merges with another important river flowing towards the Bay of Bengal, the other one flows towards the Arabian Sea?

- (a) Amarkantak (b) Badrinath
(c) Mahabaleshwar (d) Nasik

I.A.S. (Pre) 2009

Ans. (a)

Two important rivers, Narmada and Son, originate from Amarkantak in Madhya Pradesh. The Son flows towards north and merges with River Ganga, which flows towards the Bay of Bengal. The other river Narmada flows towards the west and falls into the Arabian Sea.

52. Consider the following statements:

1. There are no east flowing rivers in Kerala.
 2. There is no west flowing river in Madhya Pradesh.
- Which of the statement(s) given above is/are correct?

- (a) 1 only (b) 2 only
(c) Both 1 and 2 (d) Neither 1 nor 2

I.A.S. (Pre) 2009

Ans. (d)

There are three east flowing rivers in Kerala – Kabani River, Bhavani River, and Pambar River. The Tapti (Tapi), Mahi and Narmada rivers originate in Madhya Pradesh and flow from east to west, emptying into the Arabian Sea. Thus, both statements are wrong.

53. Which of the following rivers has the largest catchment area?

- (a) Narmada (b) Cauvery
(c) Godavari (d) Krishna

U.P.P.C.S. (Pre) 2009

Ans. (c)

The catchment area of the Narmada river is 98,796 sq. km; Mahanadi 1,41,589 sq. km; Godavari 3,12,812 sq. km and Krishna 2,58,948 sq. km. Hence, option (c) is the correct answer.

54. Which one of the following river basins is the largest in respect to area?

- (a) Narmada (b) Cauvery
(c) Tapti (d) Mahanadi

U.P.P.C.S. (Pre) 2022

Ans. (d)

Mahanadi River area covers : 1,41,589 square km. Cauvery River area covers : 81,155 square km; Narmada River area covers : 98,796 square km and Tapti River area covers : 65,145 square km. So, option (d) is the correct answer.

55. The second largest river basin of India is

- (a) Mahanadi Basin (b) Narmada Basin
(c) Godavari Basin (d) Cauvery Basin

M.P. P.C.S. (Pre) 2018

Ans. (c)

The Godavari has the second largest river basin after the Ganges, rising from Trimbakeshwar. Its drainage area extends over Maharashtra, Telangana, Andhra Pradesh, Chhattisgarh, Madhya Pradesh, Odisha, Puducherry and Karnataka. The Godavari finally drains into the Bay of Bengal. A river basin is the portion of land drained by a river and its tributaries.

56. Which is the longest river in Peninsular India?

- (a) Krishna (b) Narmada
(c) Godavari (d) Mahanadi

Uttarakhand P.C.S. (Pre) 2016

Ans. (c)

The Godavari River is the longest river in Peninsular India and is known as the 'Dakshina Ganga'. The Godavari Basin is the second largest basin after the Ganges Basin.

57. Which of the following rivers rises from the Trimbak Hills in Nasik district?

- (a) Shetrunji (b) Bhadra
(c) Dhadhar (d) Vaitarna

M.P.P.C.S. (Pre) 2023

Ans. (d)

The Vaitarna river rises from the Trimbak Hills in Nasik district, Maharashtra. Significantly the Vaitarna river is one of the west flowing rivers in the region North of Mumbai and South of the Tapi river. After rising from the Trimbak hills, this river travels a distance of about 171 km in Maharashtra before joining the Arabian Sea.

58. Which one of the following is the longest river of Peninsular India?

- (a) Krishna (b) Cauvery
(c) Godavari (d) Mahanadi

U.P.U.D.A./L.D.A. (Pre) 2013

Ans. (c)

The 1465 km long Godavari river is the longest river of Peninsular India, and the second longest (after the Ganges) in India. The source of the Godavari River is situated near Trimbakeshwar in Maharashtra.

59. The longest peninsular river of India is -

- (a) Narmada (b) Godavari
(c) Mahanadi (d) Krishna

U.P.R.O./A.R.O. (Mains) 2014

Ans. (b)

The Godavari river is second largest river in India after the Ganga and the longest peninsular river of India, about 1465 km long. It originates at Trimbakeshwar near Nasik, Maharashtra and flows into the Bay of Bengal.

60. Consider the following rivers :

1. Vansadhara 2. Indravati
3. Pranahita 4. Pennar

Which of the above are tributaries of Godavari?

- (a) 1, 2 and 3 (b) 2, 3 and 4
(c) 1, 2 and 4 (d) 2 and 3 only

I.A.S. (Pre) 2015

Ans. (d)

The Godavari is the longest river in Peninsular India and the second largest river in India. The major tributaries of the Godavari are : Purna, Pranhita, Indravati, Sabari, Pravara, Manjra and Manair. So in the given options Indravati and Pranhita are correct while Vansadhara and Pennar are not tributaries of the Godavari.

61. Which one of the following (Tributary – River) is not correctly matched?

- (a) Pranhita – Mahanadi
(b) Hemavathi – Kaveri
(c) Malaprabha – Krishna
(d) Manjra – Godavari

U.P.P.C.S. (Pre) 2023

Ans. (a)

The Pranhita River is a tributary of Godavari River, not of Mahanadi River. The Godavari River is the largest river in peninsular India and is known as the 'Dakshina Ganga'. The Godavari Basin is the second largest basin after the Ganges Basin and accounts for nearly 9.50 % of the total geographical area of the country. The river rises in the Sahyadris, at an altitude of 1,067 m above mean sea level near Trimbakeshwar in the Nashik district of Maharashtra and flows across the Deccan Plateau from the Western to the Eastern Ghats. The principal tributaries of the Godavari river are Pravara, Purna, Manjra, Penganga, Wardha, Wainganga, Pranhita (combined flow of Wainganga, Penganga, Wardha), the Indravati, the Maner and the Sabri.

62. Which valley of the following rivers is known to deep Ravines?

- (a) Narmada (b) Son
(c) Chambal (d) Tapi

M.P. P.C.S. (Pre) 2019

Ans. (c)

The Chambal River rises near Dr. Ambedkar Nagar (Old name- Mhow) in the Malwa Plateau of Madhya Pradesh. The Gandhisagar Dam is situated on the Chambal river in Mandsaur district of Madhya Pradesh. Chambal is famous for its relief landform, which is called the Chambal ravines.

63. Consider the following rivers :

1. Brahmani
2. Nagavali
3. Subarnarekha
4. Vamsadhara

Which of the above rise from the Eastern Ghats?

- (a) 1 and 2 (b) 2 and 4
(c) 3 and 4 (d) 1 and 3

I.A.S. (Pre) 2021

Ans. (b)

The Brahmani and Subarnarekha rivers originate from the Ranchi Plateau, while the Nagavali and Vamsadhara originate from the Eastern Ghats.

64. The river Subarnarekha originates near which of the following villages?

- (a) Ormanjhi (b) Mandar
(c) Hehal (d) Nagri

69th B.P.S.C. (Pre), 2023

Ans. (d)

The Subarnarekha originates near Nagri Village in Ranchi district of Jharkhand. The principal tributaries of the river are Kanchi, Kharkai and Karkari. It is bounded on the northwest by the Chhotanagpur plateau, in the southwest by the Brahmani basin, in the south by Burhabalang basin and in the southeast by the Bay of Bengal.

65. Which pair of rivers cuts the Tropic of Cancer twice over Chhota Nagpur Plateau ?

- (a) South Koel - Damodar
(b) Suwarnarekha - Damodar
(c) North Koel - Damodar
(d) North Koel - Suwarnarekha

70th B.P.S.C Re-Exam 2024

Ans. (*)

River Suwarnarekha originated at latitude approx. 23°18'N and crosses the Tropic of Cancer twice. River North Koel and South Koel originated at approx. 23°04'N and 22°15'N. North Koel crosses it once and South Koel never crosses this line. River Damodar crosses of the Tropic of Cancer only once in West Bengal. None of the given options is correct.

66. Where is origin place of Malger river?

- (a) Bailadila hills (b) Abujhmar hills
(c) Keshkal valley (d) Jhiram valley

Chhattisgarh P.C.S. (Pre) 2021

Ans. (a)

The origin of Malger river is Bailadila hill. This river flows to the South-eastern side of this hill and joins the Shabri river.

67. Match the following river given in List-I with the place of origin given in List-II :

List- I (River)	List-II (Place of Origin)
(A) Mand	(i) Ludeng hills
(B) Banas	(ii) Sonbera plateau
(C) Jonk	(iii) Devgarh hills
(D) Kelo	(iv) Mainpat
(A) (B) (C) (D)	
(A) (iii) (i) (iv) (ii)	
(B) (iv) (iii) (ii) (i)	

- (C) (ii) (iii) (i) (iv)
(D) (i) (ii) (iv) (iii)

Chhattisgarh P.C.S. (Pre) 2021

Ans. (b)

The correct match is :	
(River)	(Place of Origin)
Mand	Mainpat
Banas	Devgarh hills
Jonk	Sunabera (Sonbera) plateau
Kelo	Ludeng hills

68. The River 'Tawa' is a tributary of :

- (a) Tapti (b) Narmada
(c) Parvati (d) Mahanadi

M.P.P.C.S. (Pre) 2016

Ans. (b)

Tawa river is the longest tributary of Narmada river. It rises in Mahadeo hills of the Satpura range in the Chhindwara district of Madhya Pradesh. It joins the Narmada river at the village of Bandra Bhan in Narmadapuram.

69. Which religious place is situated on the confluence of Mand and Mahanadi?

- (a) Didineshwari Devi
(b) Angar Moti
(c) Chandrahasini Devi
(d) Mahamaya

Chhattisgarh P.C.S. (Pre) 2019

Ans. (c)

Chandahasini Devi Temple is on the confluence of Mand and Mahanadi rivers in Chandrapur, Chhattisgarh. It is one of the Siddha Shakti Peethas of Maa Durga. The swaroop of Maa Durga is in the form of Maa Chandrahasini, due to its resemblance to the shape of the moon; its fame is known as Chandrahasini.

70. In the scheme of the physiographic division of India by S.P. Chatterjee in which sub-division of the Peninsular Plateau the Mahanadi Basin is included?

- (a) The Northern Deccan Plateau
(b) The Southern Deccan Plateau
(c) The Eastern Plateau
(d) The Eastern Ghats

Chhattisgarh P.C.S. (Pre) 2017

Ans. (a)