

S.P. Chatterjee divided the peninsular region into 8 parts–

- (1) The North Central Highlands.
- (2) The South Central Highlands.
- (3) The Eastern Plateau.
- (4) The Meghalaya Plateau.
- (5) The North Deccan.
- (6) The South Deccan.
- (7) The Western Ghats or Sahyadri
- (8) The Eastern Ghats.

The Mahanadi Basin is included in the North Deccan Peninsula.

The North Deccan (Maharashtra Plateau) : The plateau includes the entire state of Maharashtra, except the Konkan coast and the Sahyadri. The topography includes - the Mahanadi Basin, the Chhattisgarh Plains, Garjat Hills, and Dandakaranya.

iv. Other Rivers

*The **Sutlej** originates from the **Rakas Lake** near Kailash Mountain and Mansarovar Lake in Tibet. Flowing in a north-west direction it enters Himachal Pradesh near **Shipki La Pass**. It forms deep gorge by eroding Himalayan ranges in Himachal region. It has a length of approx. 1500 km, and the Beas river meets Sutlej near **Harike** in Punjab.

*The **Son** river originates near **Amarkantak Hills in Anuppur district (M.P.)/Gaurela- Pendra-Marwahi district (Chhattisgarh)**. It meets river Ganga near Patna (Bihar). Its main tributaries are **Rihand** and **North Koel**.

*The Kosi river is formed by the confluence of three streams namely the sun Kosi, the Arun Kosi and the Tamur Kosi, all taking their origin in the Himalayan region of Nepal and Tibet. It has a length of **720** km and meets Ganga river at **Kursela, Katihar** (Bihar). It has seven tributaries, of which **Arun** is the most important.

*The Kosi is known for its **disastrous** floods and especially for maximum shifting of its courses. That's why it is also called as the '**Sorrow of Bihar**'.

***Damodar** river is known as the '**Sorrow of Bengal**' : It originates from Khamarpat Hill in the Chota Nagpur Plateau region and flows through a **rift valley**.

*It has a number of tributaries, such as **Barakar, Konar, and Jamunia**. Its total length is **541** km. It carries the water of Rupnarayan river and flows into the Hugli 48 km south of Kolkata. ***Eden canal** was taken out from Damodar river. The 300 km of the river between Giridih and Durgapur has become a **Biological Desert**.

*The **Hagari River** originates in the **Western Ghats** Flowing through Karnataka and Andhra Pradesh, it merges with the Tungabhadra River. It is also known by the name of **Vedavathi river**. The **River Veda** and the **River Avathi** originate with Sahyadri and meet each other in Pura to become Vedavathi.

*The **Jhelum Rivers** rises from a spring at Verinag situated at the foot of Pir Panjal in the Valley of Kashmir.

*It flows through Srinagar and the **Wular Lake** before entering Pakistan through a deep narrow gorge.

*The Jhelum and Ravi river join the Chenab river in Pakistan.

*The **Kishanganga river** is a tributary the Jhelum, which is known as **Neelum** in Pakistan.

The **Luni river** originates in the south-west of Ajmer in **Aravalli Range**, where it is known as Sagarmati. It passes through the southeastern portion of the Thar Desert and ends in the marshy lands of **Rann of Kutch in Gujarat**, after traveling a distance of 511 km. The **Shyok River** is known as '**River of Death**' in the Karakoram region. Ancient evidence indicates that it was also a medium of trade between Yarkund in Central Asia and Ladakh. *The **Zasker river** flows through hard rock and forms deep gorges in Zaskar (Zaskar) range. It originates on the border of Himachal Pradesh and Ladakh (31 October, 2019 as Union Territory) near Sarchu a high latitudinal plateau part. It flows North and then towards the east joining the Indus at Nimu. Its length is 150 km. *The **Spiti river** originates from **Kunjum Pass**. It merges into the Sutlej river near Namgia in Kunnur district of Himachal Pradesh.

*The **Kali river** rises near Diggi village in Uttara Kannada district of Karnataka. It follows an arch-shaped course in a West-ward direction and flows into the Arabian sea. *The **Sankosh river** originates in northern Bhutan and flows into Brahmaputra river near the border of Assam and West Bengal. It forms the boundary between Assam and West Bengal. In Bhutan, it is known as **Puna Tsang Chu**.

*The **Mahi river** originates in M.P. and enters Rajasthan in the district of Banswara, then flows in a south-west direction of Gujarat and falls into the Gulf of Khambat. *The **Mithi river** originates from **Vihar Lake** in Mumbai. After flowing 2 km, the water from **Powai Lake** also merges in this stream. It travels a distance of 18 km and falls into the Arabian Sea near the Bay of Mahim. *The **Tel river** is an important tributary of **Mahanadi river**. *The **Kapili (Kopili) river** is an important tributary of Brahmaputra. The city of **Kamrup** is situated on the bank of this river.

1. Compare the Himalayan river with the Peninsular river based on the following comparisons:

1. Most of the Himalayan rivers are perennial, whereas most of the Peninsular rivers are rain fed.
2. The gradient of the Himalayan river is steeper than the Peninsular river.
3. The Peninsular river causes more erosion on its way in comparison to the Himalayan river.

Choose the correct answer from the options given below:

- (a) 1 and 2 only (b) 2 and 3 only
(c) 1 and 3 only (d) 1, 2 and 3
(e) None of the above / More than one of the above

67th B.P.S.C. (Pre) 2022

Ans. (a)

The rivers of the Himalayan region rise in glaciers, are perennial. The Peninsular rivers do not have their sources in glaciers, and most of them are rain-fed. The gradient of the Himalayan river is steeper than that of the Peninsular river as the slopes of the Himalayan rivers are very steep in the upper reaches. That is one reason they erode and transport huge amounts of sediment. Further, the landforms over which these rivers flow are also young. On the other hand, the peninsular rivers do not have very steep gradient and they flow on already eroded old topography. Further, more the hard rocks of the Peninsular region are not as susceptible to erosion as those of the Himalayan region.

2. With reference to the Indus river system, of the following four rivers, three of them pour into one of them which joins the Indus direct. Among the following, which one is such river that joins the Indus directly?

- (a) Chenab (b) Jhelum
(c) Ravi (d) Sutlej

I.A.S. (Pre) 2021

Ans. (d)

Ravi and Jhelum rivers join Chenab, Chenab joins Sutlej and then Sutlej joins the Indus river.

3. In the end of its mountainous journey at Attock, the Indus River is joined by which river from Afghanistan?

- (a) Helmand River
(b) Amu Darya
(c) Kabul River
(d) More than one of the above
(e) None of the above

68th B.P.S.C. (Pre) 2022

Ans. (c)

Near Attock, Pakistan, the Kabul River empties into the Indus River. It is the principal river in the Pakistan's province of Khyber Pakhtunkhwa and eastern Afghanistan. Significantly, the Kabul River Basin is one of the five basins in Afghanistan.

Notably, this basin feeds the Kabul river. The Kabul River Basin is located in the eastern part of Afghanistan.

4. Chandra and Bhaga rivers in India flow through the region :

- (a) Spiti (b) Ladakh
(c) Lahaul (d) Kargil
(e) None of the above/more than one of the above

66th B.P.S.C. (Re-Exam) (Pre) 2020

Ans. (c)

The Chandra and Bhaga rivers flow in the Lahaul Valley in India. The Chandra River originates from a glacier near Chandra Tal, while the Bhaga River originates near Bara Lacha La. There is a confluence of Chandra and Bhaga near Tandi the and it is called Chandrabhaga river/Chenab river.

5. Which of the following rivers of India cuts across all the ranges of the Himalayas?

- (a) Ravi (b) Satluj
(c) Beas (d) Chenab

U.P.R.O./A.R.O (Mains) 2014

U.P.P.C.S. (Mains) 2012

Ans. (b)

Sutlej (Satluj) river rises from Rakas Lake in Tibet. Flowing northwest, it enters Himachal Pradesh near Shipki La. It creates deep gorges cutting through the Himalayan ranges. It is a Trans-Himalayan river. It further flows and the Beas river joins it near Harike in Punjab. Its total length is approx. 1500 km.

6. Which of the following rivers is a Trans-Himalayan river?

- (a) Jhelum (b) Sutlej
(c) Ganga (d) Ravi

U.P. P.C.S. (Pre) 2020

Ans. (b)

See the explanation of above question.

7. Out of the following rivers which is not the tributary of river Sutlej?

- (a) Baspa (b) Spiti

(c) Ravi

(d) Beas

Uttarakhand P.C.S. (Pre) 2021

Ans. (c)

The Ravi River is a tributary of the Chenab River but a sub-tributary of the Sutlej River. Baspa, Spiti and Beas are tributaries of the Sutlej River.

8. 'Doodh-Ganga' river is located in –

- (a) Jammu and Kashmir (b) Himachal Pradesh
(c) Uttarakhand (d) West Bengal

U.P.P.C.S. (Pre) (Re-Exam) 2015

Ans. (a&c)

The river named Doodh Ganga flows in Uttarakhand, Karnataka and Maharashtra, in addition to Jammu and Kashmir. Thus, both option, (a) and (c) are correct. UPPSC has given option (a) as the correct answers.

9. Which of the following drainage systems fall into the Bay of Bengal?

- (a) Ganga, Brahmaputra, and Godavari
(b) Mahanadi, Krishna, and Cauvery
(c) Luni, Narmada, and Tapi
(d) Both (A) and (B)

56th to 59th B.P.S.C. (Pre) 2015

Ans. (d)

Ganga, Brahmaputra, Godavari, Mahanadi, Krishna, Cauvery, Pennar, Subarnarekha and Brahmani are drainage systems (rivers) that flow into the Bay of Bengal while Narmada, Tapi (Tapi), Sabarmati and Mahi, except that Luni, are important rivers that fall into the Arabian Sea.

10. Which one of the following is not a tributary of the Krishna river ?

- (a) Bhima (b) Doni
(c) Tel (d) Tungabhadra

U.P. U.D.A./L.D.A. (Spl) (Pre) 2010

Ans. (c)

Tel is a tributary of Mahanadi river not Krishna river. Major tributaries of Krishna river are – Koyna, Yerla, Varna, Panch Ganga, Ghata Prabha, Bhima, and Tungabhadra.

11. The Hagari river is a tributary of :

- (a) Bhima (b) Godavari
(c) Krishna (d) Tungabhadra

U.P.P.C.S. (Mains) 2009

Ans. (d)

Hagari river originates in the Western Ghats and flows through Karnataka and Andhra Pradesh to join Tungabhadra. It is also known as Vedavathi. The Veda and Avathi rivers originate at Sahyadri, join each other at Pura, and are known as Vedavathi.

12. Consider the following rivers :

1. Kishan Ganga 2. Ganga
3. WainGanga 4. PenGanga

The correct sequence of these rivers when arranged in the north-south direction is

- (a) 1, 2, 3, 4 (b) 2, 1, 3, 4
(c) 2, 1, 4, 3 (d) 1, 2, 4, 3

I.A.S. (Pre) 1996

Ans. (a)

Kishanganga is a tributary of Jhelum in Jammu and Kashmir. Thus, it is the northernmost among the four. To its south is the Ganga, which rises from Gangotri glacier in Uttarakhand. Penganga is a tributary of Wardha river, whereas Wainganga is a tributary of Godavari river. Wain Ganga is located in the north and Pen Ganga in south.

Thus, the correct sequence from north to south of the four rivers will be –

- (i) Kishan Ganga (ii) Ganga River (iii) Wain Ganga (iv) Penganga

13. Rivers that pass through Himachal Pradesh are :


- (a) Beas and Chenab only
(b) Beas and Ravi only
(c) Chenab, Ravi and Sutlej only
(d) Beas, Chenab, Ravi, Sutlej and Yamuna

I.A.S. (Pre) 2010

Ans. (d)

Beas, Chenab, Ravi, Sutlej and Yamuna are the main rivers that pass through Himachal Pradesh.

14. In the map shown in the given figure, rivers labelled s 1, 2, 3 and 4 respectively are :



- (a) Kosi, Gomati, Ghaghara, and Gandak
(b) Kosi, Ganga, Gomati, and Ghaghara

- (c) Gandak, Ganga, Gomati, and Ghaghara
(d) Teesta, Gomati, Ghaghara, and Kosi

I.A.S. (Pre) 1997

Ans. (a)

The drainage map of India indicates the rivers labelled as 1,2,3 and 4 are –
(1) Kosi, (2) Gomati, (3) Ghaghara and (4) Gandak.

- 15. Match List-I with List-II and select the correct answer by using the code given below:**

List-I (Doab)	List-II (Rivers)
A. Bist Doab	i. Between Ravi and Chenab
B. Bari Doab	ii. Between Ravi and Beas
C. Rachna Doab	iii. Between Beas and Satluj
D. Chaj Doab	iv. Between Chenab and Jhelum

Code :

A	B	C	D
(a) iii	ii	i	iv
(b) i	ii	iii	iv
(c) iv	iii	ii	i
(d) i	iv	ii	iii

Uttarakhand P.C.S. (Pre) 2016

Ans. (a)

The correct match is as follows :

(Doab)	(Rivers)
Bist Doab	Between Beas and Satluj (Sutlej)
Bari Doab	Between Ravi and Beas
Rachna Doab	Between Ravi and Chenab
Chaj Doab	Between Chenab and Jhelum

- 16. The rivers Damodar, Koel and Subarnarekha originate from which of the following?**

- (a) Deccan Plateau
(b) Central Highland
(c) Chotanagpur Plateau
(d) Meghalaya Plateau
(e) None of the above / More than one of the above

67th B.P.S.C. (Pre) 2022

Ans. (c)

Damodar, Koel and Subarnarekha rivers originate from the Chotanagpur Plateau in Jharkhand.

- 17. Which of the following canals has been taken out from Damodar river?**

- (a) Sirhind Canal (b) Edon Canal

- (c) Bist Doab Canal (d) Eastern Grey Canal

U.P.P.C.S.(Pre) (Re-Exam) 2015

Ans. (b)

Edon Canal is taken out from the Damodar river. It provides irrigation to 16,000 hectares of land.

- 18. Which of the following rivers of India is NOT a tributary of Damodar River?**

- (a) Barakar (b) Indrawati (c) Jamunia (d) Barki

U.P. B.E.O. (Pre) 2019

Ans. (b)

Damodar River is a tributary of Hooghly. It flows through Jharkhand and West Bengal. Its tributaries are Barki, Jamunia and Barakar. The Damodar Valley Corporation (DVC) is located across Damodar. The Indrawati river is a tributary of Godavari which flows along the main river through Odisha, Maharashtra and Chhattisgarh.

- 19. Which of the following river valleys is rich in coal reserves in India?**

- (a) Mahanadi River Valley
(b) Damodar River Valley
(c) Son River Valley
(d) More than one of the above
(e) None of the above

68th B.P.S.C. (Pre) 2022

Ans. (d)

Over 90% of coal reserves in India occur in the valleys of Damodar, Son, Mahadevi and Godavari. Coal is the most abundantly found fossil fuel. It is used as a domestic fuel and in industries such as iron and steel.
So we can say that more than one of the above (option d) is the correct answer.

- 20. Damodar is a tributary of river –**

- (a) Ganga (b) Hooghly
(c) Padma (d) Sbaranarekha

U.P.U.D.A./L.D.A. (Pre) 2006

U.P. Lower Sub. (Spl) (Pre) 2008

U.P.P.C.S. (Pre) 2008

Ans. (b)

See the explanation of above question.

- 21. River Damodar emerges from –**

- (a) Tibet
(b) Chotanagpur

- (c) Near Nainital
(d) Western slope of Somesar Hills

39th B.P.S.C. (Pre) 1994

Ans. (b)

The Damodar river originates (emerges) from Khamarpat Hill of the Chota Nagpur Plateau region.

22. **Rajarappa is situated on the confluence of which rivers?**

- (a) Damodar - Bhera (b) Damodar - Sherbukhi
(c) Damodar - Barakar (d) Damodar - Konar

Jharkhand P.C.S. (Pre) 2016

Ans. (a)

Rajarappa is a Shakti Peeth temple situated on a hillock at the confluence of the Damodar and Bhera (Bhairavi) rivers near the Rajarappa falls, about 28 km away from Ramgarh. This ancient temple is dedicated to goddess Chinnamastika.

23. **Which one of the following east flowing rivers of India has rift valley due to down warping?**

- (a) Damodar (b) Mahanadi
(c) Son (d) Yamuna

I.A.S. (Pre) 1998

Ans. (a)

The Damodar river has a rift valley due to down warping.

24. **Which of the following is/are not a capital city/cities of any country in Europe?**

1. Riga 2. Rotterdam 3. Zagreb 4. Zurich

Select the correct answer from the code given below:

Code :

- (a) 2 and 4 (b) 2 and 3
(c) Only 4 (d) Only 1

U.P. R.O./A.R.O. (Pre) 2023

Ans. (a)

Riga is the capital of Latvia. Rotterdam is a city in the Netherlands. The capital of the Netherlands is Amsterdam. Zagreb is the capital of Croatia. Zurich is the largest city in Switzerland. The capital of Switzerland is Bern.

25. **Which of the following rivers is most polluted?**

- (a) Gomati (b) Periyar
(c) Damodar (d) Mahanadi

U.P.U.D.A./L.D.A. (Pre) 2013

Ans. (c)

The most polluted river in India is the Damodar river. The enormous quantity of pollutants coming from the mines, industries, cities and agricultural fields has so degraded the quality of the river water between Giridih and Durgapur that it has virtually become a biological desert.

26. **In which of the following rivers, the upper course contains freshwater but saline water flowing at the lower part?**

- (a) Barak river (b) Luni river
(c) Ghaggar river (d) None of the above

U.P.P.C.S. (Pre) 2019

Ans. (b)

The Luni river originates in the Aravali range, southwest of Ajmer. It disappears in the Rann of Kutch, traversing a distance of 511 km. Thus, it does not come in contact with the sea. The other rivers given in the options flow into the sea.

27. **Which of the following is a land-bounded river ?**

- (a) Tapti (b) Krishna (c) Luni (d) Narmada

40th B.P.S.C. (Pre) 1995

Ans. (c)

See the explanation of the above question.

28. **With reference to the river Luni, which one of the following statements is correct?**

- (a) It flows into the Gulf of Kambhat.
(b) It flows into the Gulf of Kutch.
(c) It flows into Pakistan and merges with a tributary of Indus.
(d) It is lost in the marshy land of the Rann of Kutch.

I.A.S. (Pre) 2010

Ans. (d)

See the explanation of the above question.

29. **Example of inland drainage river is –**

- (a) Mahi (b) Ghaggar
(c) Narmada (d) Krishna

M.P.P.C.S. (Pre) 2014

Ans. (b)

Inland drainage is that drainage in which a river does not reach the ocean and falls into an inland lake. Example of the inland rivers include Ghaggar, Luni, Rupen etc.

30. **Which river is known as Sorrow of Bihar?**

- (a) Ghaghra (b) Ganga
(c) Kosi (d) Son
(e) None of the above / More than one of the above

67th B.P.S.C. (Pre) (Re. Exam) 2022

Ans. (c)

The Kosi river is a transboundary river that flows through Nepal and India. The Kosi is known as the Sorrow of Bihar because of recurring floods it causes.

31. Which river in Bihar changed its course in the year 2008 and caused calamity?

- (a) Ganga (b) Gandak
(c) Kosi (d) Ghaghra

M.P.P.C.S. (Pre) 2008

Ans. (c)

The Kosi river is a major tributary of the Ganga. The length of the Kosi river is 720 km in India. It merges with the Ganga near Katihar. The Kosi river is known for its dangerous floods and especially for maximum shifting of its course; that is why it is considered the "Sorrow of Bihar".

32. Of the following rivers, the maximum shifting, of course, has taken place in –

- (a) Son (b) Gandak (c) Kosi (d) Ganga

44th B.P.S.C. (Pre) 2000

Ans. (c)

The Kosi river has seven tributaries, of which Arun is the most important. The Kosi river is known for its dangerous floods and especially for the maximum shifting of its course. Thus, it can be said that the Kosi river changes its course the most among all rivers in India.

33. Which of the following river is notorious for maximum shifting of its course?

- (a) Ganga (b) Kosi
(c) Damodar (d) Gomati

U.P.U.D.A./L.D.A. (Pre) 2013

Ans. (b)

See the explanation of above question.

34. River Khari is part of the drainage system of :

- (a) Arabian Sea (b) Inland drainage
(c) Indeterminate drainage (d) Bay of Bengal

R.A.S./R.T.S.(Pre) 2010

Ans. (*)

Two rivers with the name Khari originate from Rajasthan. The Khari river flowing in Gujarat is a tributary of the Western Banas river until it originates from Sirohi district of Rajasthan. This river falls into the Arabian Sea. Whereas another Khari river originated from near a place called Pushkar in Ajmer district of Rajasthan. It is a tributary of Banas and a sub-tributary of the Chambal river. The Chambal river is a tributary of Yamuna and Yamuna is a tributary of Ganga river, which falls into the Bay of Bengal. Therefore, the river flowing towards Gujarat by the name of Khari is a part of the Arabian Sea drainage system, whereas the Khari river, a tributary of Banas and a sub-tributary of Chambal, is a part of the Bay of Bengal drainage system.

35. Which of the following rivers does not have its source in glaciers ?

- (a) Yamuna (b) Alaknanda
(c) Kosi (d) Mandakini

Uttarakhand P.C.S. (Pre) 2006

Ans. (c)

The Kosi river does not have its source in glaciers. It drains the northern slopes of the Himalayas in Tibet and the Southern slopes in Nepal. The length of the Kosi river is 720 km. It merges with the Ganga near Katihar (Bihar). The Kosi river is known for its dangerous floods and especially for maximum shifting of its course. The Kosi river is considered the "Sorrow of Bihar".

36. Triveni Canal receives water from river-

- (a) Son (b) Kosi
(c) Gandak (d) Mayurakshi

45th B.P.S.C. (Pre) 2001

Ans. (c)

The Triveni canal receives water from the river Gandak. It is located in West Champaran district.

37. Triveni Canal has been constructed on the river :

- (a) Kosi
(b) Son
(c) Gandak
(d) Kamla
(e) None of the above/More than one of the above

63rd B.P.S.C. (Pre) 2017

Ans. (c)

The Triveni canal has been constructed on the Gandak river in Bihar.

38. From north towards south, which one of the following is the correct sequence of the given rivers in India?

- (a) Shyok – Spiti – Zaskar – Satluj
(b) Shyok – Zaskar – Spiti – Satluj
(c) Zaskar – Shyok – Satluj – Spiti
(d) Zaskar – Satluj – Shyok – Spiti

I.A.S. (Pre) 2006

Ans. (b)

The Shyok river is known as 'River of Death' in the Karakoram. Ancient evidence indicates that it was also a medium of trade between Yarkand and Ladakh. Zaskar (Zaskar) river flows through hard rock and forms a deep gorge. It originates on the border of Himachal Pradesh

and Ladakh. It flows northeast and joins Indus at Nimu. Spiti river originates from Kunzum Pass. It merges into Sutlej river near Namgia in Kinnaur district of Himachal Pradesh after flowing 60 miles.

Sutlej (Satluj) river rises in Tibet, it crosses the Great Himalaya and Zaskar (Zaskar) range and crosses Indo-Tibet border near Shipki La. Spiti river merges in to Sutlej (Satluj) from the north. Thus the correct order of the above rivers from north to south is – Shyok – Zaskar (Zaskar) – Spiti – Sutlej (Satluj).

39. Hizla fair of Dumka in Santhal Pargana is celebrated on the bank of which of the following rivers ?

- (a) Suvarnrekha (b) Barakar
(c) Mayurakshi (d) Falgu

Jharkhand P.C.S. (Pre) 2003

Ans. (c)

The Hizla fair is organized on the banks of the Mayurakshi river in Dumka, Santhal Pargana. Hizla is located on the banks of the Mayurakshi river.

40. A memorandum of understanding for India's first river linking project has been signed between two States linking two rivers. The States and the rivers concerned are :

- | States | Rivers |
|--------------------------------------|-----------------------|
| (a) Punjab and Rajasthan | : Beas and Banas |
| (b) Uttar Pradesh and Madhya Pradesh | : Ken and Betwa |
| (c) Karnataka and Tamil Nadu | : Krishna and Cauvery |
| (d) Uttar Pradesh and Bihar | : Gomti and Sharda |

U.P.P.C.S. (Pre) 2006

Ans. (b)

On 25th August, 2005 a Memorandum of Understanding was signed for Ken-Betwa Link project. It was signed by the then Chief Minister of U.P., Mulayam Singh Yadav, the then Chief Minister of M.P., Babulal Gaur and the then Union Water Resources Minister Priyaranjan Das Munshi.

41. In the Uttar Pradesh and the Madhya Pradesh States, the joint "Rajghat River Valley Project" is located on

- (a) Ken river (b) Son river
(c) Chambal river (d) Betwa river

U.P.P.C.S. (Pre) 2006

Ans. (d)

The Rajghat River Valley Project is a joint project of the Government of Uttar Pradesh and Madhya Pradesh. This project is located on Betwa River, 22 km away from Lalitpur district of Uttar Pradesh.

42. Which one of the following dam is built across the Betwa river?

- (a) Lav Kush Barrage (b) Rihand Dam
(c) Sharda Barrage (d) Rajghat Dam

U.P.P.C.S. (Pre) 2015

Ans. (d)

See the explanation of above question.

43. Consider the following pairs:

- | Tributary River | : | Main River |
|-----------------|---|-------------|
| 1. Chambal | : | Narmada |
| 2. Son | : | Yamuna |
| 3. Manas | : | Brahmaputra |

Which of the pairs given above is/are correctly matched?

- (a) 1,2 and 3 (b) 1 and 2
(c) 2 and 3 (d) 3 only

I.A.S. (Pre) 2008

Ans. (d)

Chambal river originates on Janapav Hills near Dr. Ambedkar Nagar (Old name - Mhow) (M.P.) and flows into Yamuna near Itawa. Son River flows into Ganga near Patna. Thus, pairs 1 and 2 are not matched correctly. The Manas River is a Tributary of Brahmaputra River. Thus, pair 3 is correctly matched.

44. Assertion (A) : River Kalinadi is an east-flowing river in the southern part of India.

Reason (R) : The Deccan Plateau is higher along its western edge and gently slopes towards the Bay of Bengal in the east.

Code :

- (a) Both (A) and (R) are individually true, and (R) is the correct explanation of (A)
(b) Both (A) and (R) are individually true, but (R) is not the correct explanation of (A)
(c) (A) is true, but (R) is false
(d) (A) is false, but (R) is true

I.A.S. (Pre) 2007

Ans. (d)

Kali river rises near Diggi village in Uttara Kannada district of Karnataka. It follows an arch shaped course in a west ward and flows into the Arabian Sea. The total length of this river is 184 km. Thus, assertion (A) is wrong. Karwar and Kaiga are located on the banks of this river. It is polluted because of Manganese ore.

Deccan Plateau extends from Narmada river to Kumari Island and from the Arabian Sea to the Bay of Bengal. The average elevation of this plateau above sea level is 600 meters. Western Ghats, parallel to the Arabian Sea, is a high mountainous region and the eastern edge of the Deccan Plateau gently slopes towards the Bay of Bengal. All the rivers flowing eastwards from the Western Ghats follow this slope and fall into the Bay of Bengal. Thus, reason (R) is correct.

45. On which of the following rivers of India is the world's highest bridge being constructed?

- (a) Chenab (b) Sutlej
(c) Jhelum (d) Beas

U.P.U.D.A./L.D.A. (Pre) 2006

Ans. (a)

The world's highest Arch Bridge is being constructed on India's Chenab River. It is an under construction bridge. The world's highest bridge in all categories is Duge Bridge in China.

46. The Mahatma Gandhi Setu is located in :

- (a) Bihar (b) Uttar Pradesh
(c) Madhya Pradesh (d) Andhra Pradesh

U.P.P.C.S. (Pre) 1993

Ans. (a)

The Mahatma Gandhi Setu is a bridge over the river Ganges connecting Patna in the South to Hajipur in the North of Bihar. Its length is 5,575 metres. It was officially inaugurated in March, 1982.

47. Which one of the following rivers does not originate in India?

- (a) Beas (b) Chenab (c) Ravi (d) Sutlej

U.P.P.C.S. (Pre) 2013

U.P.P.S.C. (GIC) 2010

I.A.S. (Pre) 2009

Ans. (d)

The origin of the Sutlej river is located on Lake Rakastal (lake) in Tibet. The Sutlej River usually flows from west to southwest, moving into India via the Shipki La Pass located in Himachal Pradesh.

48. Kopili is a tributary river of :

- (a) Gandak (b) Kosi
(c) Ganga (d) Brahmaputra

R.A.S./R.T.S. (Pre) 2010

Ans. (d)

Kapili river is a tributary of Brahmaputra.

49. Match List-I with List-II and select the correct answer using the codes given below the lists :

List-I (River)

List-II (Tributary)

- A. Ganga** 1. Bhima
B. Godavari 2. Ken
C. Krishna 3. Manjra
D. Yamuna 4. Son

Code :

	A	B	C	D
(a)	4	2	3	1
(b)	2	3	4	1
(c)	3	4	1	2
(d)	4	3	1	2

U.P.P.C.S. (Mains) 2003

Ans. (d)

The correct match of given rivers and their tributaries is as follows :

(River)		(Tributary)
Ganga	—	Son
Godavari	—	Manjara (Manjira)
Krishna	—	Bhima
Yamuna	—	Ken

50. Match List-I with List-II and select the correct answer using the codes given below the Lists :

List-I

List-II

(Rivers)

(Their Tributaries)

- A. Krishna** 1. Chambal
B. Brahmaputra 2. Indravati
C. Godavari 3. Tista
D. Yamuna 4. Bhima

Code :

	A	B	C	D
(a)	4	3	2	1
(b)	3	4	1	2
(c)	4	3	1	2
(d)	3	4	2	1

Jharkhand P.C.S. (Pre) 2013

Ans. (a)

The correct match of rivers and their tributaries is given below:

(River)		(Tributary)
Krishna	-	Bhima
Brahmaputra	-	Tista
Godavari	-	Indravati
Yamuna	-	Chambal

51. Match List-I with List-II and select the correct answer using the codes given below :

List - I (Tributary)	List-II (River)
A. Rapti	i. Brahmaputra
B. Tista	ii. Narmada
C. Hiran	iii. Godavari
D. Purna	iv. Ghaghra

Codes :

	A	B	C	D
(a)	iv	ii	iii	i
(b)	i	ii	iii	iv
(c)	iii	i	iv	ii
(d)	iv	i	ii	iii

Raj. P.C.S. (Pre) 2024

Ans. (d)

The correct matching is-

Tributary	River
Rapti	Ghaghra
Tista	Brahmaputra
Hiran	Narmada
Purna	Godavari

Note : (1) Another important west flowing river is the Purna River, whose drainage basin lies in Gujarat and Maharashtra and it flows into the Arabian Sea.

Note : (2) The Purna River is a tributary of the Tapti River.

52. Which one of the following pairs is correctly matched?

- | | |
|----------------|--------------|
| (a) Indravati | - Jharkhand |
| (b) Bhima | - Tamil Nadu |
| (c) Luni | - Rajasthan |
| (d) Ghatprabha | - Kerala |

Jharkhand P.C.S. (Pre) 2016

Ans. (c)

The Luni river originates in the Pushkar Valley of the Aravalli range near Ajmer, passes through Thar desert and ends in marshy lands of Rann of Kutch in Gujarat, after traveling a distance of 511 km. Indravati river flows through Odisha, Maharashtra, Telangana and Chhattisgarh. The Bhima river flows through Maharashtra, Karnataka and, Telangana, whereas Ghatprabha flows through Maharashtra and Karnataka only.

53. Which of the following rivers is an example of the superimposed river?

- | | |
|---------------|----------|
| (a) Alaknanda | (b) Kosi |
|---------------|----------|

(c) Chambal

(d) Godavari

U.P.P.C.S. (Mains) 2007

Ans. (c)

As Superimposed stream or river does not follow slopes of the lithosphere. The stream erodes through rocks and retains its course and pattern despite changes in the underlying rocks. Chambal and Son are the best examples of superimposed rivers in India.

54. Sankosh river forms the boundary between –

- | |
|---------------------------------|
| (a) Bihar and West Bengal |
| (b) Assam and Arunachal Pradesh |
| (c) Assam and West Bengal |
| (d) Bihar and Jharkhand |

U.P.P.C.S. (Mains) 2007

Ans. (c)

Sankosh river originates in northern Bhutan (where it is known as Puna Tsang Chhu) and flows into Brahmaputra river near the border of Assam and Bangladesh. It forms the boundary between Assam and West Bengal.

55. Which of the following river originate in M.P. and drops its water into the Gulf of Khambhat?

- | | |
|-------------|-----------|
| (a) Parvati | (b) Luni |
| (c) Mahi | (d) Javai |

R.A.S./R.T.S.(Pre) 2012

Ans. (c)

Mahi river originates in Madhya Pradesh and enters Rajasthan in the district of Banswara, then flows in the south-west direction of Gujarat and falls into the Gulf of Khambhat.

56. Kishan Ganga is a tributary of –

- | | |
|------------|------------|
| (a) Ravi | (b) Chenab |
| (c) Jhelum | (d) Beas |

U.P.P.C.S. (Main) 2013

Ans. (c)

Kishan Ganga is the main tributary of the Jhelum river on which Kishan Ganga project is developed. Tulbul Project is also built on River Jhelum.

57. Mithi river of Mumbai originates from which of the following lakes ?

- | |
|-----------------------|
| (a) Tulsi Lake |
| (b) Vihar Lake |
| (c) Powai Lake |
| (d) None of the above |

U.P.R.O./A.R.O. (Pre) 2014

Ans. (b)

Mithi river originates from Vihar Lake in Mumbai. After flowing 2 km, the water of Powai Lake also merges into the streams. It traverses a distance of 18 km and falls into the Arabian Sea near the Bay of Mahim.

58. Match List-I with List-II and select the correct answer by using the codes given below:

List-I (Source Region)	List-II (River)
A. Brahmagiri Hills	i. Cauvery
B. Verinag Spring	ii. Jhelum
C. Mahabaleshwar	iii. Krishna
D. Chotanagpur Plateau	iv. Subarnarekha

Code :

A	B	C	D
(a) iv	iii	ii	i
(b) i	ii	iii	iv
(c) ii	i	iv	iii
(d) iii	ii	i	iv

Uttarakhand P.C.S. (Pre) 2016

Ans. (b)

The correct match is as follows :

List-I Source Region	List-II River
Brahmagiri Hills	- Cauvery
Verinag Spring	- Jhelum
Mahabaleshwar	- Krishna
Chotanagpur Plateau	- Subarnarekha

59. Which of the following rivers is famous for its fault valley drainage?

- (a) Chambal (b) Damodar
(c) Gandak (d) Rama Ganga

U.P.P.C.S. (Pre) 2019

Ans. (b)

The Damodar River is famous for its fault valley drainage. It flows across Jharkhand and West Bengal and is also known as 'Sorrow of Bengal' because of its ravaging floods in the plains of West Bengal.

60. Match list-I with list-II and choose the correct answer from the code given below :

List - I (River)	List - II (Tributary)
A. Godavari	i. Bhavani
B. Mahanadi	ii. Pen Ganga
C. Damodar	iii. Seonath
D. Cauvery	iv. Barakar

Code :

	A	B	C	D
(a)	iv	ii	i	iii
(b)	ii	iii	iv	i
(c)	i	ii	iv	iii
(d)	iii	i	ii	iv

R.A.S./R.T.S. (Pre) 2021

Ans. (*)

The correct match is as follows :

River	Tributary
Wardha	Pen Ganga
Mahanadi	Seonath
Damodar	Barakar
Cauvery	Bhavani

The Pen Ganga river originates from the Buldhana range of Maharashtra. It joins Wardha and the combined stream of them and Pen Ganga meets the Pranahita river. Pranahita finally joins Godavari river. Thus, Pen Ganga is a sub-tributary of Godavari.

61. Gandikota canyon of South India was created by which one of the following rivers?

- (a) Cauvery (b) Manjira
(c) Pennar (d) Tungabhadra

I.A.S. (Pre) 2022

Ans. (c)

Gandikota canyon of South India is formed by the Pennar River. It is located in YSR (Old name - Kadapa) district of Andhra Pradesh.

Gandikota can be broken into two parts of Telugu language, 'Gandi' meaning (Gorge) and 'Kota' meaning 'Fort'. Gandikota is called the Grand Canyon of India.

62. Match List-I with List-II and select the correct answer using the codes given below the lists –

List-I (Tributaries)	List - II (Rivers)
A. Betwa	1. Chambal
B. Kshipra	2. Yamuna
C. Wain Ganga	3. Narmada
D. Tawa	4. Godavari

Code -

	A	B	C	D
(a)	3	4	2	1
(b)	2	1	4	3