

80. H_1N_1 virus is sometimes mentioned in the news with reference to which one of the following diseases?

- (a) AIDS (b) Bird flu
(c) Dengue (d) Swine Flu

I.A.S. (Pre) 2015

Ans. (d)

H_1N_1 is a flu virus. When it was first detected in 2009, it was called 'swine flu' because the virus was similar to those found in pigs. Flu viruses have the ability to mutate quickly and pigs provide an excellent host for this. The H_1N_1 virus has developed the ability to spread among humans, who then infect each other through coughing and sneezing.

81. Consider the following statements :

1. In tropical regions, Zika virus disease is transmitted by the same mosquito that transmits dengue.
2. Sexual transmission of Zika virus disease is possible.

Which of the statements given above is/are correct?

- (a) 1 only (b) 2 only
(c) Both 1 and 2 (d) Neither 1 nor 2

I.A.S. (Pre) 2017

Ans. (c)

Zika virus is primarily transmitted to people through the bite of infected mosquitoes of the Aedes genus (mainly Aedes aegypti) in tropical and subtropical regions. These are the same mosquitoes that transmits dengue, chikungunya and yellow fever. Sexual transmission of Zika virus is also possible. Hence, both given statements are correct.

82. Which one of the following pairs is not correctly matched?

- (a) Ebola virus – Small Pox
(b) Biometric identification – Fingerprints and Iris scan
(c) Cloning – Genetic replica
(d) DNA Fingerprinting – Paternity or criminal identification

Uttarakhand P.C.S. (Pre) 2012

Ans. (a)

The pair given in option (a) is not correctly matched. Ebola, previously known as Ebola haemorrhagic fever is a rare and deadly disease caused by infection with one of the Ebola virus strains. Ebola can cause disease in humans and non-human primates (monkeys, gorillas, and chimpanzees).

83. EBOLA is a –

- (a) Terrorist Organization (b) Deadly virus
(c) AIDS Test (d) None of these

U.P.P.C.S. (Mains) 2014

Ans. (b)

Ebola is a serious and deadly virus transmitted by animals and humans. In 1976, it was initially detected in a village near Ebola river in the Democratic Republic of Congo. Researchers named the virus and disease after the Ebola river. The Ebola virus causes an acute, serious illness which is often fatal if untreated.

84. The name of Ebola virus is derived from the name of a

- (a) City (b) Province
(c) River (d) Mountain

U.P.R.O./A.R.O. (Mains) 2013

Ans. (c)

See the explanation of above question.

85. Which of the following States was in the news for the outbreak of Nipah virus disease in May-June, 2018?

- (a) Bihar (b) Kerala
(c) Haryana (d) Gujarat

U.P.P.C.S. (Pre) 2018

Ans. (b)

Nipah virus infection is a viral disease caused by the Nipah virus (NiV). In May 2018, an outbreak of this disease was reported from Kozhikode district of Kerala which resulted in 17 deaths. In September 2021, Nipah virus resurfaced in Kozhikode, Kerala claiming the life of a 12 year old boy. In July-September 2024, an outbreak was confirmed again in Kerala, resulting in 2 deaths. This disease was first identified in Malaysia in 1998, and it is named after a village Sungai Nipah in Malaysia.

II. Bacterial Diseases

Notes

- Bacteria are single-celled, prokaryotic microorganisms.
- They are cosmopolitan. They can thrive in a diverse environment. They can live within the soil, in the ocean and inside the human gut.
- The human relationship with bacteria is complex. Sometimes they lend a helping hand, such as by curdling milk into yogurt or helping with our digestion. In other cases, they are destructive, causing diseases.
- The pathogenic bacteria are capable to infect all the systems of the human.
- Some main bacterial diseases and their factors are as follows :

Disease	Bacteria	Affected organs
Cholera	Vibrio cholerae	Infection of the small intestine.
Plague	Pasteurella (Yersinia) pestis	Formation of swollen lymph nodes (buboes) in groin, armpit or neck. It can be fatal.
Leprosy	Mycobacterium leprae or Mycobacterium lepromatosis	It affects the skin, the peripheral nerves, mucosal surfaces of the upper respiratory tract and the eyes.
Pneumonia	Streptococcus pneumoniae	An infection of the lungs. Symptoms include - chest pain, fever, cough, shortness of breath.
Typhoid	Salmonella typhi	The infection is often passed on through contaminated food and drinking water. Its symptom is high fever, diarrhea and vomiting. It can be fatal.
Diphtheria	Corynebacterium diphtheriae	It affects the throat and nose.
Gonorrhoea	Neisseria gonorrhoeae	It is a sexually transmitted disease that can affect the reproductive organs.
Syphilis	Treponema palladium	It is spread by sexual contact. The disease starts as a painless sore typically on genitals, rectum or mouth.
Whooping cough or Pertussis	Haemophilus pertussis or Bordetella pertussis	A highly contagious respiratory tract infection. In many people, it is marked by a severe hacking cough followed by a high pitched intake of breath that sounds like 'whoop'.
Tetanus (Lockjaw)	Clostridium tetani	It is characterized by muscle spasm. The spasm begins in the jaw and progress to the rest of the body.
Tuberculosis (TB)	Mycobacterium tuberculosis	Mainly affects the lungs; a potentially serious infectious disease.
Rheumatic fever	Streptococcus pyogenes	Inflammatory disease that can involve the heart, joints, skin and brain.

- **Salmonella bacilli** is responsible for food poisoning. It is a gram-negative, flagellated facultatively anaerobic bacilli. Flagella are found around it. Salmonella infection (salmonellosis) affects the intestinal tract. Generally, it is transmitted by means of contaminated water and food.

Botulism :

- Botulism poisoning is a rare but serious illness caused by a toxin that attacks the body's nerves and causes difficulty in breathing, muscle paralysis and even death.
- This toxin is produced by the bacteria Clostridium botulinum and sometimes C. butyricum and C. baratii.
- These bacteria can be spread by food and sometimes by other means.
- The concerned bacteria are gram-positive bacteria.

DPT & BCG Vaccines :

- DPT vaccine conveys immunity to three different infectious bacterial diseases. They are –
i. Diphtheria
ii. Pertussis
iii. Tetanus
- Bacillus Calmette-Guerin (BCG) is a vaccine primarily used against tuberculosis (TB).

Sulpha Drugs :

- Sulpha drugs are used to cure the diseases caused by bacteria.
- **Prontosil** is the first sulpha drug to be discovered. The discovery was made by the great German physician and chemist Gerhard Domagk (1895-1964).
- Sulpha drug, also called sulphonamide, is any member of a group of synthetic antibiotics containing the sulphanilamide molecular structure. Sulpha drugs were the first chemical substances systematically used to treat and prevent bacterial infections in humans.

Broad-spectrum antibiotic :

- The term broad-spectrum antibiotic can refer to an antibiotic that acts on the two major bacterial groups, gram-positive and gram-negative, or any antibiotic that acts against a wide range disease-causing bacteria.
- These medications are used when a bacterial infection is suspected but the group of bacteria is unknown or when infection with multiple groups of bacteria is suspected. This is in contrast to a **narrow-spectrum antibiotic**, which is effective against only a specific group of bacteria.
- Ampicillin is the commonly used broad-spectrum antibiotic.

Chloramphenicol :

- It is also known as chloronitromycin. It is a broad-spectrum antibiotic.
- It is useful for the treatment of a number of bacterial infections. This includes use as an eye ointment to treat conjunctivitis.
- By mouth or by injection into a vein, it is used to treat meningitis, plague, cholera, and typhoid fever.

Question Bank

1. Food poisoning is due to –

- (a) E. coli (b) Salmonella bacilli
(c) Pseudomonas (d) Candida

Uttarakhand P.C.S. (Pre) 2005

Ans. (b)

A salmonella infection is a bacterial disease of the intestinal tract. Salmonella is a group of bacteria that cause typhoid fever, food poisoning, gastroenteritis, enteric fever and other illnesses. People become infected mostly through contaminated water or foods.

2. Food poisoning (Botulism) is caused by infection of a species of –

- (a) Azotobacter (b) Lactobacillus
(c) Clostridium (d) Rhizobium

U.P. Lower Sub. (Pre) 2013

Ans. (c)

Botulism is a rare but potentially life-threatening bacterial illness. Clostridium botulinum bacteria grows on food and produces toxins. This bacteria may enter the body through wounds, or by eating them from improperly canned or preserved food.

3. Botulism is :

- (a) Food-borne infection
(b) Food-borne intoxication
(c) Water-borne infection
(d) Water-borne intoxication

U.P. P.C.S. (Pre) 2021

Ans. (b)

Botulism is a rare but serious condition caused by toxin from bacteria Clostridium botulinum and sometimes from C. butyricum and C. baratii. This toxin attacks the body's nerves and causes difficulty in breathing, muscle paralysis and even death.

Three common forms of botulism are:

- ♦ **Foodborne botulism** : The harmful bacteria thrive and produce the toxin in environments with little oxygen, such as in home-canned food.

- ♦ **Wound botulism** : If these bacteria get into a cut, they can cause a dangerous infection that produces the toxin.
- ♦ **Infant botulism** : This most common form of botulism begins after Clostridium botulinum bacterial spores grow in a baby's intestinal tract.

4. Which of the following bacterial disease that is called as splenic fever ?

- (a) Typhoid (b) Anthrax
(c) Cholera (d) None of the above

70th B.P.S.C. (Pre) 2024

Ans. (b)

Splenic fever is another name for anthrax, a bacterial infection that causes the spleen to enlarge. It's a highly contagious disease that affects livestock and can also be transmitted to humans. The disease is characterized by a sudden onset of fever, lethargy, respiratory or cardiac distress, seizures, and eventual death.

5. Which type of vaccine protect against Diphtheria?

- (a) Live-attenuated (b) Viral Vector
(c) Toxoid (d) mRNA

U.P. P.C.S. (Pre) 2023

Ans. (c)

Diphtheria vaccine is a toxoid vaccine against diphtheria, an illness caused by Corynebacterium diphtheriae. Its use has resulted in a more than 90% decrease in number of cases globally between 1980 and 2000.

6. D.P.T. vaccine is given to protect from :

- (a) Tetanus, Polio, Plague
(b) T.B., Polio, Diphtheria
(c) Diphtheria, Whooping Cough, Tetanus
(d) Diphtheria, Polio, Leprosy

U.P.P.C.S. (Mains) 2013

Ans. (c)

Triple antigen DPT Vaccine refers to a class of combination vaccines against three infectious diseases in humans : diphtheria, pertussis (whooping cough) and tetanus. These are serious diseases caused by bacteria.

7. DPT vaccines are used for :

- (a) Diphtheria, pertussis, tetanus
(b) Polio, diphtheria, T.B.
(c) Tetanus, T.B., polio
(d) T.B., Typhoid, Polio

M.P.P.C.S. (Pre) 1992

Ans. (a)

See the explanation of above question.

8. **The Triple Antigen DPT is given to children to prevent**
 (a) Diphtheria, Polio, Small Pox
 (b) Polio, Diphtheria, Tetanus
 (c) Small Pox, Pertussis, Tetanus
 (d) Diphtheria, Pertussis, Tetanus

U.P.R.O./A.R.O. (Mains) 2013

Ans. (d)

See the explanation of above question.

9. **For which one of the following DPT vaccines is not used ?**

- (a) Diphtheria (b) Polio
 (c) Whooping cough (d) Tetanus

U.P.P.S.C. (GIC) 2010

Ans. (b)

See the explanation of above question.

10. **The triple antigen is given to a child to prevent :**

- (a) Polio, smallpox, diphtheria
 (b) Diphtheria, whooping cough, tetanus
 (c) Smallpox, whooping cough, tetanus
 (d) Polio, tetanus, whooping cough

U.P. Lower Sub. (Pre) 2004

U.P.P.C.S. (Pre) 1994

Ans. (b)

See the explanation of above question.

11. **The bacillus haemophilus influenza causes :**

- (a) A form of meningitis in young children
 (b) Influenza
 (c) Whooping cough
 (d) Pneumonia

U.P. P.C.S. (Pre) 2022

Ans. (a) & (d)

Bacillus haemophilus influenzae, a type of bacteria, can cause many different kinds of infections. H. influenzae is responsible for a wide range of localized and invasive infections, typically in infants and children, including pneumonia, meningitis, or bloodstream infections. Influenza, commonly known as "the flu", is an infectious disease caused by influenza viruses. Whooping cough, also known as pertussis, is a very contagious respiratory illness caused by a type of bacteria called Bordetella pertussis.

12. **What is the importance of using Pneumococcal Conjugate Vaccines in India?**

1. **These vaccines are effective against pneumonia as well as meningitis and sepsis.**
 2. **Dependence on antibiotics that are not effective against drug-resistant bacteria can be reduced.**

3. **These vaccines have no side effects and cause no allergic reactions.**

Select the correct answer using the code given below:

- (a) 1 only (b) 1 and 2 only
 (c) 3 only (d) 1, 2 and 3

I.A.S. (Pre) 2020

Ans. (b)

Pneumococcal Conjugate Vaccine (PVC) is used to protect infants, young children, and adults against disease caused by the bacterium streptococcus pneumoniae. These vaccines are at least 80 percent effective against meningitis, sepsis and bacteremic pneumonia. As per the Lancet Report (2017), these vaccines have reduced the burden of antibiotic-resistant bacterial disease globally. Hence, statement 1 and 2 are correct. While statement 3 is incorrect as these vaccines may cause certain side effects (such as decreased appetite, fever, irritability, rash, reactions at the site of injection, fatigue, sleepiness, etc.) and allergic reactions (such as difficulty in breathing, hoarseness, fast heartbeat, dizziness, swelling of the throat, etc.).

13. **Which of these is not a viral disease?**

- (a) Measles (b) Rabies
 (c) Polio (d) Tuberculosis

U.P. R.O./A.R.O. (Mains) 2017

Ans. (d)

Measles, Rabies and Polio are the viral diseases while Tuberculosis is a bacterial disease. Tuberculosis generally affects the lungs. The disease is caused by bacteria Mycobacterium tuberculosis.

14. **Which one of the following antimicrobial drugs, is suitable for treatment of both tuberculosis and leprosy?**

- (a) Isoniazid (b) P-amino salicylic acid
 (c) Streptomycin (d) Rifampicin

I.A.S. (Pre) 1995

Ans. (b)

P-amino salicylic acid is an antimicrobial drug which is used for the treatment of both tuberculosis and leprosy. Tuberculosis (TB) is an infectious disease caused by the bacteria 'Mycobacterium tuberculosis'. Leprosy is caused by the bacteria 'Mycobacterium leprae' or 'Mycobacterium lepromatosis'.

15. **According to the World Health Organisation (WHO), the disease which causes the death of the largest number of people today is :**

- (a) AIDS (b) Tuberculosis
 (c) Malaria (d) Ebola

I.A.S. (Pre) 1996

Ans. (b)

According to World Health Organisation, tuberculosis causes the death of the largest number of people at present time (except the COVID-19 pandemic period). A total of 1.25 million people died from TB in 2023 (including 3.23 lakh in India alone).

16. Every year 3-5 lakhs of Indians die of a disease. Identify it –

- (a) Encephalitis (b) AIDS
(c) Cancer (d) Tuberculosis

40th B.P.S.C. (Pre) 1995

Ans. (d)

See the explanation of above question.

17. Which one of the following is NOT correctly matched?

- (a) Autoimmune disease – Rheumatoid arthritis
(b) Genetic disease – Tuberculosis
(c) Scabies – Mite
(d) Mental disease – Schizophrenia

U.P. R.O./A.R.O. (Pre) 2016

Ans. (b)

Tuberculosis is a bacterial disease, caused by the bacteria 'Mycobacterium tuberculosis'. Other pairs are correctly matched.

18. Which one of the following diseases is caused by bacteria?

- (a) Tuberculosis (b) Influenza
(c) Polio (d) Malaria

U.P.P.C.S. (Mains) 2010

Uttarakhand P.C.S. (Mains) 2006

Ans. (a)

See the explanation of above question.

19. Tuberculosis is caused by a –

- (a) Bacterium (b) Virus
(c) Fungus (d) Protozoan

U.P.P.C.S. (Mains) 2004

Ans. (a)

See the explanation of above question.

20. A specific test for detection of tuberculosis is :

- (a) Robert's Test (b) Widal's Test
(c) Kahn's Test (d) Montoux Test

U.P. Lower Sub. (Mains) 2015

Ans. (d)

The Montoux Tuberculin Skin Test (TST) or the TB blood test can be used to test for tuberculosis infection. This test is performed by injecting a small amount of fluid called tuberculin into the skin in the lower part of the arm.

21. BCG vaccine is used for the prevention of :

- (a) Smallpox (b) Typhoid
(c) Tuberculosis (d) Plague
(e) None of the above/More than one of the above

66th B.P.S.C. (Pre) (Re. Exam) 2020

Ans. (c)

BCG (Bacillus Calmette-Guerin) vaccine is used for the prevention of tuberculosis (T.B.). It should be procured just after the birth of a baby to prevent T.B.

22. BCG vaccine is given in :

- (a) Pneumonia (b) Whooping cough
(c) Tetanus (d) T.B.

U.P.P.C.S. (Pre) 1990

Ans. (d)

The vaccine of BCG should be procured just after the birth of a baby to prevent T.B. However this vaccine can be inoculated up to 12 months of age, but its effect decreases if inoculation is getting late.

23. The BCG vaccine must be procured to a newborn baby within –

- (a) 6 months (b) Seven days
(c) Just after the birth (d) 48 days

U.P.P.C.S. (Pre) 1991

Ans. (c)

See the explanation of above question.

24. From the following pairs, find the one which is correctly matched.

- (a) Scurvy – Thiamine
(b) Tuberculosis – ATS
(c) Tetanus – BCG
(d) Malaria – Chloroquine
(e) None of the above/More than one of the above

67th B.P.S.C. (Pre) (Re. Exam) 2022

Ans. (d)

BCG vaccine is given to prevent Tuberculosis. Chloroquine is used for the treatment of Malaria. Scurvy is a disease caused by the deficiency of vitamin C. Whereas thiamine is known as vitamin B₁. ATS (Tetanus Antitoxin) is used for prophylaxis and treatment of Tetanus.

25. The disease 'Tetanus' is also known as :

- (a) Gangrene
(b) Shingles
(c) Lock jaw
(d) Whooping cough

U.P.P.C.S. (Spl.) (Mains) 2008

Ans. (c)

Tetanus is a bacterial disease caused by the bacteria *Clostridium tetani*. When the tetanus bacteria invade the body through a wound, they produce a toxin or poison, that causes muscles to become tight, which is very painful. Tetanus mainly affects the neck and abdomen. It is also known as 'lock jaw' because it often causes a person's neck and jaw muscles to lock, making it hard to open the mouth or swallow.

26. Which one of the following is not caused by infected mosquito bite :

- (a) Plague (b) Yellow fever
(c) Malaria (d) Dengue

U.P.P.C.S. (Pre) 1997

Ans. (a)

Plague is an infectious disease caused by the bacterium *Yersinia pestis*, which primarily affects wild rodents. It is spread from one rodent to another by fleas. Humans bitten by an infected flea usually develop a bubonic form of plague, which is characterized by a bubo i.e. a swelling of the lymph node draining the flea bite site. If the bacteria reach the lungs, the patient develops pneumonic plague. If diagnosed early, bubonic plague can be successfully treated with antibiotics. But in case of pneumonic plague, patients can die within 24 hours after infection.

27. Match the following :

- | | |
|----------------------|--------------------|
| A. By air | 1. Tetanus |
| B. By water | 2. T.B. |
| C. By contact | 3. Cholera |
| D. By wound | 4. Syphilis |

Code :

- | | | | | |
|-----|---|---|---|---|
| | A | B | C | D |
| (a) | 1 | 2 | 3 | 4 |
| (b) | 2 | 3 | 4 | 1 |
| (c) | 3 | 4 | 1 | 2 |
| (d) | 4 | 1 | 2 | 3 |

U.P.P.C.S. (Pre) 1999

Ans. (b)

The correctly matched lists are as follows :

- | | | |
|------------|---|----------|
| By air | – | T.B. |
| By water | – | Cholera |
| By contact | – | Syphilis |
| By wound | – | Tetanus |

28. Match the following :

- | | |
|---------------------|---|
| A. Plague | 1. Affect the intestines |
| B. Filaria | 2. Spreads through flea-bites |
| C. Beri-beri | 3. Caused by mosquitoes |
| D. Typhoid | 4. Due to Vitamin 'B' deficiency |

Code :

- | | | | | |
|-----|---|---|---|---|
| | A | B | C | D |
| (a) | 1 | 1 | 3 | 4 |
| (b) | 3 | 4 | 1 | 2 |

- (c) 4 1 2 3
(d) 2 3 4 1

M.P.P.C.S. (Pre) 1995

Ans. (d)

The correctly matched lists are as follows :

- | | | |
|-----------|---|----------------------------------|
| Plague | – | Spreads through flea-bites |
| Filaria | – | Caused by mosquitoes |
| Beri-beri | – | Caused by Vitamin 'B' deficiency |
| Typhoid | – | Affect the intestines |

29. Tooth decay is mostly caused by interaction in the mouth between bacteria and food particles of –

- (a) Proteins (b) Carbohydrates
(c) Fats (d) Salads

Uttarakhand P.C.S. (Pre) 2005

Ans. (b)

Tooth decay is a breakdown of teeth mostly caused by interaction in the mouth between bacteria and food particles of carbohydrates. There are four main criteria required for caries formation : a tooth surface (enamel or dentine), caries-causing bacteria, fermentable carbohydrates (such as sucrose) and time.

30. The reason of dental caries is –

- (a) Viral infection (b) Contaminated water
(c) Bacterial infection (d) Hereditary reason

Jharkhand P.C.S. (Pre) 2013

Ans. (c)

See the explanation of above questions.

31. People drinking water from a shallow handpump, are likely to suffer from all of the following diseases except:

- (a) Cholera (b) Typhoid
(c) Jaundice (d) Fluorosis

I.A.S. (Pre) 1996

Ans. (d)

People drinking water from a shallow handpump are likely to suffer from cholera, typhoid and jaundice because microorganisms like bacteria may enter into the body through contaminated drinking water and cause these diseases. Fluorosis which occurs due to excess of fluoride in water is a cosmetic condition that affects the teeth. It is caused by overexposure to fluoride.

32. Which of the following is a waterborne disease?

- (a) Smallpox (b) Malaria
(c) Cholera (d) Tuberculosis

U.P.P.C.S. (Pre) (Re. Exam) 2015

Ans. (c)

Cholera is an acute, diarrheal illness caused by infection of the intestine with the bacterium *Vibrio cholerae*. A person can get cholera by drinking water or eating food contaminated with the cholera bacterium. The disease can spread rapidly in areas with inadequate treatment of sewage and poor drinking water.

33. Typhoid and cholera are typical examples of –

- (a) Infectious diseases (b) Airborne diseases
(c) Waterborne diseases (d) None of the above

56th to 59th B.P.S.C. (Pre) 2015

Ans. (c)

Typhoid and cholera are typical examples of waterborne diseases. Waterborne diseases are transmitted through water. The interruption of transmission is achieved by proper treatment of drinking water. Almost 4 million people die each year from water related diseases.

34. Leprosy is caused by –

- (a) Bacteria (b) Virus
(c) Fungus (d) Protozoa

U.P.P.S.C.(GIC) 2010

Ans. (a)

Leprosy, also known as Hansen's disease, is a long-term infection by the bacteria *Mycobacterium leprae* or *Mycobacterium lepromatosis*.

35. All of the following diseases are caused by virus except:

- (a) Jaundice (b) Influenza
(c) Mumps (d) Typhoid

U.P. Lower Sub. (Pre) 2008

Ans. (d)

Typhoid is caused by *Salmonella typhi* bacteria. Other three are viral diseases.

36. The term antibiotic was coined by :

- (a) Davie and Ratnoff (b) Edward O. Wilson
(c) M. Pearl (d) Selman Waksman

Uttarakhand P.C.S. (Pre) 2024

Ans. (d)

The term 'antibiotic' was first coined by Selman Waksman in 1942, to describe any substance produced by a microorganism that is antagonistic to the growth of other microorganisms. Selman Waksman is also known for his discovery of streptomycin and several other antibiotics. An antibiotic is a type of antimicrobial substance active against bacteria. It is the most important type of antibacterial agent for fighting bacterial infections, and antibiotic medications are widely used in the treatment and prevention of such infections.

37. Which one of the following is an antibiotic drug?

- (a) Quinine (b) Sulphaguanidine
(c) Chloramphenicol (d) Aspirin
(e) None of the above/More than one of the above

60th to 62nd B.P.S.C. (Pre) 2016

Ans. (e)

Chloramphenicol is an antibiotic which is used in the treatment of bacterial infection. Sulphaguanidine is also a sulphonamide antibiotic which works as an antibacterial agent. Hence option (e) is the correct answer.

38. The antibiotic among the following is :

- (a) Penicillin (b) Aspirin
(c) Paracetamol (d) Sulphadiazine
(e) None of the above/More than one of the above

63rd B.P.S.C. (Pre) 2017

Ans. (e)

Penicillins are a group of antibiotics used to treat a wide range of bacterial infections. Sulphadiazine is also a sulphonamide antibiotic, used to treat bacterial meningitis, urinary tract infections, etc. Hence, option (e) is the correct answer.

39. An example of antibiotic medicine is :

- (a) Aspirin (b) Paracetamol
(c) Chloroquine (d) Penicillin
(e) None of the above/More than one of the above

66th B.P.S.C. (Pre) (Re. Exam) 2020

Ans. (d)

See the explanation of above question.

40. Which of the following is a broad-spectrum drug?

- (a) Chloramphenicol (b) Paracetamol
(c) Xylocaine (d) Chloroprene

R.A.S./R.T.S. (Pre) 1999

Ans. (a)

The term broad-spectrum antibiotic refers to an antibiotic that acts against a wide range of disease-causing bacteria. Broad-spectrum antibiotic acts against both Gram-positive and Gram-negative bacteria, in contrast to a narrow-spectrum antibiotic, which is effective against specific group of bacteria or single specific microorganism. Chloramphenicol is also known as chloronitromycin. It is a broad-spectrum antibiotic drug used against serious infections such as typhoid fever.

41. Sulfa drugs are effective against diseases caused by :

- (a) Bacteria (b) Worms
(c) Vitamin deficiency (d) Glandular upsets

R.A.S./R.T.S. (Pre) 1996

Ans. (a)