

User Management in Linux

Multiple Choice Questions (MCQs)

Instructions: Answer all questions. Each question carries 1 mark.

Form Link: <https://forms.gle/9EYjWBz7jMwB399m7>

Linux Group Management – 20 Marks MCQ

1 Which file stores group information in Linux?

- A) /etc/passwd
- B) /etc/shadow
- C) /etc/group
- D) /etc/login.defs

Answer: C) /etc/group

2 Which file stores secure group passwords and group administrators?

- A) /etc/group
- B) /etc/gshadow
- C) /etc/shadow
- D) /etc/security

Answer: B) /etc/gshadow

3 What does the command below do?

`usermod -aG devops ashvi`

- A) Creates user ashvi
- B) Deletes user ashvi
- C) Adds ashvi to devops group without removing other groups
- D) Makes devops primary group

Answer: C) Adds ashvi to devops group without removing other groups

4 What happens if you run:

`usermod -G devops ashvi`

without `-a`?

- A) Nothing changes
- B) User gets deleted
- C) User is removed from all other groups
- D) It sets primary group

Answer: C) User is removed from all other groups

5 Which command creates a new group?

- A) `addgroup`
- B) `groupadd`
- C) `useradd`
- D) `groupnew`

Answer: B) groupadd

6 Which option is used to rename a group?

- A) `groupmod -g`
- B) `groupmod -r`
- C) `groupmod -n`
- D) `groupmod -u`

Answer: C) groupmod -n

7 Which option changes the GID of a group?

- A) -g
- B) -n
- C) -G
- D) -a

Answer: A) -g

8 What does this command do?

`gpasswd -a user1 devops`

- A) Deletes user1
- B) Adds user1 to devops group
- C) Sets password for user1
- D) Changes primary group

Answer: B) Adds user1 to devops group

9 Which command removes a user from a group?

- A) `gpasswd -r`
- B) `gpasswd -d`
- C) `groupdel`
- D) `userdel`

Answer: B) `gpasswd -d`

10 What is the purpose of `gpasswd -A`?

- A) Add user to group
- B) Set group administrator
- C) Remove group
- D) Assign GID

Answer: B) Set group administrator

11) What is a primary group?

- A) First group created in system
- B) Group assigned when user logs in
- C) The main group associated with a user
- D) A system group

Answer: C) The main group associated with a user

12) How many primary groups can a user have?

- A) Unlimited
- B) 2
- C) 1
- D) 5

Answer: C) 1

13) Which command shows all groups of a user?

- A) groups username
- B) ls -l
- C) whoami
- D) groupinfo

Answer: A) groups username

14) What does `newgrp devops` do?

- A) Creates new group
- B) Deletes group
- C) Temporarily switches user's primary group
- D) Permanently adds user to group

Answer: C) Temporarily switches user's primary group

15 If a user is NOT a member of a group, what happens when using **newgrp**?

- A) Automatically added
- B) Error only
- C) Prompts for group password
- D) System crash

Answer: C) Prompts for group password

16 Which command deletes a group?

- A) groupremove
- B) groupdel
- C) gpasswd -r
- D) userdel

Answer: B) groupdel

17 Which command is safer in enterprise environments when checking group info?

- A) cat /etc/group
- B) more /etc/group
- C) getent group
- D) ls /etc/group

Answer: C) getent group

18 Which setting enables private group creation for new users?

- A) PRIVATE_GROUP yes
- B) USERGROUPS_ENAB yes
- C) GROUP_ENABLE yes
- D) USERGROUPS_CREATE yes

Answer: B) USERGROUPS_ENAB yes

19) What is the correct format of an entry in `/etc/group`?

- A) username:UID:GID:home_directory
- B) group_name:password_placeholder:GID:members
- C) group_name:GID:password:members
- D) username:password:GID:shell

Answer: B) group_name:password_placeholder:GID:members

20) What happens if you try to delete a group that is the primary group of an existing user?

- A) The group is deleted and user is disabled
- B) The system automatically changes user's primary group
- C) The deletion fails
- D) The user is removed from system

Answer: C) The deletion fails
