

Linux at & Cron

Multiple Choice Questions (MCQs)

Instructions: Answer all questions. Each question carries **1 mark**.

Form Link: <https://forms.gle/bDgCQR8ZTbYApCkY6>

1. What is the purpose of the **at** command in Linux?

- A. Schedule repeated tasks
- B. Schedule one-time tasks
- C. Run commands immediately
- D. Manage system users

 **Answer:** B

2. Which service executes jobs scheduled using the **at** command?

- A. crond
- B. atd
- C. systemd
- D. sshd

 **Answer:** B

3. Which command checks scheduled **at** jobs?

- A. atlist
- B. atq
- C. atrun
- D. atshow

 **Answer:** B

4. Which command removes a scheduled **at job?**

- A. atremove
- B. atrm
- C. atdelete
- D. atrun

 **Answer: B**

5. Where are **at jobs stored in Linux?**

- A. /etc/cron
- B. /var/spool/at
- C. /usr/at
- D. /tmp/at

 **Answer: B**

6. What is the command to view the contents of a scheduled **at job?**

- A. atview
- B. at -v
- C. at -c job_number
- D. atshow

 **Answer: C**

7. Which file allows specific users to run **at command?**

- A. /etc/at.allow
- B. /etc/at.users
- C. /etc/cron.allow
- D. /etc/at.conf

 **Answer: A**

8. What does the command **at now + 5 minutes do?**

- A. Runs command every 5 minutes
- B. Runs command after 5 minutes
- C. Runs command immediately
- D. Runs command daily

 **Answer: B**

Cron MCQs

9. What is cron in Linux?

- A. File system
- B. Package manager
- C. Time-based job scheduler
- D. User management tool

 **Answer: C**

10. Which command is used to edit user cron jobs?

- A. cron -e
- B. crontab -e
- C. cronedit
- D. cronjob -e

 **Answer: B**

11. Which command lists cron jobs?

- A. cron -l
- B. crontab -l
- C. cronlist
- D. cronshow

 **Answer: B**

12. Which command removes all cron jobs of a user?

- A. crontab -d
- B. crontab -x
- C. crontab -r
- D. crontab -remove

 **Answer: C**

13. How many time fields are present in a crontab entry?

- A. 3
- B. 4
- C. 5
- D. 6

 **Answer: C**

14. What does * represent in crontab?

- A. Default value
- B. Every value
- C. Null value
- D. Error

 **Answer: B**

15. What does the following cron job mean?

`*/10 * * * * script.sh`

- A. Run every hour
- B. Run every 10 minutes
- C. Run every 10 hours
- D. Run once daily

 **Answer: B**

16. Which file contains system-wide cron jobs?

- A. /etc/crontab
- B. /var/cron
- C. /etc/cron.conf
- D. /usr/cron

 **Answer: A**

17. Which directory is used for daily cron jobs?

- A. /etc/cron.hourly
- B. /etc/cron.daily
- C. /etc/cron.weekly
- D. /etc/cron.monthly

 **Answer: B**

18. What does the shortcut @reboot do in cron?

- A. Runs job every minute
- B. Runs job when system starts
- C. Runs job every hour
- D. Runs job every month

 **Answer: B**

19. Which command checks cron logs in CentOS/RHEL?

- A. cat /var/log/cron
- B. cat /var/log/syslog
- C. cat /var/log/messages
- D. cat /var/log/jobs

 **Answer: A**

20. What is the main difference between cron and at?

- A. cron runs once, at runs repeatedly
- B. cron runs repeatedly, at runs once
- C. both run once
- D. both run repeatedly

 **Answer: B**
