



Linux File Viewing & Comparison – MCQ Test



Multiple Choice Questions (MCQs)

Instructions: Answer all questions. Each question carries **1 mark**.

Form Link: <https://forms.gle/c11mbgmCPHF1FpmS6>

◆ Section A – head & tail

1 What is the default number of lines displayed by **head**?

- A) 5
- B) 10
- C) 15
- D) All lines

Answer: B

2 Which command displays first 6 lines of file.txt?

- A) head file.txt 6
- B) head -6 file.txt
- C) head -n 6 file.txt
- D) head file.txt -n

Answer: C

3 What does **tail -f app.log** do?

- A) Deletes last lines
- B) Displays first lines

- C) Monitors file in real time
- D) Copies file

Answer: ☒ C

4 Which command shows last 3 lines?

- A) tail -3 file.txt
- B) tail -n 3 file.txt
- C) tail 3 file.txt
- D) tail file.txt -3

Answer: ☒ B

5 How do you stop **tail -f**?

- A) Esc
- B) :q
- C) Ctrl + C
- D) Ctrl + Z

Answer: ☒ C

◆ Section B – less & more

6 Which command allows forward and backward scrolling?

- A) more
- B) less
- C) cat
- D) wc

Answer: ☒ B

7 Inside less, which key goes to bottom?

- A) b
- B) g
- C) G
- D) End

Answer: ☒ C

8) Inside less, how do you search for the word ERROR?

- A) ?ERROR
- B) /ERROR
- C) :ERROR
- D) search ERROR

Answer: ☒ B

9) Which command cannot scroll backward?

- A) less
- B) more
- C) vim
- D) head

Answer: ☒ B

10) Which command is recommended for large files?

- A) cat
- B) more
- C) less
- D) wc

Answer: ☒ C

◆ Section C – wc

11) What does `wc` display by default?

- A) Only lines
- B) Only words
- C) Lines, words, characters
- D) File size only

Answer: ☒ C

12) Which option counts only lines?

- A) `wc -c`
- B) `wc -l`
- C) `wc -w`
- D) `wc -n`

Answer: ☒ B

13) What does `wc -w` count?

- A) Lines
- B) Words
- C) Characters
- D) Files

Answer: ☒ B

14) Output:

```
10 50 300 file.txt
```

What does 50 represent?

- A) Lines
- B) Characters
- C) Words
- D) Bytes

Answer: ☒ C

15) Which command counts lines of multiple files?

- A) wc file1 file2
- B) wc -l file1 file2
- C) wc -n file1 file2
- D) Both A and B

Answer: ☒ D

◆ Section D – diff

16 What does **diff** compare?

- A) File size
- B) File permissions
- C) File contents line by line
- D) File ownership

Answer: ☒ C

17 In diff output, what does **a** mean?

- A) Append
- B) Add
- C) Adjust
- D) Apply

Answer: ☒ B

18 In diff output, what does **c** mean?

- A) Copy
- B) Compare
- C) Change
- D) Clear

Answer: ☒ C

19) Which option compares directories recursively?

- A) diff -d
- B) diff -r
- C) diff -a
- D) diff -R

Answer: ☒ B

20) What does `diff -y` do?

- A) Shows only differences
- B) Deletes differences
- C) Shows side-by-side comparison
- D) Ignores case

Answer: ☒ C

◆ Section E – vimdiff

21) What does vimdiff do?

- A) Deletes files
- B) Compares files side-by-side
- C) Compresses files
- D) Counts lines

Answer: ☒ B

22) Which command opens vimdiff?

- A) vim --compare
- B) vimdiff file1 file2
- C) diff -v
- D) vim -compare

Answer: ☒ B

23 In vimdiff, which command goes to next difference?

- A)]c
- B) [c
- C) dd
- D) :next

Answer: ☒ A

24 In vimdiff, **do** means:

- A) Delete output
- B) Diff obtain
- C) Diff open
- D) Diff overwrite

Answer: ☒ B

25 Which command saves and exits all windows in vimdiff?

- A) :q
- B) :w
- C) :wq
- D) :wqa

Answer: ☒ D

◆ Section F – Scenario Based

26 You want to monitor live logs. Which command?

- A) head
- B) tail -f
- C) less
- D) wc

Answer: ☒ B

27) You want to count total log entries. Which command?

- A) wc -l
- B) diff
- C) head
- D) less

Answer: ☒ A

28) You want to compare yesterday.log and today.log quickly. Which command?

- A) wc
- B) diff
- C) more
- D) head

Answer: ☒ B

29) You want interactive merging of config files. Which command?

- A) diff
- B) wc
- C) vimdiff
- D) less

Answer: ☒ C

30) Which command is best for searching inside large files?

- A) head
- B) wc
- C) less
- D) tail

Answer: ☒ C
