



Linux ACL

Multiple Choice Questions (MCQs)

Instructions: Answer all questions. Each question carries **1 mark**.

Form Link: <https://forms.gle/y5ZvyDiC2cNifgzo7>

1 What is the main purpose of ACL in Linux?

- A) Replace chmod
- B) Provide fine-grained permission control
- C) Remove file permissions
- D) Encrypt files

 **Answer: B**

2 Traditional Linux permissions allow access control for:

- A) Multiple users and multiple groups
- B) One owner, one group, others
- C) Unlimited users
- D) Only root

 **Answer: B**

3 Which command is used to view ACL entries?

- A) chmod
- B) chown
- C) getfacl
- D) setacl

 **Answer: C**

4) Which command is used to modify ACL?

- A) chmod
- B) setfacl
- C) chgrp
- D) lsacl

 **Answer: B**

5) What does the "+" symbol in `ls -l` output indicate?

- A) File is executable
- B) File is hidden
- C) ACL is applied
- D) File is compressed

 **Answer: C**

6) Which type of ACL applies only to directories?

- A) Access ACL
- B) User ACL
- C) Default ACL
- D) Mask ACL

 **Answer: C**

7) What is the purpose of mask in ACL?

- A) Hide file
- B) Set owner permission
- C) Define maximum effective permission
- D) Remove ACL

 **Answer: C**

8) Which of the following sets read permission for user john?

- A) setfacl -m u:john:r file.txt
- B) chmod john+r file.txt
- C) setacl john:r file.txt
- D) chown john file.txt

✓ Answer: A

9) Which command removes a specific ACL entry?

- A) setfacl -b
- B) setfacl -x
- C) chmod -x
- D) getfacl -x

✓ Answer: B

10) Which command removes all ACL entries from a file?

- A) setfacl -b file.txt
- B) setfacl -k file.txt
- C) chmod 777 file.txt
- D) rm -acl file.txt

✓ Answer: A

11) ACL is supported by which filesystem?

- A) ext4
- B) XFS
- C) Btrfs
- D) All of the above

✓ Answer: D

12) Default ACL is inherited by:

- A) Existing files
- B) Parent directory

- C) Newly created files inside directory
- D) System files

✓ Answer: C

13) Which option is used for recursive ACL application?

- A) -m
- B) -R
- C) -d
- D) -x

✓ Answer: B

14) Which option sets default ACL?

- A) -R
- B) -m
- C) -d
- D) -k

✓ Answer: C

15) What does this entry mean?

`user:john:rwX`

- A) Owner permission
- B) Specific user permission
- C) Group permission
- D) Mask permission

✓ Answer: B

16) Which entry shows maximum effective permission?

- A) user::
- B) group::

- C) mask::
- D) other::

 **Answer: C**

17) Which command backs up ACL recursively?

- A) setfacl -R
- B) getfacl -R /dir > file
- C) chmod -R
- D) aclbackup

 **Answer: B**

18) What happens if mask permission is lower than user ACL?

- A) User gets full permission
- B) User gets no permission
- C) Effective permission is limited by mask
- D) File gets deleted

 **Answer: C**

19) Which of the following is NOT an advantage of ACL?

- A) Fine-grained control
- B) Multiple user access
- C) Simpler than chmod always
- D) Better security management

 **Answer: C**

20) When should ACL be used?

- A) Single-user systems
- B) Shared project environments
- C) For deleting files
- D) For formatting disk

✓ Answer: B
