



Linux Directory Structure – MCQ Test

✓ Multiple Choice Questions (MCQs)

Instructions: Answer all questions. Each question carries **1 mark**.

Form Link: <https://forms.gle/w7c1LonPzfSQHPst8>

1 What is the top-most directory in Linux?

- A) /root
- B) /home
- C) /
- D) /bin

✓ **Answer: C**

2 Which directory contains essential user command binaries like **ls** and **cp**?

- A) /etc
- B) /bin
- C) /usr
- D) /var

✓ **Answer: B**

3 System administration commands like **reboot** and **shutdown** are mainly stored in:

- A) /home
- B) /sbin
- C) /opt
- D) /tmp

✓ Answer: B

4 Which directory contains system-wide configuration files?

- A) /etc
- B) /lib
- C) /dev
- D) /boot

✓ Answer: A

5 The file `/etc/passwd` stores:

- A) Encrypted passwords
- B) Kernel configuration
- C) User account information
- D) Bootloader settings

✓ Answer: C

6 The home directory for normal users is located inside:

- A) /root
- B) /home
- C) /usr
- D) /mnt

✓ Answer: B

7 What is the main difference between `/` and `/root`?

- A) No difference
- B) `/root` is the system kernel
- C) `/` is root directory, `/root` is root user's home
- D) `/root` contains all users

✓ Answer: C

8 Which directory contains system log files?

- A) /tmp
- B) /usr
- C) /var/log
- D) /boot

 **Answer: C**

9 Temporary files accessible by all users are stored in:

- A) /home
- B) /tmp
- C) /opt
- D) /lib

 **Answer: B**

10 The permission **drwxrwxrwt** in **/tmp** indicates:

- A) Hidden directory
- B) Read-only directory
- C) Sticky bit enabled
- D) Encrypted directory

 **Answer: C**

11 Which directory contains user-level applications like **vim** and **gcc**?

- A) /usr/bin
- B) /etc
- C) /var
- D) /proc

 **Answer: A**

12) Shared libraries required by `/bin` and `/sbin` are stored in:

- A) `/opt`
- B) `/lib`
- C) `/mnt`
- D) `/run`

 **Answer: B**

13) Bootloader files and Linux kernel are stored in:

- A) `/dev`
- B) `/sys`
- C) `/boot`
- D) `/usr`

 **Answer: C**

14) Which directory represents hardware devices as files?

- A) `/etc`
- B) `/dev`
- C) `/var`
- D) `/opt`

 **Answer: B**

15) `/dev/null` is used to:

- A) Store logs
- B) Delete hardware
- C) Discard output
- D) Monitor processes

 **Answer: C**

16) Which directory provides real-time process information?

- A) /sys
- B) /proc
- C) /opt
- D) /media

✓ Answer: B

17 /sys is mainly used to:

- A) Store user data
- B) Provide kernel & hardware interface
- C) Store boot files
- D) Store passwords

✓ Answer: B

18 Manual temporary mounts are typically done in:

- A) /mnt
- B) /usr
- C) /home
- D) /var

✓ Answer: A

19 Automatically mounted USB devices are usually found in:

- A) /boot
- B) /media
- C) /lib
- D) /etc

✓ Answer: B

20 Third-party or optional software is generally installed in:

- A) /opt
- B) /bin

C) /proc
D) /run

 **Answer: A**
