6/19/24, 10:00 PM

Week5_Coding: Attempt review | REC-PS

Started on	Tuesday, 28 May 2024, 8:45 PM
State	Finished
Completed on	Tuesday, 28 May 2024, 9:33 PM
Time taken	47 mins 54 secs
Marks	10.00/10.00
Grade	100.00 out of 100.00

In this exercise, you will create a program that reads words from the user until the user enters a blank line. After the user enters a blank line your program should display each word entered by the user exactly once. The words should be displayed in the same order that they were first entered. For example, if the user enters:

first

second

first

third

second

then your program should display:

first

second

third

Answer: (penalty regime: 0 %)

```
s=list()
2 a=" "
 3 v while True:
4
        i=input()
 5 •
        if i[-1] is a:
            break
6
7 🔻
        else:
8 •
            if i not in s:
9
                 s.append(i)
10 v for i in s:
        print(i)
11
```

	Input	Expected	Got	
~	first	first	first	~
	second	second	second	
	first	third	third	
	third			
	second			
~	rec	rec	rec	~
	cse	cse	cse	
	it	it	it	
	rec			
	cse			
			I	

Passed all tests! ✓

Correct

Write a program that takes as input a string (sentence), and returns its second word in uppercase.

For example:

If input is "Wipro Technologies Bangalore" the function should return "TECHNOLOGIES"

If input is "Hello World" the function should return "WORLD"

If input is "Hello" the program should return "LESS"

NOTE 1: If input is a sentence with less than 2 words, the program should return the word "LESS".

NOTE 2: The result should have no leading or trailing spaces.

For example:

Input	Result
Wipro Technologies Bangalore	TECHNOLOGIES
Hello World	WORLD
Hello	LESS

Answer: (penalty regime: 0 %)

```
sentence=input()
words=sentence.split()
if len(words)<2:
    print("LESS")
else:
    print(words[1].upper())</pre>
```

	Input	Expected	Got	
~	Wipro Technologies Bangalore	TECHNOLOGIES	TECHNOLOGIES	~
~	Hello World	WORLD	WORLD	~
~	Hello	LESS	LESS	~

Passed all tests! ✓

Correct

Given two Strings s1 and s2, remove all the characters from s1 which is present in s2.

Constraints

1<= string length <= 200

Sample Input 1

experience enc

Sample Output 1

xpri

Answer: (penalty regime: 0 %)

```
1 | s1=input()
2 | s2=set(input())
3 | r=[i for i in s1 if i not in s2]
4 | print(''.join(r))
```

	Input	Expected	Got	
~	experience enc	xpri	xpri	~

Passed all tests! ✓

Correct

Reverse a string without affecting special characters

Given a string **S**, containing special characters and all the alphabets, reverse the string without affecting the positions of the special

Input:

A&B

Output:

B&A

Explanation: As we ignore '&' and

As we ignore '&' and then reverse, so answer is "B&A".

For example:

Input	Result
A&x#	x&A#

Answer: (penalty regime: 0 %)

```
# Take input from the user
   s = input()
 2
    # Step 1: Store positions of special characters
   special_chars = [c for c in s if not c.isalnum()]
 6
    # Step 2: Remove special characters and reverse the string
    reversed_string = ''.join(c for c in s if c.isalnum())[::-1]
 7
8
9
    # Step 3: Insert special characters back into original positions
10
    result = ''
11
    special_index = 0
12 v for c in s:
13 v
        if not c.isalnum():
14
            result += special_chars[special_index]
15
            special_index += 1
16
17
            result += reversed_string[0]
            reversed_string = reversed_string[1:]
18
19
   print(result)
20
```

	Input	Expected	Got	
~	A&B	B&A	B&A	~

Passed all tests! 🗸

Correct

Assume that the given string has enough memory.

Don't use any extra space(IN-PLACE)

Sample Input 1

a2b4c6

Sample Output 1

aabbbbcccccc

Answer: (penalty regime: 0 %)

```
if s[i].isalpha():
5 🔻
 6
           char=s[i]
7
           i+=1
8
           c=0
9 •
           while i < len(s) and s[i].isdigit():
10
              c=c*10 + int(s[i])
              i+=1
11
12
           r += char*c
13 •
       else:
14
           i += 1
15
   print(r)
```

	Input	Expected	Got	
~	a2b4c6	aabbbbccccc	aabbbbccccc	~
~	a12b3d4	aaaaaaaaaabbbdddd	aaaaaaaaaabbbdddd	~

Passed all tests! ✓

Correct

Write a python program to count all letters, digits, and special symbols respectively from a given string

For example:

Input	Result
rec@123	3
	3
	1

Answer: (penalty regime: 0 %)

```
string=input()
    letter_count=0
 3
     digit_count=0
 4 special_symbol_count=0
5 v for char in string:
           if char.isalpha():
 6 ▼
 7
                 letter_count+=1
 8 •
           elif char.isdigit():
                 \texttt{digit\_count+=} \textcolor{red}{1}
 9
10 •
                 special_symbol_count+=1
11
    print(letter_count)
print(digit_count)
print(special_symbol_count)
12
13
14
15
```

	Input	Expected	Got	
~	rec@123	3	3	~
		3	3	
		1	1	
~	P@#yn26at^&i5ve	8	8	~
		3	3	
		4	4	
~	abc@12&	3	3	~
		2	2	
		2	2	
		I		

Passed all tests! ✓

Correct

String should contain only the words are not palindrome.

Sample Input 1

Malayalam is my mother tongue

Sample Output 1

is my mother tongue

Answer: (penalty regime: 0 %)

	Input	Expected	Got	
~	Malayalam is my mother tongue	is my mother tongue	is my mother tongue	~

Passed all tests! ✓

Correct

Two string values S1, S2 are passed as the input. The program must print first N characters present in S1 which are also present in S2.

Input Format:

The first line contains S1.

The second line contains S2.

The third line contains N.

Output Format:

The first line contains the N characters present in S1 which are also present in S2.

Boundary Conditions:

```
2 <= N <= 10
2 <= Length of S1, S2 <= 1000
```

Example Input/Output 1:

Input:

abcbde

cdefghbb

3

Output:

bcd

Note:

b occurs twice in common but must be printed only once.

Answer: (penalty regime: 0 %)

```
i1 = input()
2 | i2 = input()
for j in i2:
7 🔻
          if i in r:
8
              break
9 ,
          else:
10
              if i==j:
11
                  r+=i
12
   print(r[0:i3])
13
```

		Input	Expected	Got	
~	/	abcbde cdefghbb	bcd	bcd	~
		3			

Passed all tests! ✓

Correct

Write a program to check if two <u>strings</u> are balanced. For example, <u>strings</u> s1 and s2 are balanced if all the characters in the s1 are present in s2. The character's position doesn't matter. If balanced display as "true" ,otherwise "false".

For example:

Input	Result
Yn	True
PYnative	

Answer: (penalty regime: 0 %)

	Input	Expected	Got	
~	Yn PYnative	True	True	~
~	Ynf PYnative	False	False	~

Passed all tests! <

Correct

Given a string S which is of the format USERNAME@DOMAIN.EXTENSION, the program must print the EXTENSION, DOMAIN, USERNAME in the reverse order.

Input Format:

The first line contains S.

Output Format:

The first line contains EXTENSION. The second line contains DOMAIN. The third line contains USERNAME.

Boundary Condition:

1 <= Length of S <= 100

Example Input/Output 1:

Input:

abcd@gmail.com

Output:

com

gmail

abcd

For example:

Input	Result
arvijayakumar@rajalakshmi.edu.in	edu.in rajalakshmi arvijayakumar

Answer: (penalty regime: 0 %)

```
1  h=input()
2  u_d, e=n.split(".",1)
3  u,d = u_d.split("@")
4  print(e)
5  print(d)
6  print(u)
```

			gmail	gmail		
6/19/24	10:00) PM	abcd	abcd Week5 Codir	ıg: Att	empt review REC-PS
	~	arvijayakumar@rajalakshmi.edu.in	edu.in	edu.in	~	
			rajalakshmi	rajalakshmi		
			arvijayakumar	arvijayakumar		

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

■ Week5_MCQ

Jump to...

List ►