

Question 1:

Total Records = 50,000

Total Columns = 15

Question 2:

Patient-ID	Unique number given to each patient
Age	Age of the patient
Gender	Gender of the patient (Male/Female/Other)
Country-Region	Country where the patient belongs
Year	Year when the patient was diagnosed
Genetic-Risk	Whether the patient has family history of cancer
Air_Pollution	Pollution level around the patient
Alcohol_Use	Whether the patient consumes alcohol
Smoking	Whether the patient smokes
Obesity_Level	Level of obesity of the patient
Cancer_Type	Type of cancer the patient has
Cancer_Stage	Stage of cancer (1,2,3,4)
Treatment_Cost_USD	Total cost of treatment in US dollars
Survival_Years	Number of years the patient survived after diagnosis
Target_Severity_Score	Score showing how severe the cancer is

Question 3:

- 1) Demographic Column:
Age, Gender, Country_Region
- 2) Lifestyle
Smoking, Alcohol_Use, Obesity_Level, Air_Pollution
- 3) Medical
Cancer_Type, Cancer_Stage, Genetic_Risk, Year
- 4) Cost
Treatment_Cost_USD
- 5) Outcome
Survival_Years, Target_Severity_Score

Question 4:

- 1) Australia
- 2) 2nd stage
- 3) Minimum (5000.05) & Maximum (99999.84)
- 4) Minimum (0) & Maximum (10)
- 5) Male (16796)

Question 5:

- 1) Cancer severity may be affected by factors like cancer stage, genetic risk, smoking, alcohol use and obesity level.
- 2) Early stage detection is important because it increases the chances of survival.
- 3) Treatment cost analysis is useful because it helps hospitals and patients understand how much money is required for treatment.
- 4) Hospital management can perform analysis like which cancer stage is most common, comparing treatment costs, checking survival rates etc.
- 5)
 - a. Does age affect the survival years of patients?
 - b. Is treatment cost different in different countries?