

CHAPTER – 1

INTRODUCTION

1.1 Summary of Project:

The project will be a web-based application that allows users to register as volunteers and donate to the Prison Ministry India - Vellore Diocese organization. The application will also allow users to search for volunteers in their local areas and view information about the organization and its members.

The vision of the Prison Ministry India - Vellore Diocese project is to create an online platform that empowers individuals to support the work of the organization and help improve the lives of prisoners and their families in the Vellore Diocese. The platform will provide a simple and user-friendly interface that allows users to register as volunteers, donate to the organization, and connect with other volunteers in their local areas. The vision is to create a platform that fosters a sense of community and collaboration among volunteers and helps raise awareness of the important work of the Prison Ministry.

1.2 Problem Statement:

The prison ministry operates in several areas in Tamil Nadu, and relies on volunteers to carry out its outreach programs to prisoners and their families. However, managing volunteers across different areas can be a challenging and time-consuming process, as there is currently no centralized system in place for volunteer registration and management. Additionally, users who are interested in volunteering or seeking support from the organization may have difficulty finding relevant information or contacts in their area.

1.3 Problem Solution:

The centralized system could include features such as volunteer registration forms, a database for tracking volunteer information and availability, automated communication tools for sending updates and reminders to volunteers, and a system for assigning volunteers to specific outreach programs or areas based on their skills and availability.

The user-friendly platform could include a website or mobile app that provides information about the organization's mission, programs, and services, as well as

resources and support for prisoners and their families. The platform could also include a directory of contacts for each area where the organization operates, as well as tools for connecting with volunteers and supporters.

1.4 Technical Requirements:

- **Required Languages:** HTML, CSS, JS, PHP and React JS.
- **Data Base:** MySQL
- **Client Side:** PHP, JS
- **Server Side:** PHP
- **Hardware Requirements:** 8GB RAM, 512 SSD, Intel Core(i3), Internet Connection.
- **Operating System:** Windows 11

1.5 Conclusion:

This Chapter concludes with the project abstract and summary of the project. The next Chapter describes the requirement analysis of the Project.

CHAPTER – 2

REQUIREMENT ANALISYS

2.1 Introduction:

Requirements analysis brings the system requirements of the project. This chapter gives the analysis of the Prison Ministry Web application, E-R diagram, DFD diagram, Product vision, Use case specification of the application. It brings to get an idea about the scope of the project.

2.2 System Study:

2.2.1 Introduction:

System study provides brief information of each module and its activities of the project. This chapter presents an overview of system study comprising of list of modules, description of modules, E-R diagram and DFD diagram.

This system study is focused on developing a social media platform for students that aims to enhance students' learning experience. The forum will offer students a safe and secure environment to connect, collaborate, and learn with their peers, teachers, and other educational resources. Through a comprehensive system analysis, we aim to develop a platform that meets the needs and requirements of students and provides a seamless and intuitive user experience. Prison Ministry India – Vellore PMI - VD goal is to create an innovative and interactive platform that encourages learning, growth, and the sharing of ideas while maintaining the highest standards of privacy and security.

2.2.2 List of Modules:

- Home
 - What we Do
 - Our Team
 - Get Involved
 - Contact us
- What we Do
- Our Team
 - Members Profile
 - Volunteer Profile
- Get Involved
 - Volunteer Registration

- Admin Login

2.2.3 Description of Modules:

Here is the Description for each Modules above Listed.

1) Home

Description:

This is the main page of the web application. This page contains the sub modules such as What we Do, our team, Prayer Intentions, Get Involved, Contact us.

Entry criteria:

To click the home module.

Input:

To view About the Prison Ministry

Output:

To get the chosen input

Exit criteria:

The Home will be displayed.

2) What we Do

Description:

In a way, the user should understand the purpose of this Prison Ministry and why they involved for the prisoners.

Entry criteria:

To click the What we Do Module

Input:

To view why the Web Application for Prison Ministry

Output:

To get the chosen input.

Exit criteria:

Returns the Home Modules

3) Our Team

Description:

This Module represent the prison ministry members and volunteer profile.

Entry criteria:

To click a our team module

Input:

To view the Prison Ministry – Vellore diocese co-ordinator, secretary and volunteer profile

Output:

To get the chosen input

Exit criteria:

Returns the Home Module

4) Get Involved

Description:

In this web application the users can involve and they become a volunteer.

- User login/sign in

The users who want to join in this organization they sign in with the required fields of Name, Gender, Age, E-mail, Contact Number, Consummate Address and they select the Respective Taluk.

- Admin login

The admin login as maintains the developed project and the singed users under guidance by Admin through admin login.

Entry criteria:

To click the Get involved module

Input:

Users become the volunteer using Sign in and Login


Output:

To get a Membership

Exit criteria:

Returns the Home module

2.3 ER – Diagram:



2.4 Vision Document:

Vision Document for Social Media Platform for Students

2.4.1 Introduction:

The Prison Ministry Organization to Developed for awareness and giving a help to prisoners and their families. In a way the web application to developed for prison ministry organization services and it can represent the volunteer in near of their several areas.

Goals

The Prison Ministry to increase a volunteer and helping the Prisoners and their families and Organizing a Retreat for the Prisoners.

The User Become a Volunteer surrounding in Vellore Diocese

2.4.2 Problem Statement:

The prison ministry operates in several areas in Tamil Nadu, and relies on volunteers to carry out its outreach programs to prisoners and their families. However, managing volunteers across different areas can be a challenging and time-consuming process, as there is currently no centralized system in place for volunteer registration and management. Additionally, users who are interested in volunteering or seeking support from the organization may have difficulty finding relevant information or contacts in their area.

2.4.3 Features of the Software Project:


Prison Ministry will offer a range of features that will make it an engaging and enjoyable platform for users. Some of the features include:

- To Highlighting the Prison Ministry Jobs
- If users interested to involved in Prison Ministry, they can become a volunteer through User login/Sign in
- Users can view the Prison Ministry Members profile
- Users can find the volunteer in their Taluk
- The users can contact Prison Ministry authorities
- Users can view the Prison Ministry Upcoming event
- It is easy to access and understand.

2.4.4 Use case Specification:

The following use case specification describes the activities carried out in the project. It describes each action carried out by the actors in each and every module. The Diagram which is below describes the activities carried out by the primary actors and secondary actors of the Project Prison Ministry.

2.4.5 Use case Diagram:



Use Case:

- Admin Login/Dash board
- Members/Volunteer Profile
- Services
- Prayer Request
- Contact us

Use CaseNo:1


Use case Name: Login/Volunteer Registration

Primary Actor: Admin

Secondary Actor(s): Users

Description:

This Use case represent the membership of the web application.

**Basic Flow:**

- The People and admin enter through the web application using Login Module
- The username password which is compared with the stored Data Base.
- System Authenticates the Admin and Display the Page Respectively.
- If the Value is valid then it will allow into to the user login.

Use CaseNo:2


Use case Name: Members/Volunteer Profile

Primary Actor: Admin

Secondary Actor(s): Users

Description:

This Use case represent the Members and Volunteer profile of the web application.

**Basic Flow:**

- The Users can identify the user in their respective taluks.
- The Members and Volunteer Profiles are Retrieve from the Stored Data base.
- System Authenticates the Admin Profile and Display the Profile Respectively.

Use CaseNo:3


Use case Name: Services

Primary Actor: Admin

Secondary Actor(s): Users

Description:


This Use case represent the Prison Ministry Services of the web application.

**Basic Flow:**


- This Use case Represent the Prison Ministry where it works and their services
- The upcoming events can be displayed.

2.4.6 Data Flow:

Level:0



Level: 1



2.5 Conclusion:

This chapter described the requirements of this web application such as system study, vision of the application and use case specification.

CHAPTER - 3


DESIGN DOCUMENT

3.1 Introduction

This system designs clearly the main functionalities of the Prison Ministry through an website system. It focuses on the capabilities needed by the Users and the target users, and why these needs exist. This document consists of the database design, Architectural design, procedural design, and user design and so on. They are described as follows.

3.2 Architectural Design

The Prison Ministry project is a web application designed to provide a platform for sharing and exchanging research materials and findings among academics and researchers in various fields. With its user-friendly interface and powerful capability users become a volunteer, the Prison Ministry Web Application aims to service in several area's in vellore Dioacese.



3.3 Database Design

Table Name: Coordinator Login


S.no	Field name	Data Type	Constraint	Description
1	Username	VARCHAR(50)	Primary Key	Enter the username
2	Password	VARCHAR(50)	Not Null	Enter the password

Table Name: Add Members as an Admin


S.no	Field name	Data Type	Constraint	Description
1	Adding a new Admin	Required Fields VARCHAR(50) INT(25)	Primary key	By Entering Details According by Admin

3.4 Interface Design

Home:



User Volunteer Registration & Login:



Volunteer Registration:

+ Create New User

First Name

Last Name

Username

admin

Password

.....

Age

Date of Birth

dd-mm-yyyy

Contact Number

Date of Birth

dd-mm-yyyy

Contact Number

Parish Area

Address


Taluk

Select a taluk

Sign in

Cancel


Volunteer Login:




Dashboard of Volunteer:



Co-ordinator Login:



Dashboard of Coordinator:



3.5 CONCLUSION

This chapter concludes with the Design of the project. The next chapter describes the implementation of the project.

CHAPTER – 4

IMPLEMENTATION

4.1 Introduction:

Implementation of the project describes the overview of the project and Prison Ministry of the program code.

4.2 Over View of the Project:

Prison Ministry is mainly designed the purpose of knowledge of Prison Ministry. Through online users can volunteering on Prison Ministry and co Ordinator perform as a Admin then managing the Database.

Admin:

- Creating Vice Admin
- Adding Services
- Adding Category
- Creating a New Work
- Managing a Works
- Work lists
- Maintenance of Users
- Maintenance of Volunteers

Volunteer:

- Registering as a Volunteer
- Request the Services
- Creating a New Work to Request
- Edit their Username and Password

4.3 Pseudo Code:

Home:

Step 1: Creating a menu button.

Step 2: By clicking the button, it directs to the different pages.

Main Page:

Step 1: It shows the menu options of the Project.

Step 2: Clicking the login button it goes back to home page.

Step 3: The user name and password are stored in the database.

Step 4: It checks whether the given user name and password is correct.

Step 6: If username and password is correct, Login is successful and a list view is opened. Else, it fails to login.

Coordinator Login:

Step 1: To Login with Defined Username and Password.

Step 2: Creating a New Admin Only through the Coordinator Login.

Step 3: Creating a New Services and works to assign to the Volunteer.

Service Category:

Step 1: Visiting Prisoners with the guidance of the Coordinator

Step 2: Prayer for the Prisoners and their families

4.3 Source Code:

Login Page Code:

```
<?php require_once('../config.php') ?>
<!DOCTYPE html>
<html lang="en" class="" style="height: auto;">
  <?php require_once('inc/header.php') ?>
  <body class="hold-transition login-page">
    <script>
      start_loader()
    </script>
    <div class="login-box">
      <!-- /.login-logo -->
      <div class="card card-outline card-primary">
        <div class="card-header text-center">
          <a href="." class="h1"><b>Login</b></a>
        </div>
        <div class="card-body">
          <p class="login-box-msg">Login in to start your session</p>

          <form id="login-frm" action="" method="post">
            <div class="input-group mb-3">
              <input type="text" class="form-control" name="username" placeholder="Username">
              <div class="input-group-append">
                <div class="input-group-text">
                  <span class="fas fa-user"></span>
```

```

        </div>
    </div>
</div>
<div class="input-group mb-3">
    <input type="password" class="form-control" name="password"
placeholder="Password">
    <div class="input-group-append">
        <div class="input-group-text">
            <span class="fas fa-lock"></span>
        </div>
    </div>
</div>
<div class="row">
    <div class="col-8">
        <a href="javascript:void(0)" id="create_user">Register</a>
    </div>
    <div class="col-8">
        <a href="/cus_login.php">Login</a>
    </div>
<!-- /.col -->
    <div class="col-4">
        <button type="submit" class="btn btn-primary btn-block">Log in</button>
    </div>
<!-- /.col -->
</div>
</form>
<!-- /.social-auth-links -->

<!-- <p class="mb-1">
    <a href="forgot-password.html"> I forgot my password</a>
</p> -->

</div>
<!-- /.card-body -->
</div>
<!-- /.card -->
</div>
<!-- /.login-box -->
<div class="modal fade" id="uni_modal" role='dialog'>
    <div class="modal-dialog modal-md modal-dialog-centered" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title"></h5>
            </div>
            <div class="modal-body">
            </div>
            <div class="modal-footer">

```

```

        <button type="button" class="btn btn-primary" id='submit' onclick="$('#uni_modal
form').submit()>Sign in</button>
        <button type="button" class="btn btn-secondary" data-
dismiss="modal">Cancel</button>
    </div>
</div>
</div>
</div>
<!-- jQuery -->
<script src="<?php echo base_url ?>plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="<?php echo base_url ?>plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="<?php echo base_url ?>dist/js/adminlte.min.js"></script>
<!-- <script src="<?php echo base_url ?>dist/js/script.js"></script> -->

<script>
$(document).ready(function(){
    end_loader();
    $('#create_user').click(function(){
        uni_modal("<span class='fa fa-plus text-primary'></span> Create New
User",_base_url_+'customer/user/create_user.php','md-large');
    })
})
window.uni_modal = function($title = " , $url=",$size=""){
    start_loader()
    $.ajax({
        url:$url,
        error:err=>{
            console.log()
            alert("An error occured")
        },
        success:function(resp){
            if(resp){
                $('#uni_modal .modal-title').html($title)
                $('#uni_modal .modal-body').html(resp)
                if($size != ""){
                    $('#uni_modal .modal-dialog').addClass($size+' modal-dialog-centered')
                }else{
                    $('#uni_modal .modal-dialog').removeAttr("class").addClass("modal-dialog
modal-md modal-dialog-centered")
                }
                $('#uni_modal').modal({
                    show:true,
                    backdrop:'static',
                    keyboard:false,
                    focus:true

```

```
        })
        end_loader()
    }
}
})
}
window._conf = function($msg=",$func=",$params = []){
    $('#confirm_modal #confirm').attr('onclick',$func+"("+params.join(',')+")")
    $('#confirm_modal .modal-body').html($msg)
    $('#confirm_modal').modal('show')
}
</script>
</body>
</html>
```

4.4 Conclusion:

This chapter concludes with the implementation of the project.

CHAPTER – 5

SOFTWARE TESTING

5.1 Introduction:

Testing phase forms an important part of software development. It's the process of finding the errors and missing operations and also a complete verification to determine whether the objectives are met, and the user requirements are satisfied.

5.2 Unit Testing:

Unit testing focuses verification efforts on the smallest unit of software design of the modules. This is also known as "Module testing".

Unit Name: Login

S.No	Test case Description	Normal input	Expected result	Actual result
1	Enter the login	Enter the User name, Password	Admin is logged in successfully and redirected to the specified page	Admin is logged in successfully.

5.3 Integration Testing:

Integration tests are designed to test integrated software components to determine if they actually run as one program. Testing is event driven and is more concerned with the basic outcome of screens or fields. Integration tests demonstrate that although the components were individually satisfactory, as shown by successfully unit testing, the combination of components is correct and consistent. Integration testing is specifically aimed at exposing the problems that arise from the combination of components.

Test Name: Login

S.No	Test case Description	Normal input	Expected result	Actual result
1	Login	Enter the valid User name, Password and Click the Sign in.	Admin is logged in successfully	Admin is logged in successfully.

5.4 System Testing

System testing ensures that the entire integrated software system meets requirements. It tests a configuration to ensure known and predictable results. An example of system testing is the configuration-oriented system integration test. System testing is based on process descriptions and flows, emphasizing pre-driven process links and integration points.

Test name: Login

S.No	Test case Description	Normal input	Expected result	Actual result
1	Login	Enter the valid User name, Password and Click the Sign in.	Admin is logged in successfully and redirected to the specified page	Admin is logged in successfully.

5.5 Conclusion

The processes of uncovering the errors in the given code are tested and removed them by various types of testing and the next chapter describes about the conclusion of the project.

CHAPTER - 6

CONCLUSION

6.1 Introduction:

In this final chapter, we present a conclusion of our project and summarize the key findings and outcomes of the development of Prison Ministry. We also discuss possible future enhancements and provide our final thoughts on the project.

6.2 Summary:

Throughout this project, we have designed, developed, and tested **Prison Ministry**, a Web application aimed at connecting users with similar interests and fostering meaningful interactions. Our team has worked tirelessly to ensure that the application meets the user requirements and provides a seamless and enjoyable user experience.

We began by conducting extensive research to identify the needs and requirements of web application, and we designed a system that would meet those needs. We then implemented the system using various programming languages and frameworks, ensuring that the application is both reliable and efficient.

We also conducted thorough testing of the system to ensure that it functions as intended and meets the user requirements. Our testing included unit testing, integration testing, and system testing, which enabled us to identify and resolve any issues or bugs.

6.3 Future Enhancements:

As Prison Ministry continues to grow and expand its user base, we are committed to ensuring that the web application remains up-to-date and user-friendly. In the future, we plan to introduce several enhancements that will further improve the user experience.

One area that we plan to focus on is user profile customization options. We recognize that users want to have greater control over how their profiles appear on the platform, and we plan to introduce additional customization options that will enable users to personalize their profiles to their liking.

6.4 Conclusion:

In conclusion, we have successfully designed, developed, and tested Prison Ministry, a Web Application aimed at connecting users with similar interests and fostering meaningful interactions. Through our research, design, and development processes, we have ensured that the application meets the user requirements and provides an enjoyable user experience. We are confident that Prison Ministry will prove to be a valuable tool for users looking to connect and engage with others in a meaningful way.

CHAPTER - 7

BIBLIOGRAPHY

BOOKS:

1. Pearson PHP and MySQL Web Development
Author: by Luke Welling (Author), Laura Thomson (Author)
2. Head First HTML and CSS by. Elisabeth Robson
Publisher(s): O'Reilly Media, Inc.
3. Head First PHP and MySQL by. Michel Morrison
Publisher(s): O'Reilly Media, Inc.

ONLINE REFERENCES:

1. Framework Design :Flowbite : <https://flowbite.com/>
2. Tailwind Integration : <https://tailwindui.com/documentation>
3. Chat GPT : <https://chat.openai.com/>

APPENDIX- A

SOFTWARE PROJECT FRAMEWORK PROPOSAL

Introduction:

This document presents the proposal for the software project framework for Prison Ministry, a Web Application aimed at connecting people with similar interests as a Volunteer. The purpose of this project is to provide an interactive platform for users to share their interests, engage in discussions, and connect with other like-minded individuals.

Aim of the Project:

The aim of this project is to design and develop a Web Application platform called Prison Ministry that will allow users to connect and interact with each other online. The Web Application will provide various features and functionalities that will enable users to share their thoughts, ideas, and experiences, and build communities around common interests.

Modules of the Project:

The project will consist of various modules that will work together to provide a seamless user experience. Some of the modules include:

- Home
 - What we Do
 - Our Team
 - Get Involved
 - Contact us
- What we Do
- Our Team
 - Members Profile
 - Volunteer Profile
- Get Involved
 - Volunteer Registration
 - Admin Login

Features of the Software Project:

Prison Ministry will offer a range of features that will make it an engaging and enjoyable platform for users. Some of the features include:

- To Highlighting the Prison Ministry Jobs
- If users interested to involved in Prison Ministry, they can become a volunteer through User login/Sign in
- Users can view the Prison Ministry Members profile
- Users can find the volunteer in their Taluk
- The users can contact Prison Ministry authorities
- Users can view the Prison Ministry Upcoming event
- It is easy to access and understand

Requirements:

The project will require the following technologies and tools:

- Backend programming languages such as PHP or Python
- Front-end programming languages such as HTML, CSS, and JavaScript
- Database management system such as MySQL
- Web server such as Apache
- Integrated development environment such as Visual Studio Code or Sublime Text
- Version control system such as Git and GitHub

The project will also require a team of skilled developers with expertise in web development, user experience design, and database management. Additionally, testing and quality assurance will be critical components of the project to ensure a robust and reliable platform for users.

A. Web Server Specification

1. Hardware: Intel i3/above with 2GB RAM with Internet connection.
2. Operating System: Windows 11

B. Client Server Specification

1. Hardware : Intel Core i3/above with 4GB RAM with Internet connection.
2. Operating System : Windows
3. Software : A GUI based JavaScript supported Web browser

TERMS AND CONDITIONS:

1. Project Duration: The duration of the academic project is five months of the even semester.
2. Project Initiation: Study upon receiving approval from the Project Guide shall start the requirement study and analysis and complete it as per the project schedule agreed by the Department.
3. Development: The project development will be done by only personal computer working at the lab with personal Computer.

Signature: _____

Signature: _____

Guide Name: Prof. John Arockiaraj

Proposer Name: Aswin A

Date:

Date:

APPENDIX – B

PROJECT PLAN

Project Area	Work products	Start Date	End Date
PROJECT MANAGEMENT	Project Proposal	03.02.23	06.02.23
	Project Plan	03.02.23	06.02.23
	Project Review Record-1		
REQUIREMENTS ANALYSIS	System Study (SSD)	10.02.23	19.02.23
	Vision Document (VSD)	10.02.23	19.02.23
	Use Case Specification	10.02.23	19.02.23
	Project Review Record-2		
DESIGN	Architectural design	20.02.2023	30.02.2023
	Database Design	20.02.2023	30.02.2023
	User Interface Design	20.02.2023	30.02.2023
	Procedural Design	20.02.2023	30.02.2023
	Test Case Design	20.02.2023	30.02.2023
	Project Review Record-3		
FIRST REVIEW	Draft Report (Combination of all above works)	01.03.23	07.03.23
IMPLEMENTATION	Overview of the project	07.03.23	24.03.23
	Pseudo code	07.03.23	24.03.23
	Project Review Record-4		
TEST	Unit Testing	07.03.23	24.03.23
	Integration Testing	07.03.23	24.03.23
	System Testing	07.03.23	24.03.23
	Project Review Record-5		
SECOND REVIEW	Draft copy of the final Project Report	27.03.23	10.04.23
	Project Presentation	27.03.23	10.04.23
	Application Demo	27.03.23	10.04.23

Signature : _____

Signature : _____

Guide Name : Prof. John Arockiaraj. J

Proposer Name : Aswin A

Date :

Date :

APPENDIX – C
DEPARTMENT OF COMPUTER SCIENCE
PROJECT WORK REVIEW REPORT – 1

Name: Aswin A **Class:** III – B.Sc., Computer Science **Dept. No.:** AU200517

Project Title: PRISON MINISTRY – VELLORE DIAOCESE

Date: 03/02/2023 **Time:** 4.00PM **Duration:** 1HR

Review of Tasks: (Tasks completed)

NO	DESCRIPTION	STATUS	COMMENT
1.	Abstract	C	
2.	Introduction	C	
3.	Project Proposal	C	

Status: C – Completed

NC – Not Completed

Expected Activities: (Tasks to be carried out)

NO	DESCRIPTION	NATURE	DELIVERABLES	DUE DATE
1.	System study	DO	System Study	24/02/2023
2.	Description of modules	DO	System study	24/03/2023
3.	Vision of the document	DO	Vision Document	24/03/2023

Nature:

LB- Lab Work **CN** – Consultation **IG** – Information Gathering **DG** – Design

DO – Documentation

Next Consultation on _____ at _____

Signature : _____

Signature : _____

Guide Name : Prof. John Arockiaraj. J

Proposer Name : Aswin A

Date : _____

Date : _____

DEPARTMENT OF COMPUTER SCIENCE
PROJECT WORK REVIEW REPORT – 2

Name: Aswin A **Class:** III – B.Sc., Computer Science **Dept. No.:** AU200517

Project Title: PRISON MINISTRY – VELLORE DIAOCESE

Date: 13/03/2023 **Time:** 4.00PM **Duration:** 1HR

Review of Tasks: (Tasks completed)

NO	DESCRIPTION	STATUS	COMMENT
1	System Study	C	
2	Vision Document	C	

Status: **C – Completed**

NC – Not Completed

Expected Activities: (Tasks to be carried out)

NO	DESCRIPTION	NATURE	DELIVERABLES	DUE DATE
1`	Architectural Design	DO	Design Document	13/03/2023
2.	Database Design	DO	Design Document	13/03/2023
3.	Test case Design	DO	Design Document	13/03/2023

Nature:

LB- Lab Work **CN** – Consultation **IG** – Information Gathering **DG** – Design

DO – Documentation

Next Consultation on _____ at _____

Signature : _____

Signature : _____

Guide Name : Prof. John Arockiaraj. J

Proposer Name : Aswin A

Date :

Date :

DEPARTMENT OF COMPUTER SCIENCE
PROJECT WORK REVIEW REPORT – 3

Name: Aswin A **Class:** III – B.Sc., Computer Science **Dept. No.:** AU200517

Project Title: PRISON MINISTRY – VELLORE DIAOCESE

Date: 24/02/2023 **Time:** 4.00PM **Duration:** 1HR

Review of Tasks: (Tasks completed)

NO	DESCRIPTION	STATUS	COMMENT
1.	Design Document	C	

Status: C – Completed

NC – Not Completed

Expected Activities: (Tasks to be carried out)

NO	DESCRIPTION	NATURE	DELIVERABLES	DUE DATE
1.	Overview of the Project	DO	Overview of the project	24/03/2023
2.	Pseudo Code	DO	Pseudo code of the project	24/03/2023
3.	Overview of the Project	DO	Overview of the Project	24/03/2023

Nature:

LB- Lab Work **CN** – Consultation **IG** – Information Gathering **DG** – Design

DO – Documentation

Next Consultation on _____ at _____

Signature : _____

Signature : _____

Guide Name : Prof. John Arockiaraj. J

Proposer Name : Aswin A

Date :

Date :

DEPARTMENT OF COMPUTER SCIENCE

PROJECT WORK REVIEW REPORT – 4

Name: Aswin A **Class:** III – B.Sc., Computer Science **Dept. No.:** AU200517

Project Title: PRISON MINISTRY – VELLORE DIAOCESE

Date: 24/03/2023 **Time:** 3.00PM **Duration:** 1HR

Review of Tasks: (Tasks completed)

NO	DESCRIPTION	STATUS	COMMENT
1.	Upto chapter 6	C	

Status: C – Completed

NC – Not Completed

Expected Activities: (Tasks to be carried out)

NO	DESCRIPTION	NATURE	DELIVERABLES	DUE DATE
1.	Entity Relationship Diagram	DO	E R Diagram	31/03/2023
2.	Data flow diagram	DO	Data flow diagram	31/03/2023
3.	Software Execution	DO	Software Execution	31/03/2023

Nature:

LB- Lab Work **CN** – Consultation **IG** – Information Gathering **DG** – Design

DO – Documentation

Next Consultation on _____ at _____

Signature : _____

Signature : _____

Guide Name : Prof. John Arockiaraj. J

Proposer Name : Aswin A

Date :

Date :

DEPARTMENT OF COMPUTER SCIENCE

PROJECT WORK REVIEW REPORT - 5

Name: Aswin A **Class:** III – B.Sc., Computer Science **Dept. No.:** AU200517

Project Title: PRISON MINISTRY – VELLORE DIAOCESE

Date: 31/03/2023 **Time:** 3.30PM **Duration:** 1HR

Review of Tasks: (Tasks completed)

NO	DESCRIPTION	STATUS	COMMENT
1.	Software Execution	C	

Status: **C – Completed**

NC – Not Completed

Expected Activities: (Tasks to be carried out)

NO	DESCRIPTION	NATURE	DELIVERABLES	DUE DATE
1.	Completion of documentation	DO	Documentation of project	10/04/2023

Nature:

LB- Lab Work **CN** – Consultation **IG** – Information Gathering **DG** – Design

DO – Documentation

Next Consultation on _____ at _____

Signature : _____

Signature : _____

Guide Name : Prof. John Arockiaraj. J

Proposer Name : Aswin A

Date :

Date :

APPENDIX - D

PROGRAM CODE

Index.html

```
<!DOCTYPE html>
<html >
<head>
  <!-- Prison Management System Project - DBMS LAB -->
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1,
minimum-scale=1">

  <meta name="description" content="FBP - Home Page">
  <title>Home</title>
  <link rel="stylesheet" href="assets/web/assets/prison-icons/mobirise-
icons.css">
  <link rel="stylesheet" href="assets/tether/tether.min.css">
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap-grid.min.css">
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap-
reboot.min.css">
  <link rel="stylesheet" href="assets/socicon/css/styles.css">
  <link rel="stylesheet" href="assets/dropdown/css/style.css">
  <link rel="stylesheet" href="assets/theme/css/style.css">
  <link rel="stylesheet" href="assets/prison/css/mbr-additional.css"
type="text/css">
  <style>
    body
    {
      background-color: rgb(216, 204, 187);
    }
    .logo1
    {
      border-radius: 50%;
    }
    .text1
    {
      text-align: center;
      font-size: x-large;
    }
    .h01
    {
      text-align: center;
      color: black;
      margin-top: -7%;
    }
  }
```

```

    .imghome
    {
        height: 30%;
        width: 100%;
    }
    .txt1
    {
        font-size: xx-large;
        margin-right: 60%;
        margin-left: 3%;
        word-spacing: 8px;
    }
    .img01
    {
        width: 50%;
        height: 40%;
        margin-top: -40%;
        margin-left: 47%;

    }
    .head1
    {
        width: 40%;
        height: 40%;
        font-size: x-large;
        margin-left: 3%;
        word-spacing: 8px;
        line-height: 140%;
    }
    .slideshow-container
    {
        position: relative;
    }

    .slideshow-slide {
        display: none;
        position: absolute;
        top: 0;
        left: 0;
        width: 100%;
    }

    .slideshow-slide img {
        width: 100%;
        height: auto;
    }

    .slideshow-prev,

```



```

.slideshow-next
{
    position: absolute;
    top: 50%;
    margin-top: 17%;
    margin-bottom: 10%;
    font-size: 35px;
    font-weight: bold;
    color: white;
    cursor: pointer;
    z-index: 1;
}

.slideshow-prev {
    left: 10px;
}

.slideshow-next {
    right: 10px;
}

.marque1
{
    width: 30%;
    margin-left: 60%;
    margin-top: -7%;
    font-size: larger;
    text-align: center;
}

    .div1
    {
        height: 50%;
        margin-top: 30%;
    }
</style>

</head>
<body>
    <section class="menu cid-qTkzRZLJNu" once="menu" id="menu1-0">

        <nav class="navbar navbar-expand beta-menu navbar-dropdown align-items-
center navbar-fixed-top navbar-toggleable-sm">
            <button class="navbar-toggler navbar-toggler-right" type="button"
data-toggle="collapse" data-target="#navbarSupportedContent" aria-

```

```

controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
    <div class="hamburger">
        <span></span>
        <span></span>
        <span></span>
        <span></span>
    </div>
</button>
<div class="menu-logo">
    <div class="navbar-brand">
        <span class="navbar-logo">
            <a href="#">
                
            </a>
        </span>
        <span class="navbar-caption-wrap"><a class="navbar-caption
text-white display-5" href="#">Prison Ministry&nbsp;</a></span>
    </div>
</div>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav nav-dropdown" data-app-modern-
menu="true"><li class="nav-item">
        <a class="nav-link link text-white display-4"
href="index.html">
            Home</a>
    </li>
    <li class="nav-item">
        <a class="nav-link link text-white display-4"
href="what_we_do.html">
            What we Do
        </a>
    </li>
    <li class="nav-item">
        <a class="nav-link link text-white display-4"
href="our_team.html">
            Our Team
        </a>
    </li>
    <li class="nav-item">
        <a class="nav-link link text-white display-4"
href="getin.html">
            Get Involved
        </a>
    </li>
</ul>

```

```

        <a class="nav-link link text-white display-4"
href="index.html">
        </a>
    </li>
</ul>
</div>
</nav>
</section>
<br>
<br>
<br>
<div>

    
    <h1 class="h01">
        Welcome to Prison Ministry India - Vellore Dioacese
    </h1>
    <br>
    <h2 class="text1">
        We are Dedicated to Helping prisoners find Hope, Healing, and
        Redemption through the Power of the Gospel.
    </h2>
</div>
<br>
    <h1 class="txt1">
        A Present Vellore Diocese Consist of Four Districts; Namely:
        Vellore, Tiruvanamalai, Tirupattur and Ranipet.
    </h1>
    <h1 class="head1">
        Once the judgment of a prisoner has been made, many a time the
        matter remains closed for
        the general public and the judiciary but we cannot forget them. God
        hails the profound dignity
        of every human person, despite his or her cruelties even those
        condemned to death.
        We want to make the prison, a place where men and women pray.
        Prison Ministry India, a national voluntary organization attempts to
        bear witness to the Truth
        that the worth of a human person is not measured by usefulness or
        talents, health or sickness, age or creed..
    </h1>
    
    <marquee class="marquee1" behavior="text-align" direction="margin-
left">
        <p text-align="center">
            Prison Minitry India - Dioacese of Vellore Annual Meet
        </p>

```

```

    <p text-align="center" >
        14-16, sept 2022
    </p>

</marquee>

<div class="slideshow-container">
    <div class="slideshow-slide">
        
    </div>
    <div class="slideshow-slide">
        
    </div>
    <div class="slideshow-slide">
        
    </div>
    <a class="slideshow-prev" onclick="prevSlide()">&#10094;</a>
    <a class="slideshow-next" onclick="nextSlide()">&#10095;</a>
</div>

<script>
    var slideIndex = 1;
showSlide(slideIndex);

function nextSlide() {
    showSlide(slideIndex += 1);
}

function prevSlide() {
    showSlide(slideIndex -= 1);
}

function showSlide(n) {
    var slides = document.getElementsByClassName("slideshow-slide");
    if (n > slides.length) {
        slideIndex = 1;
    }
    if (n < 1) {
        slideIndex = slides.length;
    }
    for (var i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";
    }
    slides[slideIndex - 1].style.display = "block";
}

</script>

```

[illegible]

54

```

        <h5 class="pb-3">
            Address
        </h5>
        <p class="mbr-text">
            24, Sathuvachari Street
            <br>Vellore
        </p>
    </div>
    <div class="col-12 col-md-3 mbr-fonts-style display-7">
        <h5 class="pb-3">
            Contacts
        </h5>
        <p class="mbr-text">
            Email: fr.thangaraj02@gmail.com;<br>Phone: +91 6978 1214
            <br>
        </p>
    </div>
    <div class="col-12 col-md-3 mbr-fonts-style display-7">
        <h5 class="pb-3">
            Links
        </h5>
        <p class="mbr-text"><a href="#top">Prirosn Ministry India -
Vellore Dioacese;</a><br><a href="#top"></a><br><a href="#top"></a></p>
    </div>
</div>
<div class="footer-lower">
    <div class="media-container-row">
        <div class="col-sm-12">
            <hr>
        </div>
    </div>
    <div class="media-container-row mbr-white">
        <div class="col-sm-6 copyright">
            <p class="mbr-text mbr-fonts-style display-7">

            </p>
        </div>
        <div class="col-md-6">
            <div class="social-list align-right">
                <div class="soc-item">
                    <a href="index.html" target="_blank">
                        <span class="mbr-iconfont mbr-iconfont-
social socicon-twitter socicon"></span>
                    </a>
                </div>
                <div class="soc-item">
                    <a href="index.html" target="_blank">

```

```

                <span class="mbr-iconfont mbr-iconfont-
social socicon-facebook socicon"></span>
            </a>
        </div>
        <div class="soc-item">
            <a href="index.html">
                <span class="mbr-iconfont mbr-iconfont-
social socicon-youtube socicon"></span>
            </a>
        </div>
        <div class="soc-item">
            <a href="index.html" target="_blank">
                <span class="mbr-iconfont mbr-iconfont-
social socicon-instagram socicon"></span>
            </a>
        </div>
        <div class="soc-item">
            <a href="index.html" target="_blank">
                <span class="mbr-iconfont mbr-iconfont-
social socicon-googleplus socicon"></span>
            </a>
        </div>
        <div class="soc-item">
            <a href="index.html" target="_blank">
                <span class="mbr-iconfont mbr-iconfont-
social socicon-behance socicon"></span>
            </a>
        </div>
    </div>
</div>
</div>
</div>
</section>

<script src="assets/web/assets/jquery/jquery.min.js"></script>
<script src="assets/popper/popper.min.js"></script>
<script src="assets/tether/tether.min.js"></script>
<script src="assets/bootstrap/js/bootstrap.min.js"></script>
<script src="assets/dropdown/js/script.min.js"></script>
<script src="assets/touchswipe/jquery.touch-swipe.min.js"></script>
<script src="assets/parallax/jarallax.min.js"></script>
<script src="assets/smoothscroll/smooth-scroll.js"></script>
<script src="assets/theme/js/script.js"></script>

</body>
</html>

```

Admin_Index.php

```
<!DOCTYPE html>
<html >
<head>
  <!-- Prison Management System Project - DBMS LAB -->
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1,
minimum-scale=1">

  <meta name="description" content="FBP - Home Page">
  <title>Home</title>
  <link rel="stylesheet" href="assets/web/assets/prison-icons/mobirise-
icons.css">
  <link rel="stylesheet" href="assets/tether/tether.min.css">
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap-grid.min.css">
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap-
reboot.min.css">
  <link rel="stylesheet" href="assets/socicon/css/styles.css">
  <link rel="stylesheet" href="assets/dropdown/css/style.css">
  <link rel="stylesheet" href="assets/theme/css/style.css">
  <link rel="stylesheet" href="assets/prison/css/mbr-additional.css"
type="text/css">
  <style>
    body
    {
      background-color: rgb(216, 204, 187);
    }
    .logo1
    {
      border-radius: 50%;
    }
    .text1
    {
      text-align: center;
      font-size: x-large;
    }
    .h01
    {
      text-align: center;
      color: black;
      margin-top: -7%;
    }

    .imghome
```



```

    {
        height: 30%;
        width: 100%;
    }
    .txt1
    {
        font-size: xx-large;
        margin-right: 60%;
        margin-left: 3%;
        word-spacing: 8px;
    }
    .img01
    {
        width: 50%;
        height: 40%;
        margin-top: -40%;
        margin-left: 47%;

    }
    .head1
    {
        width: 40%;
        height: 40%;
        font-size: x-large;
        margin-left: 3%;
        word-spacing: 8px;
        line-height: 140%;
    }
    .slideshow-container
    {
        position: relative;
    }

    .slideshow-slide {
        display: none;
        position: absolute;
        top: 0;
        left: 0;
        width: 100%;
    }

    .slideshow-slide img {
        width: 100%;
        height: auto;
    }

    .slideshow-prev,
    .slideshow-next

```

```

{
  position: absolute;
  top: 50%;
  margin-top: 17%;
  margin-bottom: 10%;
  font-size: 35px;
  font-weight: bold;
  color: white;
  cursor: pointer;
  z-index: 1;
}

.slideshow-prev {
  left: 10px;
}

.slideshow-next {
  right: 10px;
}

.marquee1
{
  width: 30%;
  margin-left: 60%;
  margin-top: -7%;
  font-size: larger;
  text-align: center;
}

  .div1
  {
    height: 50%;
    margin-top: 30%;
  }
</style>

</head>
<body>
  <section class="menu cid-qTkzRZLJNu" once="menu" id="menu1-0">

    <nav class="navbar navbar-expand beta-menu navbar-dropdown align-items-
center navbar-fixed-top navbar-toggable-sm">
      <button class="navbar-toggler navbar-toggler-right" type="button"
data-toggle="collapse" data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">

```

```

        <div class="hamburger">
            <span></span>
            <span></span>
            <span></span>
            <span></span>
        </div>
    </button>
    <div class="menu-logo">
        <div class="navbar-brand">
            <span class="navbar-logo">
                <a href="#">
                    
                </a>
            </span>
            <span class="navbar-caption-wrap"><a class="navbar-caption
text-white display-5" href="#">Prison Ministry&nbsp;</a></span>
        </div>
    </div>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav nav-dropdown" data-app-modern-
menu="true"><li class="nav-item">
            <a class="nav-link link text-white display-4"
href="index.html">
                Home</a>
        </li>
        <li class="nav-item">
            <a class="nav-link link text-white display-4"
href="what_we_do.html">
                What we Do
            </a>
        </li>
        <li class="nav-item">
            <a class="nav-link link text-white display-4"
href="our_team.html">
                Our Team
            </a>
        </li>
        <li class="nav-item">
            <a class="nav-link link text-white display-4"
href="getin.html">
                Get Involved
            </a>
        </li>
        <li>
            <a class="nav-link link text-white display-4"
href="index.html">

```

```

        </a>
    </il>
</ul>
</div>
</nav>
</section>
<br>
<br>
<br>
<div>

    
    <h1 class="h01">
        Welcome to Prison Ministry India - Vellore Dioacese
    </h1>
    <br>
    <h2 class="text1">
        We are Dedicated to Helping prisoners find Hope, Healing, and
        Redemption through the Power of the Gospel.
    </h2>
</div>
<br>
    <h1 class="txt1">
        A Present Vellore Diocese Consist of Four Districts; Namely:
        Vellore, Tiruvanamalai, Tirupattur and Ranipet.
    </h1>
    <h1 class="head1">
        Once the judgment of a prisoner has been made, many a time the
        matter remains closed for
        the general public and the judiciary but we cannot forget them. God
        hails the profound dignity
        of every human person, despite his or her cruelties even those
        condemned to death.
        We want to make the prison, a place where men and women pray.
        Prison Ministry India, a national voluntary organization attempts to
        bear witness to the Truth
        that the worth of a human person is not measured by usefulness or
        talents, health or sickness, age or creed..
    </h1>
    
    <marquee class="marquee1" behavior="text-align" direction="margin-
    left">
        <p text-align="center">
            Prison Minitry India - Dioacese of Vellore Annual Meet
        </p>
        <p text-align="center" >
            14-16, sept 2022

```

```

    </p>

</marquee>

<div class="slideshow-container">
  <div class="slideshow-slide">
    
  </div>
  <div class="slideshow-slide">
    
  </div>
  <div class="slideshow-slide">
    
  </div>
  <a class="slideshow-prev" onclick="prevSlide()">&#10094;</a>
  <a class="slideshow-next" onclick="nextSlide()">&#10095;</a>
</div>

<script>
  var slideIndex = 1;
showSlide(slideIndex);

function nextSlide() {
  showSlide(slideIndex += 1);
}

function prevSlide() {
  showSlide(slideIndex -= 1);
}

function showSlide(n) {
  var slides = document.getElementsByClassName("slideshow-slide");
  if (n > slides.length) {
    slideIndex = 1;
  }
  if (n < 1) {
    slideIndex = slides.length;
  }
  for (var i = 0; i < slides.length; i++) {
    slides[i].style.display = "none";
  }
  slides[slideIndex - 1].style.display = "block";
}

</script>

<img src="" alt="">

```

[illegible]

54

```

        </h5>
        <p class="mbr-text">
            24, Sathuvachari Street
            <br>Vellore
        </p>
    </div>
    <div class="col-12 col-md-3 mbr-fonts-style display-7">
        <h5 class="pb-3">
            Contacts
        </h5>
        <p class="mbr-text">
            Email: fr.thangaraj02@gmail.com;<br>Phone: +91 6978 1214
            <br>
        </p>
    </div>
    <div class="col-12 col-md-3 mbr-fonts-style display-7">
        <h5 class="pb-3">
            Links
        </h5>
        <p class="mbr-text"><a href="#top">Prirosn Ministry India -
Vellore Dioacese;</a><br><a href="#top"></a><br><a href="#top"></a></p>
    </div>
</div>
<div class="footer-lower">
    <div class="media-container-row">
        <div class="col-sm-12">
            <hr>
        </div>
    </div>
    <div class="media-container-row mbr-white">
        <div class="col-sm-6 copyright">
            <p class="mbr-text mbr-fonts-style display-7">

        </p>
        </div>
        <div class="col-md-6">
            <div class="social-list align-right">
                <div class="soc-item">
                    <a href="index.html" target="_blank">
                        <span class="mbr-iconfont mbr-iconfont-
social socicon-twitter socicon"></span>
                    </a>
                </div>
                <div class="soc-item">
                    <a href="index.html" target="_blank">
                        <span class="mbr-iconfont mbr-iconfont-
social socicon-facebook socicon"></span>

```


Registration.php:

```
<!DOCTYPE html>
<html>
<head>
  <title>Registration Form</title>
</head>
<body>
  <h2>Registration Form</h2>
  <form method="post" action="register.php">
    <label for="name">Name:</label>
    <input type="text" id="name" name="name" required><br><br>

    <label for="dob">Date of Birth:</label>
    <input type="date" id="dob" name="dob" required><br><br>

    <label for="address">Address:</label>
    <textarea id="address" name="address" required></textarea><br><br>

    <label for="sex">Sex:</label>
    <input type="radio" id="male" name="sex" value="male" required>
    <label for="male">Male</label>
    <input type="radio" id="female" name="sex" value="female">
    <label for="female">Female</label><br><br>

    <label for="email">Email:</label>
    <input type="email" id="email" name="email" required><br><br>

    <label for="contact">Contact Number:</label>
    <input type="tel" id="contact" name="contact" required><br><br>

    <label for="password">Password:</label>
    <input type="password" id="password" name="password"
required><br><br>

    <input type="submit" value="Submit">
  </form>
</body>
</html>
```

User_login.php:

```
<!DOCTYPE html>
<html >
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1,
minimum-scale=1">
  <link rel="shortcut icon" href="assets/images/seal-of-the-federal-bureau-
of-prisons.svg-122x122.png" type="image/x-icon">
  <meta name="description" content="FBP - User Login Page">
  <title>User Login</title>
  <link rel="stylesheet" href="assets/web/assets/prison-icons/mobirise-
icons.css">
  <link rel="stylesheet" href="assets/tether/tether.min.css">
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap-grid.min.css">
  <link rel="stylesheet" href="assets/bootstrap/css/bootstrap-
reboot.min.css">
  <link rel="stylesheet" href="assets/dropdown/css/style.css">
  <link rel="stylesheet" href="assets/theme/css/style.css">
  <link rel="stylesheet" href="assets/prison/css/mbr-additional.css"
type="text/css">

</head>
<body>
  <section class="menu cid-qTkzRZLJNu" once="menu" id="menu1-3">

    <nav class="navbar navbar-expand beta-menu navbar-dropdown align-items-
center navbar-fixed-top navbar-toggleable-sm">
      <button class="navbar-toggler navbar-toggler-right" type="button"
data-toggle="collapse" data-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
        <div class="hamburger">
          <span></span>
          <span></span>
          <span></span>
          <span></span>
        </div>
      </button>
      <div class="menu-logo">
        <div class="navbar-brand">
          <span class="navbar-logo">
```

```

        <a href="#">
            
        </a>
    </span>
    <span class="navbar-caption-wrap"><a class="navbar-caption
text-white display-5" href="#">Federal Bureau of Prison&nbsp;</a></span>
</div>
</div>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav nav-dropdown" data-app-modern-
menu="true"><li class="nav-item">
        <a class="nav-link link text-white display-4"
href="index.html">
            <span class="mbri-home mbr-iconfont mbr-iconfont-
btn"></span>Home</a>
        </li>
        <li class="nav-item">
            <a class="nav-link link text-white display-4"
href="index.html">
                <span class="mbri-search mbr-iconfont mbr-iconfont-
btn"></span>
                About Us
            </a>
        </li>
    </ul>
</nav>
</section>

<h2>Registration Form</h2>
<form method="post" action="register.php">
    <label for="name">Name:</label>
    <input type="text" id="name" name="name" required><br><br>

    <label for="dob">Date of Birth:</label>
    <input type="date" id="dob" name="dob" required><br><br>

    <label for="address">Address:</label>
    <textarea id="address" name="address" required></textarea><br><br>

    <label for="sex">Sex:</label>
    <input type="radio" id="male" name="sex" value="male" required>
    <label for="male">Male</label>
    <input type="radio" id="female" name="sex" value="female">
    <label for="female">Female</label><br><br>

    <label for="email">Email:</label>

```

```
<input type="email" id="email" name="email" required><br><br>
```

```
<label for="contact">Contact Number:</label>
<input type="tel" id="contact" name="contact" required><br><br>

<label for="password">Password:</label>
<input type="password" id="password" name="password"
required><br><br>

<input type="submit" value="Submit">
</form>
<iframe src="login_php.php" scrolling ="no" style="border: 0;
position:absolute; top:20; left:0; right:0; bottom:0; margin-left: 10px;
margin-top: 20px; width:95%; height:80%; overflow:hidden">

</body>
</html>
```

What_we_do.html:

```
<html>
  <head>
    <title>
      what we Do
    </title>
    <style>
      body
      {
        background-color: white;
        font-family: Georgia, 'Times New Roman', Times, serif;
        animation: fadeInAnimation ease 3s;
        animation-iteration-count: 1;
        animation-fill-mode: forwards;
      }
      @keyframes fadeInAnimation
      {
        0%
        {
          opacity: 0;
        }
        100%
        {
          opacity: 1;
        }
      }
      h1
      {
        text-align: center;
        font-size: 1cm;
        word-spacing: 20%;
      }
      h3
      {
        text-align: center;
      }
      .p1
      {
        font-size: x-large;
      }
      .div1
      {
        text-align: justify;
        margin-left: 10%;
        margin-right: 10%;
        word-spacing: 8px;
        line-height: 140%;
      }
    </style>
  </head>
  <body>
    <h1>
      what we Do
    </h1>
    <h3>
      what we Do
    </h3>
    <p>
      what we Do
    </p>
    <div>
      what we Do
    </div>
  </body>
</html>
```

```

}
.hr1
{
    color: slategrey;
    height: 1px;
    width: 100%;
    margin-top: -1%;
}
.h22
{
    margin-left: 14.5%;
}
.h23
{
    margin-left: 48%;
    margin-top: -61.9%;
}
.img1
{
    margin-top: 2%;
    margin-left: 13%;
}
.p2
{
    margin-left: 5%;
    width: 27%;
    text-align: justify;
    word-spacing: 8px;
    line-height: 140%;
}
.p3
{
    margin-left: 37%;
    width: 27%;
    text-align: justify;
    word-spacing: 8px;
    line-height: 140%;
}
.p4
{
    margin-left: 69%;
    margin-right: 4%;
    width: 27%;
    text-align: justify;
    word-spacing: 8px;
    line-height: 140%;
}

```

.img02

```

{
    margin-left: 45%;
    width: 174px;
}
.h24
{
    margin-left: 74%;
    margin-top: -67%;
}
.img03
{
    margin-left: 75%;
    width: 160px;
    height: 147px;
}
.img04
{
    margin-top: 14%;
    margin-left: 4%;
    width: 47%;
    height: 50%;
}
.img05
{
    width: 47%;
    height: 50%;
    margin-left: 53%;
    margin-top: -32.6%;
}
.h25
{
    text-align: center;
    font-size: xx-large;
    color: palevioletred;
}
.divcon
{
    text-align: center;
    font-size: larger;
    margin-left: 15%;
    width: 26%;
}
.img06
{
    margin-left: 3%;
    width: 50%;
    height: 65%;
}

```



```

}
.p5
{
    margin-left: 7%;
    margin-top: 1%;
    font-size: x-large;
}

.img07
{
    margin-left: 55%;
    margin-top: -37%;
    width: 45%;
    height: 110%;
}

.p6
{
    font-size: x-large;
    margin-left: 60%;
}

.img08
{
    width: 50%;
    height: 120%;
    margin-left: 3%;
    margin-top: -21%;
}

.p7
{
    margin-left: 5%;
    font-size: x-large;
}

.h26
{
    font-size: xx-large;
    text-align: center;
    color: tomato;
}

.p8
{
    margin-left: 10%;
    margin-right: 7%;
    font-size: x-large;
    word-spacing: 8px;
    line-height: 140%;
}

```

.divhead

```
{  
  background-color: black;
```

```

        height: 10%;
        margin-top: -5px;
        word-spacing: 5px;
        line-height: 140%;
    }
    a
    {
        text-decoration: none;
        color: white;
    }
    .img09
    {
        width: 50%;
        height: 85%;
        margin-left: 50%;
        margin-top: -43%;
        clip-path: inset(10px 20px 40px 60px);
    }
    .img10
    {
        margin-left: 3%;
        width: 50%;
        height: 85%;
    }
    .p9
    {
        margin-left: 57%;
        margin-top: -2%;
        font-size: x-large;
        word-spacing: 8px;
        line-height: 140%;
    }

    .p10
    {
        margin-left: 7%;
        font-size: x-large;
        word-spacing: 8px;
        line-height: 140%;
    }
    .div2
    {
        margin-top: 20%;
        height: 40%;
        background-color: rgb(233, 233, 233);
    }
}
</style>

```

```
</head>
```

```

<body>
  <div class="divhead">
    <div class="collapse navbar-collapse"
id="navbarSupportedContent">
      <ul class="navbar-nav nav-dropdown" data-app-modern-
menu="true"><li class="nav-item">
        <a class="nav-link link text-white display-4"
href="index.html">
          Home</a>
        </li>
        <li class="nav-item">
          <a class="nav-link link text-white display-4"
href="what_we_do.html">
            What we Do
          </a>
        </li>
        <li class="nav-item">
          <a class="nav-link link text-white display-4"
href="getin.html">
            Get Involved
          </a>
        </li>
        <li>
          <a class="nav-link link text-white display-4"
href="index.html">
            </a>
          </li>
        </ul>
      </div>
    </div>
    <h1>
      What we Do to Prisoners
    </h1>
    <h3>
      3R Theory
    </h3>
    <div class="div1">
      <p class="p1">
        The "Three R Theory" for rehabilitation of prisoners
      </p>
      <p>
        If conducive atmosphere is provided for any prisoner, he/she
        can rise up to a normal standard of living.
        Every prisoner has an ardent desire to lead a better life in
        society. But society is not prepared to accept a prisoner,

```

and the prisoner is not equipped to face the challenges of society. Release, renewal and rehabilitation are the three main factors, which play vital role to equip a prisoner to lead a normal life.

</p>

<hr class="hr1">
</div>
<div>
<h2 class="h22">
Release
</h2>
</div>

<p class="p2">

In ordinary sense of the word, it is an act by which a prisoner is freed by the government.

Release, in this context, is the outcome of an ongoing process in which a prisoner gets various positive strokes, which facilitate to develop hope, attitude of forgiveness and love especially towards those whom they hate and to view the positive aspects of the whole universe.

</p>
<p class="p2">

Strengthening the will-power:

 when a person has lost his believe in self, his/her mental power is very weak.

They have to be helped to regain the lost strength and energy. Positive suggestions could be a very effective way of restoring the lost vigor at all levels.

</p>
<p class="p2">

Hope in life:

 when a person enters the jail, his hope for a bright tomorrow is shattered. One develops the attitude of dejection.

They feel the whole society; including their kith and kin view them as a "criminal". It is not easy to bear such a stigma in life.

At this particular juncture, a prisoner needs a person to help him/her to help themselves,

to instill hope into their lives. This process could be initiated through different Medias, like moral instructions,

counseling sessions and audio-visual methods, leading to mental, physical, emotional and spiritual relaxation.

</p>

```

<h2 class="h23">
    Renewal
</h2>

<p class="p3">
    Renewal is the second stage of rehabilitation. It means to put
new life and vigor into a person to restore
    him/her to the original condition. Here a released prisoner is
motivated to undergo various kinds of training to
    face the challenges put forth by the society.
</p>
<p class="p3">
    <b>
        The mental resetting:
    </b>
    it is the most important factor during this period. Old
lifestyle is mostly the sum total of
    negative attitudes. Through mental resetting, released prisoner
is motivated to inculcate positive attitudes towards life.
    They are instructed to use new vocabulary instead of old, which
has always been negative like, tit for tat, revenge and hatred.
</p>
<p class="p3">
    <b>
        Prayer:
    </b>
    plays a vital role in the renewal process. The awareness of the
effectiveness of prayer is to be experienced in the life
    of a prisoner. Personal prayer for at least half an hour daily
is a highly encouraging and sustaining factor. The idea that
    the saints' are not perfect human beings, but reach perfection
through struggles and challenges of life is an impetus for it.
    Such thought and example of life histories are highly motivating
source in the life of a prisoner who is struggling in hope for
    a better and decent life. God's grace does wonders in one's
life. God experience diverts a person to speak, see, and do good
    things in life. One begins to dream new life with a new vision
and perspective.
</p>
<h2 class="h24">
    Rehabilitation
</h2>

<br>
<br>
<p class="p4">
    Rehabilitation is the last stage of prisoners upliftment
program. Here a prisoner is being initiated for a normal,

```

social life by re-training and coaching.

Follow up:

authentic and reciprocal relationship between the center and person should be activated by follow up program, visits and gatherings. This would be a strong motivating and highly sustaining factor in their struggles to lead a normal life in society.

The re-integration into the family:

is another important thing to be done. In the renewal process, the animators begin to visit the homes of prisoners and prepare the ground for re-establishing the lost family ties.

Search for job facilities:

has the prime importance in the process of rehabilitation. This is the most difficult task, because our society is not yet ready to accept the person or allow him or her to resettle in life.

</p>

<div>

<marquee behavior="" class="divcon" direction="left">

<h5>

Prison Ministry

India - Tamil Nadu

</h5>

<p>

21 <sup>

st

</sup> State Gathering

</p>

</marquee>

</div>

```

        
        <h2 class="h26">
            WHAT THE BIBLE SAYS ABOUT PRISON MINISTRY
        </h2>
        <p class="p8">
            If Jesus were on earth today, would we find Him in the prisons,
            talking and dining with criminals and outcasts?
            Of course we would. He would be there "to seek and to save the
            lost!"
        </p>

        <br>
        <h2 class="h25">
            Our Visits in Prison
        </h2>
        
        <p class="p5">
            Visited in Vanthavasi Subjail at Tiruvannamalai District.
        </p>
        
        <p class="p6">
            Visited in Sengam Subjail at Tiruvannamalai District.
        </p>
        
        <p class="p7">
            Visited in Vaniyambadi Subjail at Tiruvannamalai District.
        </p>
        
        <p class="p9">
            Visited in Tirupattur Subjail at Vellore District.
        </p>
        
        <p class="p10">
            Visited in Gudiyatham Subjail at Vellore District.
        </p>
        <div class="div2">

        </div>
    </body>
</html>

```