



PMAX4 ISO



PMAX6 ISO



PMAX8 ISO



UNLESS OTHERWISE SPECIFIED

DO NOT SCALE DRAWING  
INTERPRET DIMENSIONS AND TOLERANCES  
PER ASME Y14.5M-1994  
DIMENSIONS ARE IN INCHES  
TOLERANCES APPLY AS SHOWN BELOW  
1 PL DEC ± 0.02  
2 PL DEC ± 0.01  
3 PL DEC ± 0.005  
4 PL DEC ± 0.001  
ANGLES ± 0.1°  
SURFACE ROUGHNESS 63 µ in

THIRD ANGLE PROJECTION



PROPRIETARY

NO PART OF THIS DOCUMENT MAY BE REPRODUCED,  
STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN  
ANY FORM, WITHOUT THE WRITTEN

CUSTOMER

PROJECT

DRAWN BY

CHECKED BY

APPROVED

S4

DATE

DATE

DATE

TITLE

VIEW AND ANNOTATION

SIZE

B

DRAWING NO.

PMaxParamertic

REVISION


SCALE



1 / 2

WEIGHT



N/A

SHEET 1 OF 4





	UNLESS OTHERWISE SPECIFIED															
	<p>DO NOT SCALE DRAWING INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994 DIMENSIONS ARE IN INCHES TOLERANCES APPLY AS SHOWN BELOW</p> <table><tr><td>1 PL DEC</td><td>± 0.02</td></tr><tr><td>2 PL DEC</td><td>± 0.01</td></tr><tr><td>3 PL DEC</td><td>± 0.005</td></tr><tr><td>4 PL DEC</td><td>± 0.001</td></tr><tr><td>ANGLES</td><td>± 0.1°</td></tr><tr><td>SURFACE ROUGHNESS</td><td>63 μ in</td></tr></table>		1 PL DEC	± 0.02	2 PL DEC	± 0.01	3 PL DEC	± 0.005	4 PL DEC	± 0.001	ANGLES	± 0.1°	SURFACE ROUGHNESS	63 μ in	PROPRIETARY NO PART OF THIS DOCUMENT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM, WITHOUT THE WRITTEN	
			1 PL DEC	± 0.02												
			2 PL DEC	± 0.01												
3 PL DEC	± 0.005															
4 PL DEC	± 0.001															
ANGLES	± 0.1°															
SURFACE ROUGHNESS	63 μ in															
THIRD ANGLE PROJECTION 		CUSTOMER														
		PROJECT														
		DRAWN BY	S4													
		CHECKED BY														
		APPROVED														
		DATE	5/29/2019													
		DATE														
		DATE														
		SCALE	1 / 2													
		WEIGHT	N/A													
		SHEET 2 OF 4														

TITLE	
VIEW AND ANNOTATION ALL THREE	
DRAWING NO.	REVISION
PMaxParamertic	



ISO VIEW



UNLESS OTHERWISE SPECIFIED

DO NOT SCALE DRAWING  
INTERPRET DIMENSIONS AND TOLERANCES  
PER ASME Y14.5M-1994  
DIMENSIONS ARE IN INCHES  
TOLERANCES APPLY AS SHOWN BELOW  
1 PL DEC ± 0.02  
2 PL DEC ± 0.01  
3 PL DEC ± 0.005  
4 PL DEC ± 0.001  
ANGLES ± 0.1°  
SURFACE ROUGHNESS 63 µ in

THIRD ANGLE PROJECTION



PROPRIETARY

NO PART OF THIS DOCUMENT MAY BE REPRODUCED,  
STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN  
ANY FORM, WITHOUT THE WRITTEN

CUSTOMER

PROJECT

DRAWN BY

CHECKED BY

APPROVED

DATE

DATE

DATE

S4 5/29/2019

TITLE

SIZE

SCALE

WEIGHT

DRAWING NO.

REVISION



PMAX6 VIEW AND ANNOTATION

PMaxParamertic



1 / 2



N/A

SHEET 3 OF 4



ISO VIEW



	UNLESS OTHERWISE SPECIFIED				
	DO NOT SCALE DRAWING INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994 DIMENSIONS ARE IN INCHES TOLERANCES APPLY AS SHOWN BELOW 1 PL DEC ± 0.02 2 PL DEC ± 0.01 3 PL DEC ± 0.005 4 PL DEC ± 0.001 ANGLES ± 0.1° SURFACE ROUGHNESS 63 µ in		PROPRIETARY NO PART OF THIS DOCUMENT MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED IN ANY FORM, WITHOUT THE WRITTEN		
	THIRD ANGLE PROJECTION 		CUSTOMER		
			PROJECT		
		DRAWN BY	S4	DATE	5/29/2019
		CHECKED BY		DATE	
		APPROVED		DATE	
			SIZE	B	DRAWING NO.
			PMaxParamertic		
			SCALE	1 / 2	WEIGHT
			N/A		
			SHEET 4 OF 4		