

ROBO CASE-THE SMART SUITCASE

¹Nikita R. Hatwar, ²Jivita A. Kuhikar, ³Sanskriti D. Sardare, ⁴Ashwini P. Bondre, ⁵Aditi D. Sahare, ⁶Aaroahi M. Tapas ¹Assistant Professor, Department Of Information Technology, Priyadarshini College Of Engineering, Nagpur, India. ^{2,3,4,5,6} Students Department Of Information Technology, Priyadarshini College Of Engineering, Nagpur, India.

Abstract : The integration of Internet of Things (IoT) technology and Android-predicated mobile applications has enabled the development of innovative solutions for sundry authentic-world scenarios. This abstract introduces a novel application of this technology stack in the form of a “Human Following Robo-Case”. This research explores the technical aspects of the Human-Following Suitcase, including sensor protocols, integration, communication impediment avoidance, and utilizer interface design. The findings highlight the feasibility and potential benefits of this innovative solution, amending peregrinate comfort and enhancing utilizer experiences. The ESP32-CAM plays a crucial role in the development of an IoT-enabled smart suitcase designed to autonomously follow a human user. Its integration enables the system to leverage computer vision and connectivity features to achieve real-time object detection and tracking. As the IoT ecosystem and Android platform perpetuate to evolve, the Human-Following Robo-Case represents an exhilarating application of these technologies in the field of perspicacious peregrinate adjuncts. This research aims to engender a perspicacious suitcase that leverages IoT sensors and Android-predicated control mechanisms to autonomously follow its utilizer, providing a seamless and convenient peregrinate experience. The suitcase incorporates a range of sensors, including GPS, ultrasonic, and inertial quantification unit (IMU) sensors, to accurately detect and track the utilizer's position and forms of kineticism.

Keywords - Internet of things, android application, Arduino UNO, robo-case, travel partner, esp32-cam, real-time monitoring.

INTRODUCTION

A sensor-predicated robot utilizing the Internet of Things (IoT) is a robotic system that incorporates sundry sensors to amass data about its environment and employs IoT technology to transmit, process, and utilize this data for a wide range of applications. IoT-enabled robots leverage the connectivity and data-sharing capabilities of the IoT to enhance their autonomy, adaptability, and functionality. This synergy between sensors and IoT enables robots to interact with their circumventions, make apprised decisions, and perform tasks more efficaciously. The ESP32CAM captures live video feed, which serves as the primary input for detecting and tracking the user.

NEED OF THE STUDY.

In the modern world of peregrinate and urban mobility, people often encounter challenges cognate to carrying their luggage, especially when navigating diligent airports, train stations, or city streets. Many peregrinators, concretely those with cumbersomely hefty or bulky luggage, face arduousness efficiently moving their bags from one location to another. This quandary is compounded by the desideratum to monitor their luggage to obviate larceny or loss perpetually. This project aims to address these challenges by developing a "Human Following Robo-Case" utilizing Internet of Things (IoT) technology. The challenges considered in this project are:

3.1 Sensor Integration

Culling and integrating sensors such as cameras, ultrasonic sensors, proximity sensors, and GPS to accurately track the bag's owner and eschew collisions with obstacles.

3.2 Connectivity

Ascertaining reliable connectivity utilizing IoT protocols (e.g., Wi-Fi, Bluetooth, or cellular) for authentic-time communication between the bag and its owner's contrivance.

3.3 Autonomous Navigation

Developing algorithms and control systems for the peregrinate bag to autonomously follow its owner, maintain a safe distance, and acclimate to different ambulating speeds and directions.

3.4 Obstruction Avoidance: Implementing obstruction detection and avoidance mechanisms to obviate collisions while navigating crowded environments.

3.5 Security: Incorporating anti-larceny measures, such as alarms, remote locking, or tracking capabilities, to bulwark the bag from larceny or loss.

3.6 Utilizer Interface: Designing a utilizer-convivial app or interface for peregrinators to control and interact with the keenly intellectual peregrinate bag.

3.7 Battery Life: Optimizing power management to ascertain the bag has adequate battery life for an entire peregrinate day.

3.8 Robustness and Durability: Ascertaining the peregrinate bag can withstand the rigors of peregrinate, including rough handling, sundry weather conditions, and potential mechanical stress.

3.9 Proposed Solution:

Design and develop an IoT-predicated peregrinate bag that autonomously follows its owner, providing accommodation and tranquility of mind to peregrinators. The system should incorporate a range of sensors and connectivity options to enable the peregrinate bag to track its owner's forms of kineticism and maintain a safe distance while eschewing obstacles. It should additionally offer adscititious features such as security measures to deter larceny and loss of the bag. The solution should be utilizer-amicable, robust, and adaptable to sundry peregrinate scenarios, such as airports, train stations, or urban environments. The prosperous development of a Human Following Peregrinate Bag utilizing IoT technology can significantly ameliorate the peregrinate experience by offering accommodation, security, and placidity of mind to peregrinators, ultimately addressing the prevalent challenges associated with luggage conveyance in today's expeditious-paced and crowded world. The ESP32-CAM is integral to the smart human-following suitcase project, combining its camera and Wi-Fi capabilities to deliver a robust solution for autonomous tracking and IoT connectivity. Its ability to process visual data and communicate over the internet makes it an ideal choice for developing intelligent, connected devices that enhance user convenience and safety in travel scenarios.

I. RESEARCH METHODOLOGY

(D et al. 1), the concept about this project is to eradicate the traditional billing methodology and abbreviate human efforts. Through IOT we can monitor contrivances and circumventions wirelessly, which initiates the utilization of tags electronically, when these tags approach in the span of the reader it reads the information stored in the RFID tag with the avail of RFID technology. Unlike barcode scanners, RFID is the fundamental mechanism feature of our exploration. Where in RFID tags are utilized for the apperception of items, an RFID reader is preowned for scanning of goods, and a robotic arm places products in the trolley this avails incapacitated people who are unable to pick and scan of products, and details are exhibited on the LCD, and the customer can do the payment in their hand itself without waiting in the long queue. The proposed archetype infers expeditiously paying one's bill and dispenses standing in a queue, customers can make online payments which plenarily obviates burglary.

(Padma et al. 2), the objective of the work was to solve a major quandary of subsisting shopping carts: they rely on manual labor to move. The cart utilizes the principles of image processing to map itself to one particular utilizer utilizing a patterned tag and follows the utilizer predicated on single object tracking and the distance sensed by ultrasonic sensors interfaced with a Raspberry Pi.

(Vetal et al. 3), the human-following robot is an automobile system that has the faculty to agnize obstacles, move, and transmute the robot's position toward the subject in the best way to remain on its track. This project uses Arduino, motors, and variants of sensors to achieve its goal. This project challenged the group to cooperate,

communicate, and expand their construal of electronics, mechanical systems, and their integration with programming.

(Padma et al. 4), the human-following robot is an automobile system that has the faculty to agnize obstacles, move, and transmute the robot's position toward the subject in the best way to remain on its track. This project uses Arduino, motors, and variants of sensors to achieve its goal. This project challenged the group to cooperate, communicate, and expand their construal of electronics, mechanical systems, and their integration with programming. utilizer is too far away, the suitcase will expedite to maintain the distance between the users to evade of losing connection with the utilizer. For image processing, we utilize Convolutional Neural Networks (CNN) as our algorithm and OpenCV for implementation to achieve object apperception and tracking. The Wi-Fi module is installed on the suitcase, it accommodates detecting whether the target is missing by connecting to the utilizer's mobile phone. When the detected Wi-Fi signal is too low, the mobile phone will issue an admonition to remind the utilizer that the luggage distance is too far. In terms of control, we utilize fuzzy control and machine learning to control the motor to make tracking of the utilizer more stable.

(Redmon et al. 8) on the YOLO (You Only Look Once) algorithm demonstrates real-time object detection capabilities that can be adapted for use with the ESP32-CAM. This algorithm can be optimized to detect and track a human user, allowing the suitcase to follow the designated individual accurately.

Studies on lightweight machine learning models, such as MobileNet and TensorFlow Lite, indicate their compatibility with the ESP32 architecture. (Howard et al. 9) showed that these models could efficiently run on microcontrollers, enabling real-time user detection and tracking with minimal computational resources.

II. METHODOLOGY

The working of a human-following suitcase utilizing IoT involves an amalgamation of sensors, microcontrollers, communication modules, and motor control. Human-following suitcases leverage computer vision and IoT technologies to autonomously track and follow a user, providing a hands-free travel experience. These systems typically incorporate sensors, microcontrollers, and wireless communication to achieve real-time object detection, user tracking, and remote monitoring. Here's a step-by-step explication of how such a system typically operates:

Sensors for Person Tracking via ESP Cam Module:

The suitcase is equipped with ESP32-Cam for tracking human, sensors, which could include ultrasonic sensors or infrared sensors. These sensors are responsible for detecting and tracking the person the suitcase is supposed to follow.

Data Processing:

The sensor data is processed by a microcontroller (such as Arduino or Raspberry Pi) that is embedded in the suitcase. The microcontroller interprets the sensor inputs to understand the position and kineticism of the person.

Decision Making:

Predicated on the processed data, the microcontroller makes decisions about the kineticism of the suitcase. It determines the direction and speed the suitcase should move in order to follow the person efficaciously.

Motor Control:

The microcontroller sends signals to motor drivers that control the kineticism of the suitcase's wheels or motors. This sanctions the suitcase to move autonomously in the desired direction.

Obstruction Detection:

Adscititious sensors, such as ultrasonic sensors or infrared sensors, are habituated to detect obstacles in the path of the suitcase. If an impediment is detected, the microcontroller adjusts the suitcase's path to eschew collisions.

Communication with IoT Platform:

The suitcase is equipped with communication modules (such as Wi-Fi or Bluetooth) that enable it to connect to an IoT platform. This connection sanctions for remote control, status monitoring, and potential updates to the suitcase's software.

IoT Platform Interaction:

Fig. 3.2 Circuit Diagram

The proposed system aims to provide a cost-effective and user-friendly solution for frequent travellers by introducing an automated suitcase. This suitcase utilizes various components such as an Arduino microcontroller board with the suitcase through based on the user's commands. To ensure accuracy and efficiency, the smartphone utilizes accelerometer and magnetometer sensors to compute the user's movements and speed.

This eliminates the need for expensive GPS systems or image processing, which may not always be reliable, especially in indoor environments. The proposed system has been tested and validated for various real-life scenarios. And also discusses the growing demand for comfort and convenience in the current technologically advanced era. It highlights the impact of technological advancements in the travel industry and the need for automated suitcases to assist physically challenged, children, and elderly individuals who travel alone. These automated suitcases can alleviate the dependency on human assistance and enhance traveler's self-esteem.

III. RESULTS




Fig. 4.1 Motor Driver Circuit Implementation



Fig. 4.2 Suitcase Wheels Setup




Fig. 4.3 Sensor Setup



Fig. 4.4 LCD Display Setup



Fig. 4.5 Power Supply Unit



Fig. 4.6 Final Hardware Model Implementation

IV. CONCLUSION

The human-following suitcase utilizing IoT relies on a coalescence of sensors, data processing, motor control, and communication to autonomously follow a person while eschewing obstacles. The integration of IoT capabilities enables remote control and monitoring, integrating into the accommodation and functionality of the suitcase. In conclusion, the ESP32-CAM is a pivotal component in the development of IoT-enabled humanfollowing suitcases, offering a practical and efficient solution for enhancing user convenience in travel. The ESP32-CAM's combination of low cost, compact size, and powerful processing capabilities makes it an ideal choice for implementing real-time computer vision and connectivity in smart luggage.

V. FUTURE SCOPE

The future scope of a human-following suitcase utilizing IoT is promising, and several advancements and applications can be anticipated. Future iterations may incorporate advanced sensing technologies such as amended computer vision, LiDAR, or radar for more precise person tracking and impediment avoidance. Integration of machine learning algorithms could enhance the suitcase's faculty to acclimate to different environments, learn from utilizer predilections, and amend its overall performance over time. Integration with mapping and navigation systems could enable the suitcase to navigate involute environments, including airports, shopping malls, and crowded city streets, with more preponderant efficiency and autonomy. Future versions may incorporate multimodal interaction, sanctioning users to control the suitcase through voice commands, gestures, or other intuitive interfaces for a more utilizer-cordial experience.

ACKNOWLEDGMENT

No volume of words is enough to express our gratitude towards our guide Prof. Mrs. Nikita R. Hatwar, Assistant Professor of the Department of Information Technology, who has been very concerned and guided for all the ideas and solve quires in the preparation of this project. They have been very cooperative and sincere us through to see our hard work become fruitful. We are very thankful to Prof. Mrs. Mrudula M. Gudadhe, Project coordinator for giving us the opportunity to carry out this project. We also want to express our thanks to our parents for giving us the time and money for this project. And finally, I would like to express my gratitude towards my team members for giving their 100% effort and their hard work to make our project succeed, without them and their support it was not possible to complete this project.

REFERENCES

- [1] D, Anitta, et al. "Smart Shopping Cart using IOT and robotic arm." *International Conference on Design Innovations for 3Cs Compute Communicate Control (ICDI3C)*, vol. pp. 301-305, no. doi: 10.1109/ICDI3C535598.2021.00067, 2021, p. 10. *IEEE*, <https://ieeexplore.ieee.org/document/9545213>.
- [2] Kharka, Kharga Bahadur, et al. "HUMAN FOLLOWING ROBOT USING ARDUINO UNO." *International Research Journal of Modernization in Engineering Technology and Science*, vol. 3, no. 7, 2021, pp. 1 - 5. *International Research Journal of Modernization in Engineering Technology and Science*, https://www.irjmets.com/uploadedfiles/paper/volume3/issue_7_july_2021/15119/1628083587.pdf.
- [3] Ng, Yen Leng, et al. "Automatic Human Guided Shopping Trolley with Smart Shopping System." *Special Issue on Sensor Technology and Control System Applications*, vol. 73, no. DOI:10.11113/jt.v73.4246, 2015, pp. 1 - 8. *Special Issue on Sensor Technology and Control System Applications*, <https://journals.utm.my/index.php/jurnalteknologi/article/view/4246>.
- [4] Padma, Aiswarya B., et al. "Automation of Shopping Carts using Technology." *5th International Conference for Convergence in Technology (I2CT)*, vol. 3, no. doi 10.1109/I2CT45611.2019.9033637, 2019, pp. 1-5. *IEEE*, <https://ieeexplore.ieee.org/document/9033637>.
- [5] T., Manikandan, et al. "A Human Following Trolley." *International Journal of Research Publication and Reviews*, vol. 3, no. 2582-7421, 2022, pp. 1 - 4. *International Journal of Research Publication and Reviews*, <https://ijrpr.com/uploads/V3ISSUE10/IJRPR7395.pdf>.

- [6] Vetat, Priyanka P., et al. "Human Follower Robot." *Ijrasnet Journal for Research in Applied Science and Engineering Technology*, vol. 10, no. 4, 2022, pp. 1 - 10. *Ijrasnet Journal for Research in Applied Science and Engineering Technology*, <https://www.ijrasnet.com/research-paper/human-follower-robot>.
- [7] Yang, Chun-Sheng, et al. "The Design of Smart Suitcase." *2019 IEEE International Conference on Consumer Electronics - Taiwan (ICCE-TW)*, vol. 3, no. DOI: 10.1109/ICCE-TW46550.2019.8991728, 2019, pp. 1- 5. *2019 IEEE International Conference on Consumer Electronics - Taiwan (ICCE-TW)*, <https://ieeexplore.ieee.org/document/8991728/authors#authors>.
- [8] Jagtap, A. Kabra, J. Dharmavaram, and S. Raut, "Smart Luggage System" in *Journal Name*, vol. 10, no. XII, pp. Page Range, Dec. 2022. ISSN: 2321-9653.
- [9] O. B. Samin, H. Sohail, M. Omar and H. Hummam, "Accelerometer and Magnetometer Enabled Entity Following Automated Suitcase, " *2020 International Conference on Emerging Trends in Smart Technologies (ICETST)*, Karachi, Pakistan, 2020, pp. 1-5, DOI: 10.1109/ICETST49965.2020.9080686.
- [10] V. L. Popov, S. A. Ahmed, N. G. Shakev and A. V. Topalov, "Detection and Following of Moving Targets by an Indoor Mobile Robot using Microsoft Kinect and 2D Lidar Data, " *2018 15th International Conference on Control, Automation, Robotics and Vision (ICARCV)*, Singapore, 2018, pp. 280-285, DOI: 10.1109/ICARCV.2018.8581231.
- [11] P. R. Amin, K. Karanth S, S. M. S, A. K, and M. Badiger, "Smart Travel Bag" in *IETE – 2020*, vol. 8, no. 11, pp. Page Range, doi:10.0000/ijertconv8is11018, ISSN: 2278-0181, published online: Aug. 4, 2020.
- [12] A. Hartono, E. Yuniarti and S. Maulana, "Designing Prototype of Follow Me Robots to Help Lift Loads of Goods Based On Ultrasonic Sensor, " *2021 9th International Conference on Cyber and IT Service Management (CITSM)*, Bengkulu, Indonesia, 2021, pp. 1-4, DOI: 10.1109/CITSM52892.2021.9588798.
- [13] Trans-Porter: The Following Suitcase, " *Concordia University*, 2016. F. Correia, P. Alves-Oliveira, N. Maia, T. Ribeiro, S. Petisca, F. S. Melo, and A. Paiva, "Just follow the suit! Trust in Human-Robot Interactions during Card Game Playing, "in *Proceedings of RO-MAN*, 2016.
- [14] M. Salem et al., "Evaluating trust and safety in HRI: Practical issues and ethical challenges, " in *Emerging Policy and Ethics of Human-Robot Interaction*, 2015. A. Libman et al., "NUA - The carry-on that follows you wherever you go" Available: <http://unbouncepages.com/nuarobotics/>, 2015.
- [15] Cart-Follow-X1, "Simon Fraser University, January 26, 2015.
- [16] K. Schaefer, "The Perception and Measurement of Human-Robot Trust, "PhD Dissertation, University of Central Florida, USA, 2013.
- [17] Alismail, H., Baker, L. A., Browning, B. (2017). "Precision Control of Differential Drive Mobile Robots Using Open-Loop Control with Encoder Feedback." *International Conference on Robotics and Automation*.
- [18] Ayala-Romero, J., García-Vázquez, J. P., Siller, M., Flores, E., & Rivas, J. (2020). "Energy-Efficient IoT Device with ESP32." *IEEE Internet of Things Journal*.
- [19] Borenstein, J., & Koren, Y. (1989). "Real-time Obstacle Avoidance for Fast Mobile Robots." *IEEE Transactions on Systems, Man, and Cybernetics*.
- [20] Howard, A. G., Zhu, M., Chen, B., Kalenichenko, D., Wang, W., Weyand, T., Andreetto, M., & Adam, H. (2017). "MobileNets: Efficient Convolutional Neural Networks for Mobile Vision Applications." *arXiv preprint arXiv:1704.04861*.
- [21] Maiti, A., & Jadliwala, M. (2016). "Lightweight, User-friendly Secure Mobile Payments." *IEEE Transactions on Mobile Computing*.

