

12.1

```
SQL> declare
  2  n number:= &n;
  3  begin
  4  if mod(n,2)=0
  5  then
  6  dbms_output.put_line('Number is even');
  7  else
  8  dbms_output.put_line('Number is odd');
  9  end if;
 10  end;
 11  /
Enter value for n: 5
old  2: n number:= &n;
new  2: n number:= 5;
Number is odd

PL/SQL procedure successfully completed.

SQL> declare
  2  n number:= &n;
  3  begin
  4  if mod(n,2)=0
  5  then
  6  dbms_output.put_line('Number is even');
  7  else
  8  dbms_output.put_line('Number is odd');
  9  end if;
 10  end;
 11  /
Enter value for n: 8
old  2: n number:= &n;
new  2: n number:= 8;
Number is even

PL/SQL procedure successfully completed.

SQL> |
```

12.2

```
SQL> declare
  2  a number;
  3  b number;
  4  c number;
  5  begin
  6  a:=&a;
  7  b:=&b;
  8  c:=&c;
  9  if(a>b and a>c)then
 10  dbms_output.put_line('a is maximum '||a);
 11  elsif(b>a and b>c)then
 12  dbms_output.put_line('b is maximum '||b);
 13  else
 14  dbms_output.put_line('c is maximum '||c);
 15  end if;
 16  end;
 17  /
Enter value for a: 10
old  6: a:=&a;
new  6: a:=10;
Enter value for b: 95
old  7: b:=&b;
new  7: b:=95;
Enter value for c: 100
old  8: c:=&c;
new  8: c:=100;
c is maximum 100

PL/SQL procedure successfully completed.

SQL> |
```

12.3

```
SQL> declare
  2  n number(5):=&n;
  3  s number:=0;
  4  r number(2):=0;
  5  begin
  6  while n!=0
  7  loop
  8  r:=mod(n,10);
  9  s:=s+r;
 10  n:=floor(n/10);
 11  end loop;
 12  dbms_output.put_line('Sum of digits of given number is '||s);
 13  end;
 14  /
Enter value for n: 146
old 2: n number(5):=&n;
new 2: n number(5):=146;
Sum of digits of given number is 11

PL/SQL procedure successfully completed.

SQL> |
```

12.4

```
SQL> declare
  2  n number(5) := &n;
  3  s number := 0;
  4  r number(2) := 0;
  5  rev number := 0;
  6  begin
  7  while n != 0 loop
  8  r := mod(n, 10);
  9  s := s + r;
 10  rev := rev * 10 + r;
 11  n := floor(n / 10);
 12  end loop;
 13  dbms_output.put_line('Reversed number is ' || rev);
 14  end;
 15  /
Enter value for n: 123
old 2: n number(5) := &n;
new 2: n number(5) := 123;
Reversed number is 321

PL/SQL procedure successfully completed.

SQL> |
```

12.5

```
SQL> declare
  2  day number:=&day;
  3  begin
  4  case day
  5  when 1 then
  6  dbms_output.put_line('Sunday');
  7  when 2 then
  8  dbms_output.put_line('Monday');
  9  when 3 then
 10  dbms_output.put_line('Tuesday');
 11  when 4 then
 12  dbms_output.put_line('Wednesday');
 13  when 5 then
 14  dbms_output.put_line('Thursday');
 15  when 6 then
 16  dbms_output.put_line('Friday');
 17  when 7 then
 18  dbms_output.put_line('Saturday');
 19  else
 20  dbms_output.put_line('Invalid Day!');
 21  end case;
 22  end;
 23  /
Enter value for day: 5
old  2: day number:=&day;
new  2: day number:=5;
Thursday

PL/SQL procedure successfully completed.

SQL> |
```

13.1

```
SQL> create procedure large(a1 in number,b1 in number,c1 out number)as
  2  begin
  3  if(a1>b1)then
  4  c1:=a1;
  5  else
  6  c1:=b1;
  7  end if;
  8  end large;
  9  /

Procedure created.

SQL> set serveroutput on;
SQL> declare
  2  a2 number:=&a2;
  3  b2 number:=&b2;
  4  c2 number:=0;
  5  begin
  6  large(a2,b2,c2);
  7  dbms_output.put_line('Largest: '||c2);
  8  end;
  9  /
Enter value for a2: 45
old  2:  a2 number:=&a2;
new  2:  a2 number:=45;
Enter value for b2: 68
old  3:  b2 number:=&b2;
new  3:  b2 number:=68;
Largest: 68

PL/SQL procedure successfully completed.

SQL> |
```