

- Blockchain
 - Relevance to data processing
 - Benefits
 - Structure and operation (sketch)
 - Applications




COMP20008 Elements of Data Processing

Semester 2 2018

Lecture 17-18: Blockchain Data Processing

We have studied the integration of separate datasets, from two parties, A and B



- Suppose we have *thousands of parties sharing data*?
- Suppose we want the data to be easily *accessible to all*?
- Blockchain is an infrastructure to support this. Based on some core computing technologies
 - Peer to peer, hashing, public key cryptography, ...

- Study guide for weeks 1-9 – available on the LMS
- Sample exam and answers are also available on LMS under “Exam Resources”
- Next week – Non teaching week, no lectures/workshops


- Who typically keeps track of our digital assets?
 - Money: banks have a record
 - Health: Doctors/Hospitals keep our health records
 - Education: Universities record academic results/graduations
- To transfer my money -> involve bank
- To share my health data -> involve doctor/hospital
- To share my academic credentials -> involve university
- In each scenario there is a **middleman (trusted party) holding private records**
 - Bank
 - Doctor/hospital
 - University

- What if we could remove the middleman?
 - No **central**, trusted point of control
 - Benefits
 - Less administration, less bureaucracy
 - **Less expensive** (e.g. less fees)
 - **Faster transactions**
 - More control over records handed to users
 - Ability to be anonymous
 - Users can verify data in the blockchain
 - More secure solution (maybe)

- Blockchain
 - A distributed database
 - Stored on many computers
 - No central point of control
- “Notoriously difficult to explain”
 - Mark Pascal
- “The technology likely to have the greatest impact on the next few decades has arrived. And it's not social media. It's not big data. It's not robotics. It's not even AI. You'll be surprised to learn that it's the underlying technology of digital currencies like Bitcoin. It's called the blockchain.”
 - Don Tapscott
- **Bitcoin** is the first Blockchain application
 - Blockchain is not Bitcoin

- A public record, known as a **ledger**
 - Can record events, facts, asset transfers, ...
 - E.g. Graduation certificate, exam marks, medical test results, transfer of money, ...
- The ledger is typically public and **shared between many parties**
 - Some of these parties may be hostile/untrustworthy
- Once data is entered into the ledger, it **can't be altered**
 - No deletions, revisions, alterations, ...
- The integrity of the ledger can be **verified**
 - Ensure that it hasn't been tampered with

- Peer to peer network of computers each running blockchain software



- [Proposed](#) in 2008, by Satoshi Nakamoto
 - Software released on Sourceforge the following year. Underpinning of the digital currency bitcoin.
- Who is Satoshi Nakamoto?
 - No-one knows

Bitcoin: A Peer-to-Peer Electronic Cash System


Satoshi Nakamoto
satoshiin@gmx.com
www.bitcoin.org

Abstract. A purely peer-to-peer version of electronic cash would allow online payments to be sent directly from one party to another without going through a financial institution. Digital signatures provide part of the solution, but the main benefits are lost if a trusted third party is still required to prevent double-spending. We propose a solution to the double-spending problem using a peer-to-peer network. The network timestamps transactions by hashing them into an ongoing chain of hash-based proof-of-work, forming a record that cannot be changed without redoing the proof-of-work. The longest chain not only serves as proof of the sequence of events witnessed, but proof that it came from the largest pool of CPU power. As long as a majority of CPU power is controlled by nodes that are not cooperating to attack the network, they'll generate the longest chain and outpace attackers. The network itself requires minimal structure. Messages are broadcast on a best effort basis, and nodes can leave and rejoin the network at will, accepting the longest proof-of-work chain as proof of what happened while they were gone.

- We are going to need to use secure hash functions (SHA-256)
 - A core tool used in blockchain
- A quick reminder ..
 - <http://emn178.github.io/online-tools/sha256.html>

- Blockchain is a complex technology
- Best known use is for the digital currency [bitcoin](#)
 - [Ethereum](#) is another well known blockchain
 - <https://www.ethereum.org/>
- In what follows, we discuss some **core elements** of blockchain
 - Leave out many of the details
 - For simplicity, we avoid too much focus on the currency applications (bitcoin)
- Analogy
 - Blockchain is like an operating system. Bitcoin is like an application that can run on that operating system.


- Each computer in the network has a copy of the ledger




- Secure hash algorithm
 - Takes a string as input and creates an output of fixed length
- SHA-256 hash function (64 hex characters, 256 bit output)
 - SHA-256(COMP20008 is good) = 2160e01e8a6cdf4b515c04b657bc1aea4c3c99171c17ab8b8bcb2281e5038598
 - SHA-256(COMP20008 is good!) = be0b946ea5bfbc5f6d5fe461f207404266947d9d589ed3b74f2b731f8b4fbc
- Input that are similar give very different outputs
- Given the output, it is infeasible to recreate the input
- Input can be of any length
- Input can be any file (a text file, a song, a movie, ...)

- The public ledger is called the blockchain (a file)
- File is a **sequence of blocks**, each block contains a **header** and some **data** (list of transactions)
- Block ID is equal to a hash of its header
- Each block contains the ID of its parent block

Blockchain



- Each computer in the blockchain network has a complete copy of the public ledger (ledger=record of events/transactions)




- Bob has a fact he wants to add to the blockchain
 - His computer **broadcasts it to neighbors** it is connected to in the blockchain network
 - Those **neighbors receive the fact**, validate the correctness of its format, then broadcast it to peers they are connected to. These peers recursively follow the same procedure.
 - At some point, **a peer will aggregate a collection** of facts (transactions) it has received, place them into a block, create an appropriate header and broadcast the block to its neighbors

- A block's header typically includes
 - **ID** of its parent block
 - **Timestamp** of block's creation
 - **Hash of the data** (list of transactions) inside a block


Example blockchain (bitcoin)

- <https://blockchain.info/>

Blockchain



How might a distributed ledger work?




- The ID of a block derives from a hash of its header
 - So if a block's header changes, the block's ID changes
- If a **parent block** is modified, then its header will change and so the **parent's ID** will change
- If **parent's ID** changes, then this will change the previous block hash inside the **child's header**
 - Since the child's ID derives from its own header, the child's ID will therefore change.
 - This in turn will cause a change in the **grandchild**, which is dependent on the child's ID
 - This in turn will cause a change in the **great grandchild**
- **Bottom line: changing a block produces a cascade effect requiring recalculation of all subsequent blocks**

- Public key cryptography is a fundamental element of blockchain technology, used for promoting security and privacy
 - Public and private keys
 - Digital signatures
- We briefly review these notions next.

- In practice, it is not so simple
 - Nodes might **create blocks simultaneously** and propose they be added as the next block in the blockchain
 - Must resolve discrepancies to reach consensus
 - Nodes might try to disrupt the blockchain by creating **false facts** (E.g. spending the same money multiple times)
- In the currency (bitcoin) blockchain, there are mechanisms that make it hard for a node to create and add blocks
 - Must solve a complex computational puzzle to add a block
 - Nodes are rewarded if they solve the puzzle first
- In a (semi-)trusted scenario, might stipulate that only trusted nodes can create blocks
 - E.g. In an education blockchain, only universities might create blocks



- Using standard software, Bob can create two keys (two long numbers)
 - A private key (information known only by him)
 - A public key (information he shares with other people)
- <http://travistidwell.com/blog/2013/09/06/an-online-rsa-public-and-private-key-generator/>
- These keys have special properties
 - Alice can encrypt a message using Bob's public key. Only Bob can decrypt and read the message, using his private key.
 - Bob can encrypt a message using his private key. This message can only be decrypted using his public key.

Where might blockchain use cryptography?




- Bob has two keys
 - Private key=....
 - Public key=.....
- Bob wants to place his **digital signature** on a document
- The digital signature is evidence that Bob authorised the contents of the document
 - Similar to a real signature on a contract
- Alice wants to **verify** that **Bob's signature is real** (it could only have come from Bob)


Scenario #1



Scenario #2



- What about **sensitive facts**? People don't want these to be publically viewable on the blockchain.
 - “Alice graduated with a BSc in 2017 from the University of Melbourne”
- The University applies a hash to the fact then adds this **hash output** to the blockchain along with a digital signature.
 - 07ce291c716fd0346d1fb84968062f9a4648af6ba70cae9b4d400f74dee796d2
 - No-one can reverse the hash function to uncover the fact
 - Now stored on the blockchain, but Alice's privacy is preserved
- Alternatively could **encrypt the fact** using Alice's **public key**.



- Alice provides prospective employer with
 1. The fact: Alice graduated with a BSc in 2017 from the University of Melbourne
 2. A reference to the blockchain block containing this hashed information
- Employer can **apply hash function** to the fact and see that it is stored on the blockchain. They can also verify the fact was **digitally signed** by the University of Melbourne

- Suppose the University of Melbourne wishes to add a fact to the blockchain
 - “Alice graduated with a BSc in 2017 from the University of Melbourne”
- The University of Melbourne node sends this data to the blockchain. It eventually gets included in a block.
- Everyone can now see this fact, but how do **they know it is true**?
 - A **digital signature** from the University of Melbourne is also attached to the fact.
 - Anyone can now **verify** that University of Melbourne approved this fact.



- Patient data is added to the blockchain
 - Each visit to the doctor
 - Blood tests
 - MRI/CT Scans
 - Vaccinations
 - Prescriptions
 - Physiotherapy, ...
 - Fitbit and wearables data???
- Data is **encrypted with patient's private key**
 - Patient may provide public key to insurer or health provider so they can review their medical history. Reduced time, fuller information available and quicker
- Estonia
 - Developing a blockchain system for 1 million medical records



- Currency
- Health
- Education



FINANCIAL REVIEW

NEWS • BUSINESS • MARKETS • STREET TALK • REAL ESTATE • OPINION • TECHNOLOGY • PERSONAL FINANCE • LEADERSHIP • LIFESTYLE • ALL

Home / Leadership

Apr 30 2017 at 3:16 PM | Updated Apr 30 2017 at 3:16 PM

University of Melbourne first in Australia to use blockchain for student records

- <http://newsroom.melbourne.edu/news/university-melbourne-issue-recipient-owned-blockchain-records>
- <https://medium.com/learning-machine-blog/the-new-blockcerts-mobile-app-eea18053f526>
- <https://medium.com/mit-media-lab/blockcerts-an-open-infrastructure-for-academic-credentials-on-the-blockchain-899a6b880b2f>

- Cheap, secure, shared resource to store credentials and micro-credentials
- Compare with the vision of Institute for the Future
 - <https://www.youtube.com/watch?v=DcP78cLPqIE&feature=youtu.be>
 - University degrees, MOOCs, Khan academy, corporate training, conference attendance,all on the blockchain?


search the AFR

Save Article | Print | License Article



- Blocks contain information about **transactions** involving the bitcoin currency
 - Movements of money between individuals
 - Complex protocols for checking whether someone has money available to be spent.
 - Complex consensus protocols to avoid hacking attacks that tamper with the blockchain in order to spend the same money multiple times
- Around **11000 nodes**, completely decentralised
- **200k transactions** per day, **1.2k transactions** per block
- Total circulation value of bitcoins: ~\$USD110 billion
- Can view blocks being created at
 - <https://blockchain.info/>






Why use blockchain for education – what are the advantages compared to traditional process?

- University
- Student
- Employer



Traditional process



Unimelb and blockchain

- Issuing degrees on the blockchain
 - Melbourne Teaching Certificate
- Uses the Blockcerts system – software that it is built on top of the **bitcoin (financial) blockchain**, and which allows education credential information to be stored
 - i.e. Using a blockchain intended that is about financial data, to store a different kind of data!

- Motivation for blockchain technology
 - What problems is it trying to solve?
 - Why is it useful?
 - How are blocks chained together?
 - How is hashing used to identify and link blocks?
 - How are digital signatures used to verify data on the blockchain?
 - How is hashing used to make information on the blockchain private?

- University
 - Secure
 - Easy to access
 - Less expensive
 - Store micro-credentials
- Student
 - Don't need extra copies
 - Cheap
- Employer
 - Doesn't need to talk to university
 - Trust (security)



- How the blockchain is changing money and business | Don Tapscott
 - <https://www.youtube.com/watch?v=Pl8OIkwwRpc>
- How does blockchain work?
 - <https://medium.com/@micheledaliessi/how-does-the-blockchain-work-98c8cd01d2ae>
- Blockchain and education
 - <http://hackeducation.com/2016/04/07/blockchain-education-guide>

- Open questions
 - Revocation
 - **University revokes a degree**
 - Permissions and privacy
 - What is appropriate?
 - **The right to be forgotten**
 - Who can be trusted to add blocks to the block chain?
 - Smart contracts
 - Make a payment to the University of \$100 every day the temperature is less than 10 degrees
 - University to refund 10% of student fees once student gets their first job