

Create database

1)create a file->

Php artisan make:model file

2)create controller->

Php artisan make:controller testing --resource

3)testing.blade.php

```
index(){  
    view("file");  
}
```

4)lets make a file in view named file.blade.php

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
    <meta charset="UTF-8">  
    <meta name="viewport" content="width=device-width, initial-scale=1.0">  
    <meta http-equiv="X-UA-Compatible" content="ie=edge">  
    <title>File-upload</title>  
</head>  
<body>  
  
    <form action="store" method="POST" enctype="multipart/form-data">  
  
        <label for="name">name</label>  
        <input type="text" name="name"></br>  
  
        <label for="image">image</label>  
        <input type="text" name="image">  
  
        <input type="hidden" name="_token" value="{{csrf_token()}}">  
  
        <input type="submit" type="submit" value="submit">  
  
    </form>  
  
</body>  
</html>
```

5)router:

```
Route::get("file", 'testing@index');  
Route::post("store", 'testing@store');
```

6)resource->testing

```
use App\file;  
use Illuminate\Support\Facades\Input;  
public function store(Request $request)  
{  
    $user=new file;  
    $user->title=Input::get('name');  
    if(Input::hasFile('image')) {  
        $file=Input::file('image');  
  
        $file->move(public_path().'/',$file->getClientOriginalName()  
e());  
        $user->name=$file->getClientOriginalName();  
        $user->size=$file->getClientSize();  
        $user->type=$file->getClientMimeType();  
    }  
    $user->save();  
    return 'data saved in db';  
}
```

Data gone to db

```
7)Route::get("show", 'testing@showall');  
8)public function showall()  
{  
    $user=file::all();  
    return view('show',compact('user'));
```

```
}
```

9)so open show.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>show all</title>
</head>
<body>
    @foreach($user as $users)

        
    </br>
    @endforeach
</body>
</html>
```

10)resource:

```
public function store(Request $request)
{
    $user=new file;
    $user->title=Input::get('name');
    if(Input::hasFile('image')) {
        $file=Input::file('image');
```

```

$file->move(public_path().'/'.$file->getClientOriginalName());

        $user->name=$file->getClientOriginalName();
        $user->size=$file->getClientSize();
        $user->type=$file->getClientMimeType();
    }
    $user->save();
    return redirect("show");
}

public function show($id)
{
    $user=file::all();
    return view('showall',compact('user'));
}

```

So open showall.blade.php->

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>show by id</title>
</head>
<body>

</body>

```

```
</html>
```

```
11)Route::get("show/{id}",'testing@show');
```

12)by id image:

```
public function show($id)
{
    $user=file::findorfail($id);
    return view('showall',compact('user'));
}
```