ANIMA PROXIMA · UNITY ASSET STORE

Low Poly Racing Track Starter Pack

Version 2.0.0 · modular arcade track kit with a Vice City–style showcase scene



Built-in · URP · HDRP · Unity 6.0 LTS or newer · Game-ready colliders · Physically moving obstacles · 3 lighting presets

15	25	3	10
track, obstacle, prop & car prefabs	set-dressing kit prefabs	switchable lighting presets	ready-made shot cameras

Contents

1. Quick start
2. Render pipelines
3. The demo scene
4. Track pieces, obstacles & props
5. Set-dressing kit
6. Lighting presets
7. Shot cameras
8. Scripts
9. Colliders & physics
10. Technical details
11. Folder structure
12. Support & license

1. Quick start

1. **Import the pack.** *Window → Package Manager → My Assets → Low Poly Racing Track Starter Pack → Import*. Everything lands in `Assets/ANIMA_PROXIMA/Racing_Pack/`.
2. **Run the setup window.** *Racing Pack Setup* opens by itself after the first import. You can also open it from *Tools → ANIMA PROXIMA → Racing Pack Setup*. It shows your project's render pipeline and the pack variant that is installed.
   - **URP project:** nothing to do. The pack is imported as URP.
   - **Built-in or HDRP project:** click **1. Import** for your pipeline, then **2. Clean up**. See *Render pipelines* on the next page.
3. **Open the demo scene:** `EnvironmentDemo/Scene/DemoScene.unity`.
4. **Press Play.**
   - **1 / 2 / 3** switch the lighting preset.
   - ← / → step through the ten shot cameras.
   - The fan, the windmill and the hammers move.

   In Edit mode, use the dropdowns on the `Lighting` and `Cameras` objects instead.
5. **Build your own track.** Drag prefabs from `EnvironmentDemo/Prefabs/` into a scene. Track pieces are multiples of 10 units long and have their pivot on a lane edge. With the move snap set to 5, they line up end to end. For anything else, use vertex snapping: hold **V** and drag from a corner vertex.

> **Upgrading from version 1.x?** Version 2.0 is a full rework and is not compatible with 1.x. Delete `Assets/ANIMA_PROXIMA/` before you import 2.0. If you edited the old demo scene, save a copy of it outside that folder first.

What's new in 2.0

- Built-in, Built-in + Post Processing, URP and HDRP versions, switched with one click in the setup window.
- A new art-directed demo scene: a seaside circuit at sunset, with a catalog plaza that shows every piece.
- A 25-piece low-poly set-dressing kit: hotels, towers, skyline, palms, lamps, guardrails, grandstand, billboards, plaza, beach, hills and sea.
- New track pieces: `Road_Corner_90` (30 × 30) and `Road_Corner_90_Wide` (60 × 60).
- Game-ready physics: a mesh collider on every renderer. The fan, the windmill and the hammers rotate a kinematic Rigidbody, so they push cars.
- Three lighting presets (Vice City Sunset, Golden Hour, Hard Midday), ten shot cameras and waypoint path scripts.
- Minimum Unity version is now 6.0 LTS.

2. Render pipelines


The pack is imported as **URP**. The other pipelines come as small packages in `Racing_Pack/RenderPipelines/`. Each one replaces the materials, lighting rigs and camera prefab with versions for that pipeline. Because the replacements keep the same asset IDs, the scene and every prefab keep working.

YOUR PROJECT	WHAT TO DO IN *RACING PACK SETUP*	REQUIRES
URP (17+)	Nothing. Optional: **3. Apply recommended settings**.	—
Built-in	**1. Import Built-in**, then **2. Clean up**.	—
Built-in + PostFX	Install *Post Processing* from the Package Manager, then **1. Import Built-in + PostFX** and **2. Clean up**. Adds tonemapping, color grading, bloom and vignette.	`com.unity.postprocessing` 3.5+
HDRP (17+)	**1. Import HDRP**, then **2. Clean up**.	—

- **1. Import** imports the matching package. To go back to URP, import `URP.unitypackage` the same way.
- **2. Clean up** lists the pack's URP-only assets that can't load in your pipeline: the URP pipeline asset and renderer, and in Built-in also the URP post-processing profiles. It deletes them after you confirm. Importing the URP package brings them back.
- **3. Recommended settings** is optional:
  - URP and HDRP: assigns the pack's pipeline asset, which is tuned for long shadow distances (700 m) on a large scene.
  - Built-in: applies 700 m shadows with 4 cascades to the current quality level.

  Skip it if your project already has its own settings.

> **Customizing materials or rigs?** Importing a pipeline package overwrites the pack's materials, lighting rigs, post-processing profiles and the camera prefab. Choose your pipeline first, then make your changes. If you want to keep your changes through a later pipeline switch, edit copies instead.



Shot 01, imported into fresh Unity 6.0 projects with their default quality settings. Plain Built-in has no tonemapping, so highlights read brighter. Add the PostFX variant to match URP.


3. The demo scene

`EnvironmentDemo/Scene/DemoScene.unity` is a complete seaside circuit with a city around it:

- a start/finish straight;
- a ramp-and-loop section on a raised deck;
- a hammer and fan gauntlet;
- a windmill infield;
- a palm-lined beach straight;
- a boulevard, sea, skyline and hills.

East of the island, a **catalog plaza** shows every track piece, obstacle, prop and car side by side.

ROOT OBJECT	CONTENTS
`Lighting`	The three lighting rigs and the `LightingPresetSwitcher`.
`Cameras`	`ShowcaseCameras` (10 shots) and the `ShotCameraSwitcher`.
`Track`	The circuit: straights, corners, ramp, loop, landing platform, gates and the obstacle gauntlet.
`Cars`	The two demo cars on the grid.
`Dressing`	Grandstands, guardrails, billboards, cones, palms and lamps along the track.
`Environment`	Infield, plaza, beach, promenade, sea, boulevard, towers, skyline and hills.
`Catalog`	Every piece on a plaza, ordered by size (shot 08).



Shot 08 — the catalog plaza. Front to back: cars, barrier, cone and hammer; straight, ramp and corners; the landing platform; fan, START and FINISH gates, the double loop and the windmill.

Lighting is fully realtime, with no baked lightmaps, so you can move anything and switch presets without rebaking.

4. Track pieces, obstacles & props

Sizes are prefab bounds in Unity units (1 unit = 1 m), X × Y × Z, unrotated. The track lane is 10 units wide.

PREFAB	FOLDER	SIZE	TRIANGLES	NOTES
`Road_Straight_Long`	Roads	60 × 0.6 × 10	28	Straight lane
`Road_Corner_90`	Roads	30 × 0.6 × 30	204	90° corner, tight
`Road_Corner_90_Wide`	Roads	60 × 0.6 × 60	332	90° corner, sweeping
`Platform_Landing`	Roads	110 × 0.6 × 50	172	Wide landing platform that funnels into the lane
`Ramp_Small`	Ramps	30 × 3.4 × 10	108	Jump ramp
`Loop_Double`	Loops	82 × 81 × 50	4,316	Two-turn loop, drivable
`Barrier_Block`	Obstacles	5.8 × 3.4 × 2	108	Static barrier
`Hammer_Double`	Obstacles	3.6 × 11 × 22	600	Swings ±40° every 2.4 s (`Pendulum`)
`Large_Fan`	Obstacles	14 × 60 × 60	572	Blades turn 90°/s (`Rotator`)
`Windmill_Large`	Obstacles	32 × 205 × 125	1,254	Blades turn 20°/s (`Rotator`)
`Gate_Start` / `Gate_Finish`	Props/Start_Finish_Gate	5 × 22.5 × 31	2,228	Drive-through gantries
`Traffic_Cone`	Props	0.5 × 0.8 × 0.5	120	Knockable (dynamic Rigidbody)
`GreenCar` / `RedCar`	Meshes	6.7 × 1.9 × 2.8	4,965	Demo sedans with convex colliders, no controller

Snapping: straights and corners are multiples of 10 units long, with the pivot on a lane edge. With the move snap set to 5 and rotation in 90° steps, they line up end to end. The demo circuit is built this way. For the platform, the loop and anything off-grid, use vertex snapping (hold **V**).

Cars are props. They have convex colliders but no Rigidbody, wheel colliders or controller, so you can plug in your own vehicle system. The *Scripts* section shows how to move them along a path.

5. Set-dressing kit


Twenty-five low-poly pieces in `EnvironmentDemo/Prefabs/Environment/`. Each one is textured from a single palette atlas, so the whole kit shares two materials (`Palette` and `Poster`), plus `Water` for the sea.

FOLDER	PIECES	TRIANGLES
Buildings	`Building_Hotel_Cream`, `Building_Hotel_Pink`, `Building_Shop_Mint`, `Building_Tower_Deco`, `Building_Tower_Glass`, `Building_Tower_Round`, `Lifeguard_Tower`, `Skyline_Cluster_A`, `Skyline_Cluster_Low`, `Skyline_Tower_Slim`	118–1,392
Palms	`Palm_Straight`, `Palm_Leaning`, `Palm_Double`	504–1,008
Street	`Street_Lamp`, `Guardrail_Straight` (10 u), `Fence_Promenade` (10 u), `Grandstand`	68–872
Billboards	`Billboard_Start`, `Billboard_Finish`	118
Terrain	`Plaza_Tile`, `Lawn_Tile` (60 × 60 tiles), `Beach_Strip`, `Hill_Small`, `Hill_Large`	24–198
Water	`Sea_Plane` (400 × 400)	800



Fan gauntlet (Golden Hour) · windmill (Vice City Sunset) · palm straight (Golden Hour) · aerial (Hard Midday).

6. Lighting presets



Vice City Sunset (hero) · Golden Hour · Hard Midday.

Each preset is a prefab in `EnvironmentDemo/Lighting/Rigs/`. A `LightingRig_*` contains the sun, a `LightingPreset` component and, depending on the pipeline, a post-processing volume. When a preset is activated, it applies:

- the skybox, a procedural sky from `Lighting/Skies/`;
- the gradient ambient light;
- fog;
- a reflection cubemap of its own sky, so the sea and glossy surfaces reflect the right colors.

Using the presets in your own scene

1. Drag the `LightingRig_*` prefabs you want into the scene. Remove any other directional light.
2. Add *ANIMA PROXIMA → Racing Pack → Lighting Preset Switcher* to an empty object, and add the rigs to its **Presets** list.
3. Pick the active preset from the switcher's dropdown. In Play mode, the number keys 1–9 switch presets. From code, call `switcher.Select("Golden Hour")` or `switcher.Select(1)`.

To keep pipeline switching working, don't add components to the rig instances or change their children in the scene. Moving, renaming and enabling them is fine.

7. Shot cameras

`EnvironmentDemo/Cameras/ShowcaseCameras.prefab` holds ten composed shots of the demo scene. Each shot is a Camera with a `ShotCamera` component, which stores the shot name, the preset it was lit for, and notes. The `ShotCameraSwitcher` keeps one shot active. Choose a shot from its dropdown, or press ← / → in Play mode; with **Apply Shot Preset** on, the lighting switches to that shot's preset. **Align Scene View to Shot** moves the Scene view to the camera, which is handy for framing screenshots.

#	SHOT	PRESET	#	SHOT	PRESET
01	Hero Loop	Vice City Sunset	06	Windmill Silhouette	Vice City Sunset
02	Start Gate Low	Vice City Sunset	07	Top Down (orthographic)	Hard Midday
03	Loop Backlit	Vice City Sunset	08	Catalog Lineup	Hard Midday
04	Fan Gauntlet	Golden Hour	09	Palm Straight	Golden Hour
05	Hammer Close	Golden Hour	10	Aerial Overview	Hard Midday

8. Scripts

All runtime scripts are in `Racing_Pack/Runtime/`, in the `AnimaProxima.RacingPack` namespace and assembly. They have **no render-pipeline dependency**. Add them from *Add Component → ANIMA PROXIMA → Racing Pack*.

COMPONENT	WHAT IT DOES	MAIN SETTINGS
`Rotator`	Spins a kinematic Rigidbody around a local axis (fan, windmill blades).	Axis, Degrees Per Second, Randomize Phase, Start Angle
`Pendulum`	Swings a kinematic Rigidbody back and forth with sine easing (hammers).	Axis, Amplitude Degrees, Period, Phase Degrees (stagger a row of hammers)
`KinematicMotion`	Base class of both. It moves with `Rigidbody.MoveRotation` in `FixedUpdate`, so obstacles **push** dynamic bodies such as your cars instead of passing through them.	Derive from it for your own moving obstacles
`WaypointPath`	Smooth closed or open path through its child transforms (centripetal Catmull-Rom, constant-speed sampling). Each waypoint's up vector is interpolated, so a path can run through a loop.	Closed, Samples Per Segment
`PathFollower`	Moves a kinematic Rigidbody along a `WaypointPath` at constant speed, steering and banking into turns. Use it for AI traffic, attract-mode cars or camera dollies.	Path, Speed, Start Distance, Height Offset, Look Ahead, Max Bank Angle, Model Rotation Offset
`LightingPreset` / `LightingPresetSwitcher`	Lighting presets; see section 6.	
`ShotCamera` / `ShotCameraSwitcher`	Shot cameras; see section 7.	

Example: a car that drives a lap

1. Create an empty `Path` object with a `WaypointPath`, and add child empties along the track as waypoints, in driving order.
2. Create an empty `Car` object and add a `PathFollower`. A kinematic Rigidbody is added and configured for you. Assign the path and set **Speed**, for example 30.
3. Drop `RedCar` inside it as a child. The demo cars face +X, so set **Model Rotation Offset** to (0, −90, 0), or rotate the child instead.

```
// Switch lighting and shots from your own code
var lighting = FindFirstObjectByType<AnimaProxima.RacingPack.LightingPresetSwitcher>();
lighting.Select("Hard Midday");

var shots = FindFirstObjectByType<AnimaProxima.RacingPack.ShotCameraSwitcher>();
shots.Select(7);   // 08 Catalog Lineup
```

Input: the switchers' keys work with either the Input System package or the legacy Input Manager. The Input System package is not required.

Editor: `Racing_Pack/Editor/` contains the *Racing Pack Setup* window and the switchers' inspectors. Everything there is editor-only, so none of it ends up in your builds.

9. Colliders & physics

Every renderer in every prefab has a **MeshCollider that uses its render mesh**, so collisions match what you see, including the hole in the loop and the gaps in gates and blades. No primitive colliders, layers or tags are used.

CATEGORY	PREFABS	COLLIDER	RIGIDBODY	STATIC FLAGS
Track	Roads, corners, platform, ramp, loop	non-convex	—	yes
Static obstacles & props	Barrier, fan/windmill frames, gates	non-convex	—	yes
Moving parts	Fan blades, windmill blades, hammer arms	non-convex	kinematic, on the pivot	no
Vehicles	GreenCar, RedCar	convex	— (add your own)	no
Knockable	Traffic_Cone	convex	dynamic, 5 kg	no
Set dressing	Everything in `Prefabs/Environment`	non-convex	—	yes

Static flags are Batching, Occluder, Occludee and Reflection Probe. *Contribute GI* is off, because the pack uses realtime lighting. Turn it on if you bake lightmaps.

10. Technical details

ITEM	DETAILS
Unity version	6.0 LTS (6000.0) or newer. Authored in Unity 6.3.
Render pipelines	URP 17 (default import), Built-in, Built-in + Post Processing v2 (3.5+), HDRP 17.
Prefabs	15 track, obstacle, prop and car prefabs; 25 set-dressing prefabs; 3 lighting rigs; 1 camera prefab with 10 shots.
Triangles	Track pieces 28–4,316; obstacles 108–1,254; cars 4,965; kit pieces 24–1,392.
Materials	14: URP Lit, Standard or HDRP Lit, depending on the installed variant. 3 procedural sky materials.
Textures	`Palette`, `Plastic`, `WoodMetal`, `Tracks`: 2048 × 2048 atlases. `BanerSF` (gate banners): 1024 × 1024. `WR`: 2048 × 512. Sky reflection cubemaps: 128 px; HDRI sky cubemaps for HDRP: 512 px.
Lighting	Realtime only, with no lightmaps or reflection probes to bake. 3 presets.
Scripts	9 runtime scripts (namespace `AnimaProxima.RacingPack`) plus an editor setup window. No render-pipeline references in runtime code. Input System optional.
Demo scene	1 scene, `DemoScene.unity`.

11. Folder structure

```
Assets/ANIMA_PROXIMA/Racing_Pack/
├── README.pdf
├── Runtime/              scripts: Motion/, Lighting/, Showcase/
├── Editor/               Racing Pack Setup window, inspectors
├── RenderPipelines/      URP · BuiltIn · BuiltIn_PostFX · HDRP .unitypackage
└── EnvironmentDemo/
    ├── Scene/            DemoScene.unity
    ├── Prefabs/          Roads/ Ramps/ Loops/ Obstacles/ Props/Start_Finish_Gate/
    │   └── Environment/  Buildings/ Palms/ Street/ Billboards/ Terrain/ Water/
    ├── Meshes/           track FBX, GreenSedan.fbx + GreenCar/RedCar prefabs
    │   └── Environment/  Env_*.fbx (set-dressing kit)
    ├── Materials/        car materials; MaterialsTracks/ (track & kit); MaterialsEnvironment/ (Water)
    ├── Textures/         palette and surface atlases
    ├── Lighting/         Rigs/ Profiles/ Skies/ Pipeline/ (recommended URP asset)
    └── Cameras/          ShowcaseCameras.prefab
```

12. Support & license

If you have a question, run into a problem, or need help fitting the pack into your project, we're happy to help.

Email	animaproxima.games@gmail.com
Publisher	ANIMA PROXIMA

When you contact support, please include your Unity version, your render pipeline and a short description of the issue. Screenshots or a short screen recording always help.

License

This asset is distributed through the Unity Asset Store. You may use it in personal and commercial Unity projects as permitted by the Asset Store license. Redistribution of the source assets outside your shipped game or application is not permitted.

Thank you for choosing Low Poly Racing Track Starter Pack. We hope it helps you build something great.