

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>

  <title>Salary Calculator (UGX)</title>

  <style>

    body {

      font-family: sans-serif;

      margin: 0;

      padding: 20px;

      background: #fff;

      color: #000;

    }


    .container {

      max-width: 600px;

      margin: auto;

      padding: 20px;

      border: 1px solid #ccc;

      border-radius: 8px;

    }


    h1 {

      text-align: center;

      margin-bottom: 20px;
```

```
}
```

```
.form-group {  
  margin-bottom: 15px;  
}
```

```
label {  
  display: block;  
  margin-bottom: 5px;  
  font-weight: bold;  
}
```

```
input {  
  width: 100%;  
  padding: 10px;  
  font-size: 16px;  
  box-sizing: border-box;  
  border: 1px solid #ccc;  
  border-radius: 4px;  
}
```

```
.button-group {  
  display: flex;  
  justify-content: space-between;  
  margin-top: 20px;  
}
```

```
button {  
  width: 48%;  
  padding: 10px;  
  font-size: 16px;  
  border: none;  
  border-radius: 4px;  
  background-color: #006400;  
  color: white;  
  cursor: pointer;  
}
```

```
button:hover {  
  background-color: #004d00;  
}
```

```
#result {  
  margin-top: 25px;  
  font-size: 17px;  
  font-weight: bold;  
  text-align: left;  
}
```

```
ul {  
  padding-left: 20px;  
}
```

```
</style>

</head>

<body>

  <div class="container" lang="en">

    <h1>Salary Calculator (UGX)</h1>

    <form id="salaryForm">

      <div class="form-group">

        <label for="totalSalary">Total Salary (UGX)</label>

        <input type="number" id="totalSalary" placeholder="Enter your total salary" required>

      </div>

      <div class="form-group">

        <label for="totalWorkingDays">Total Working Days in Month</label>

        <input type="number" id="totalWorkingDays" placeholder="Enter total working days in month" required>

      </div>

      <div class="form-group">

        <label for="totalWorkedDays">Total Worked Days</label>

        <input type="number" id="totalWorkedDays" placeholder="Enter total worked days" required>

      </div>

      <div class="form-group">

        <label for="weekOff">Week Offs</label>

        <input type="number" id="weekOff" placeholder="Enter number of week offs" required>

      </div>

      <div class="form-group">

        <label for="paidLeave">Paid Leave</label>
```

```
<input type="number" id="paidLeave" placeholder="Enter paid leave days" required>
</div>
<div class="form-group">
  <label for="casualLeave">Casual Leave</label>
  <input type="number" id="casualLeave" placeholder="Enter casual leave days"
required>
</div>
<div class="form-group">
  <label for="noPay">No Pay Leave</label>
  <input type="number" id="noPay" placeholder="Enter no-pay leave days" required>
</div>
<div class="form-group">
  <label for="doublePay">Double Pay (Overtime)</label>
  <input type="number" id="doublePay" placeholder="Enter overtime (double pay) days"
required>
</div>
<div class="form-group">
  <label for="lateMinutes">Late Minutes (Deduction)</label>
  <input type="number" id="lateMinutes" placeholder="Enter late minutes (if any)"
required>
</div>
<div class="button-group">
  <button type="button" onclick="calculateSalary()">Calculate</button>
  <button type="reset">Reset</button>
</div>
</form>
<div id="result"></div>
```

</div>

<script>

```
function calculateSalary() {  
    const totalSalary = parseFloat(document.getElementById('totalSalary').value);  
    const totalWorkingDays =  
    parseInt(document.getElementById('totalWorkingDays').value);  
    const totalWorkedDays =  
    parseInt(document.getElementById('totalWorkedDays').value);  
    const weekOff = parseInt(document.getElementById('weekOff').value);  
    const paidLeave = parseInt(document.getElementById('paidLeave').value);  
    const casualLeave = parseInt(document.getElementById('casualLeave').value);  
    const noPay = parseInt(document.getElementById('noPay').value);  
    const doublePay = parseInt(document.getElementById('doublePay').value);  
    const lateMinutes = parseInt(document.getElementById('lateMinutes').value);  
  
    if (  
        isNaN(totalSalary) || totalSalary <= 0 ||  
        isNaN(totalWorkingDays) || totalWorkingDays <= 0 ||  
        isNaN(totalWorkedDays) || totalWorkedDays < 0 ||  
        isNaN(weekOff) || weekOff < 0 ||  
        isNaN(paidLeave) || paidLeave < 0 ||  
        isNaN(casualLeave) || casualLeave < 0 ||  
        isNaN(noPay) || noPay < 0 ||  
        isNaN(doublePay) || doublePay < 0 ||  
        isNaN(lateMinutes) || lateMinutes < 0  
    ){
```

```
    alert("Please enter valid numbers.");  
    return;  
}
```

```
const dailySalary = totalSalary / totalWorkingDays;  
const noPayDeduction = dailySalary * noPay;  
const casualLeavePay = dailySalary * casualLeave;  
const weekOffPay = dailySalary * weekOff;  
const paidLeavePay = dailySalary * paidLeave;  
const lateMinutesDeduction = (lateMinutes / 540) * dailySalary;  
const doublePayAddition = dailySalary * doublePay;
```

```
const finalSalary = (totalWorkedDays * dailySalary)  
- noPayDeduction  
- lateMinutesDeduction  
+ doublePayAddition  
+ weekOffPay  
+ paidLeavePay  
+ casualLeavePay;
```

```
document.getElementById('result').innerHTML = `  
    <p>Final Salary: <strong>UGX ${finalSalary.toFixed(2)}</strong></p>  
    <p>Salary Breakdown:</p>  
    <ul>  
        <li>Daily Salary: UGX ${dailySalary.toFixed(2)}</li>  
        <li>Week Off Pay: +UGX ${weekOffPay.toFixed(2)}</li>
```

```
<li>Paid Leave Pay: +UGX ${paidLeavePay.toFixed(2)}</li>
<li>Casual Leave Pay: +UGX ${casualLeavePay.toFixed(2)}</li>
<li>No Pay Deduction: -UGX ${noPayDeduction.toFixed(2)}</li>
<li>Late Minutes Deduction: -UGX ${lateMinutesDeduction.toFixed(2)}</li>
<li>Double Pay Addition: +UGX ${doublePayAddition.toFixed(2)}</li>
</ul>
`;
}
</script>
</body>
</html>
```