•	Versi	on N	0.		F	ROLI	NUI	MBE	R		JERMEDIATE AND SE
											BOARD OF
0	0	0	0	0	0	0	0	0	0	0	a rua a a a a a a a a a a a a a a a a a
(1)	(1)	(1)	$\begin{pmatrix} 1 \\ 2 \end{pmatrix}$	(1)	(1)	(1)	(1)	(1)	(1)	(1)	SLAMABAD
2 3 4 5 6 7 8 9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	3	(3)	(2)	Answer Sheet No
4	$\overbrace{4}$	4	4	4	4	4	4	4	_	4	
(5)	(5) (6)	(5) (6)	(5) (6)	(5) (6)	(5) (6)	(5) (6)	56	(5) (6) (7)	(4) (5) (6) (7)	(5) (6)	Sign. of Candidate
(7)	(7)	(7)	(7)	(7)	(7)	(7)	7	(7)	(7)	(7)	Sign. or Candidate
8	8	8	8	8	8	8	8	8	8	8	Sign. of Invigilator
9	9	9	9	9	9	9	9	9	9	9	
			CON	IPUTE	R S	CIE	NCI	e HS	SSC-	_I (2¹	nd Set Solution)
			COIV							ks 15)	set solution)
					1	Time	allow	ed: 2	0 Mi	nutes	
Secti	on –	A is	comp	ulsorv. Al	l part	ts of t	this se	ection	are	to be a	answered on this page and handed
			_	•	-						allowed. Do not use lead pencil.
Q.1	Fil	l the	relev	ant hubb	le for	· each	nart	Eac	h na	rt cari	ries one mark.
V.1	(1)			n pointing			_		_		
	(1)		A.	Touch P		JC 18 J	opui	ai wii))	B.	Trackball
			C.	Touch S	creer	1		Ğ		D.	Light Pen
	(2)		Which	n device re	eads t	he in	forma	tion (of ow	ner fro	om Credit Card?
	()		A.	Bar Cod				C)	В.	Magnetic Card Reader
			C.	Optical 3	Scanı	ner		C)	D.	Handheld Scanner
	(3)		What	is the full	form	of W	AP?				
	, ,		A.	Wireless				C)	B.	Wireless Access Protocol
			C.	Wireless	s Acc	ess P	lane	C)	D.	Wireless Access Portion ()
	(4)		Which	one of th	ne fol	lowin	g Ort	oits is	at th	e dista	ance of 22,000 miles from the
				e of the E	arth?				_		1 TO 0
			A. C.	GEO LEO)	B. D.	MEO ()
			C.	LEO)	D.	THEO C
	(5)						g is a	n exa	mple	of On	ne-to-Many relationship?
			A.	Class →			\ T	a l a a			Q
			В. С.	College College				cner			
			D.	Country		-					Ŏ
	(6)		Which	n davisa u	00 0 0	indle	to hai	ld tha	dielz	(c)2	
	(6)		Willer A.	n device u Compac	-		to 110.	10 HB)	(s)? B.	Floppy Disk
			C.	Hard Di		-				D.	DRAM O

(7)

A.

C.

RAM

ROM

Which device have instructions to load operating system from hard disk to RAM?

B.

D.

Cache

Register

(8)	which theoretical foundation of a data base determines that how data is stored, organized, and manipulated?									
	A.	Database Model		B.	Database Structure	\bigcirc				
	C.	Database Design	Ö	D.	Database Architecture	Ŏ				
(9)	Whic	h component generates a	signal to e	xecute ar	n instruction?					
	A.	ALU	\circ	B.	Decoder	\circ				
	C.	Cache	\circ	D.	Timing & Control Logic					
(10)	Whic	h one of the following is u	ıni-directio	onal bus	?					
	A.	Data	\circ	B.	Network	\circ				
	C.	Address		D.	System	Ō				
(11)	Whic	h one of the following is I	Data Trans	fer Instr	uction?					
	A.	STORE		B.	LOOP	\circ				
	C.	SHIFT	\circ	D.	JMP	0				
(12)	For w	hich purpose Class C is u	sed?							
	A.	Small size network		B.	Multicasting	\circ				
	C.	Large size network	\circ	D.	Broadcasting	0				
(13)		h one of the following Ne s similar or different netw		ices is us	sed to forward data packets					
	A.	Server	\circ	B.	Router					
	C.	Modem	0	D.	Gateway	0				
(14)	Whic	h datatype is most suitable	e for storin	ng addres	ss of Employee?					
	A.	Short Text	\circ	B.	Long Text					
	C.	Yes/No	\circ	D.	Date/Time	\circ				
(15)	Whic	h one of the following por	rt is Not re	placed b	y USB port?					
	A.	Serial	\circ	В.	Firewire					
	C.	Parallel	Ŏ	D.	PS/2	0				



Federal Board HSSC-I Examination Computer Science Model Question Paper (Curriculum 2009)

Time allowed: 2.40 hours Total Marks: 60

Note: Answer any twelve parts from Section 'B' and attempt any three questions from Section 'C' on the separately provided answer book. Write your answers neatly and legibly.

SECTION – B (Marks 36)

- Q.2 Attempt any TWELVE parts from the following. All parts carry equal marks. $(12\times3=36)$
 - i. Why **LCD** is better than **CRT** monitors? Justify your answer with three reasons.

Ans. LCD (Liquid crystal display) is much better and more commonly used now-adays because of the following reasons:

- It produces sharper and **better image** as compared to CRT monitors.
- It consumes less power.
- It emits **less radiation** as compared to CRT monitors.
- It weighs less.
- ii. Write down one example of each Productivity Software, Open-Source Software and Device Driver.
- Ans. **Productivity Software:** Word-processing, Spreadsheet

Open-Source Software: LINUX, Firefox **Device Driver:** Printer driver, Mouse driver


- iii. Which pointing device is available in laptop? How it differs from a mouse? Give two reasons.
- Ans. **Touchpad** is a pointing device used as an alternate of mouse in laptop.

It differs from the mouse in the following ways:

- 1) It is a **flat pressure sensitive surface** whereas a mouse is not flat and pressure sensitive.
- 2) Pointer movement is controlled by **sliding fingertip** on it. In mouse, movement is controlled by dragging mouse on surface.
- iv. What are the two basic components of CPU? Illustrate with diagram.
- Ans. The two basic components of the CPU are **ALU** (**Arithmetic and Logic Unit**) and **CU** (**Control Unit**).

ALU: It is the part of CPU where actual programming takes place.

CU: It controls and coordinate the activities of the entire computer system.



- v. What is Memory Word? How size of Memory word affects the speed of computer?
- Ans. The **smallest size of data** processed by the CPU is called memory word. It is number of bits transferred during read or write operation. So, larger the size of memory word, means the more bits transferred or processed at one time and it will increase the speed of computer.
- vi. Write down the purpose of **EPROM** and **EEPROM**.

needs special equipment for reprogramming.

- Ans. EPROM: It stands for Electrically EPROM. No need to remove it from the computer for reprogramming. It can be reprogrammed many times using electric current. It needs special software for programming.
 EEPROM: It stands for Erasable PROM. It must be removed from the computer for reprogramming. It can be reprogrammed many times using ultraviolet rays. It
- vii. Which port is **plug and play?** Why is it called plug and play? Give two reasons.
- Ans. **USB port** is a plug n' play port, and the mostly used port in a computer. It is called a plug and play port because it automatically detects what type of device is attached to a computer. After detecting it automatically installs the driver for it. Hence, as the name suggests you can plug in a device in this port and start using it without having to install its driver.
- viii. Write down the functions of **Memory Address Register** and **Program Counter**? How are they linked?

Ans. **MEMORY ADDRESS REGISTER:**

• It holds the address of a **memory location being accessed** by the CPU during read/write operation.

PROGRAM COUNTER:

- It holds the address of the **next instruction** to be fetched from the memory.
- After fetching an instruction, the value of program counter is incremented by one point.

LINK BETWEEN MAR & PC:

- The content of program counter is loaded into the memory address register.
- ix. Complete the following grid according to the criteria given.

Criteria	OSI	TCP/IP
Developed by		
No of Layers		
Model Type		

Ans.

Criteria		OSI	TCP/IP		
Developed by	ISO	(International	US	Department	of
	Standard Organization)		Defense (DoD)		
No of Layers	Seven		Fou	r	
Model Type	Theoretical/reference		Implementation		of
	Model		OSI		

x. Write down any three differences between **CISC** and **RISC**.

Ans. (any three valid points)

CISC ARCHITECTURE	RISC ARCHITECTURE
•	It utilizes only one cycle to execute an instruction.
It reduces the length of the code.	It increases the length of the code.
It requires little RAM to store instruction.	It requires more RAM to store instruction.
Its execution speed is slow.	Its execution speed is fast.
It has complex instruction architecture.	It has simple instruction architecture.
It is used in computers.	It is used in laptops, mobiles phones, tablets etc.

xi. Write down three applications of Virtual Private Network?

Ans. Applications are:

- It is used in offices or universities for video conferencing.
- It is used in different departments for data (in any form) sharing.
- It is used by employees of an organization for secure and remote access to private network.

xii. What are three components required for **Mobile Communication Network**.

Ans. (any three valid components)

- 1. Mobile Phone: It is a device that allows us to make or receive calls over a cellular network.
- 2. Base Station: It is responsible for handling traffic and signaling between mobile phones.
- 3. Switching Node: It carries out switching and mobility functions.
- 4. Landline Telephone Network: It is wired PSTN that provide communication between mobile phone and telephone.

xiii. What is Wireless Network? Give one advantage and one disadvantage.

Ans.

It is a network in which nodes are connected wirelessly using any wireless technology like Wi-Fi, Bluetooth etc.


(any one valid advantage/disadvantage)

Advantage: Easily add users without changing the physical connections

Disadvantage: Its speed is slower than wired network.

xiv. In an organization, an employee assigned a single login and he work under only one department. Draw ER diagram of given scenario.


Ans.



xv. Determine the type of database language by the commands given of each type:



Ans.



xvi. Select the suitable datatypes for respective fields.

Book Id	Book Title	Publish Date	Available	Price	Remarks
3625	Network	26-Feb-2018	Yes	800\$	Book covers
	Fundamentals				the topics
3626	Oracle SQL	16-June-2005	No	900\$	Book covers
					the topics
3627	Introduction	12-Dec-2011	Yes	745\$	Book covers
	to Computer				the topics

Ans. Book_Id: Autonumber/Number

Book Title: Short Text Publish Date: Date/Time Available: Yes/NO

Price: Currency Remarks: Long Text

SECTION – C (Marks 24)

Note: Attempt any **THREE** questions. All questions carry equal marks. $(3 \times 8 = 24)$

Q.3 a. What is an Instruction? Briefly explain three types of instructions with example. (4)

Ans. **INSTRUCTION**

It is also called **instruction code.** It is a group of bits that instruct the computer to perform a specific task. They are stored in a continuous location and are executed in sequence.

Types:

1) DATA TRANSFER INSTRUCTION:

It is used for transferring data from one location in the computer to another location without changing the contents. It transfers data between; register & memory, register & input/output devices, register & register. **Example:** MOVE (MOV), LOAD (LD), STORE (STO)

2) DATA PROCESSING INSTRUCTION:

It is used for performing arithmetic and logic operations. It is performed on the values of Data Register and Accumulator Register. It has 3 types: **Arithmetic Instruction, Logical Instruction, Shift Instruction.**

3) PROGRAM CONTROL:

It is used to control the sequence in which statements are executed. For example: **JUMP, LOOP**

b. Read the given description carefully and complete the following grid: (4)

1	2	3
Description	Name of Storage	Category of Storage:
	Device	Primary/Secondary
Volatile memory that is used as		
cache memory and does not need		
to be recharged		
Volatile memory that uses laser		
beam to read/write data and have		
smaller and very densely packed		
bumps due to which it has largest		
storage capacity		
Non-volatile memory that uses		
electric current to rewrite data and		
work like flash memory		
Non-volatile memory in which		
data is accessed sequentially and		
mostly used for backing purpose		

Ans.

1	2	3
Description	Name of Storage Device	Category of Storage: Primary/Secondary
Volatile memory that is used as cache memory and does not need to be recharged	SRAM	Primary
Volatile memory that uses laser beam to read/write data and have smaller and very densely packed bumps due to which it has largest storage capacity	Blu Ray Disk	Secondary
Non-volatile memory that uses electric current to rewrite data and work like flash memory	EEPROM	Primary
Non-volatile memory in which data is accessed sequentially and mostly used for backing purpose	Magnetic Tape	Secondary

Q.4 Describe the following classification of computers with their applications in daily life:

i. Supercomputer

ii. Mainframe Computer

(2+2+2+2)

iii. Microcomputer

iv. Mobile Computing

Ans. i. Supercomputer

It is used to process large amount of data. It is used to process complex calculation. It is used to design and control the complicate machine i.e., rockets. It is big in size. It is very costly. It has very large memory. It has very high processing speed. **Example:** Cray-1

ii. Mainframe Computer

It is used as server computer. It can also handle large amount of data. It can handle thousands of users at the same time. It is less costly and smaller than supercomputer. It can process trillion of instructions per Second (**TIPS**). **Example:** IBM SYSTEM 360

iii. Microcomputer

It uses LSI (Large Scale Integration) or VLSI (Very Large-Scale Integration) technology. It is used in Homes, Business, Hospitals etc. It can process millions of instructions per Second (MIPS) Example: IBM ThinkPad, HP Envy Series

iv. Mobile Computing

It is a technology that uses handheld portable devices for transmission of data (text, audio, and video). These devices are wirelessly connected to a network. They run on batteries and have limited functionality. **Example**: Mobile phone (best example), PDAs, and tablets.

Q.5 Discuss the **Ring** and **Mesh** topologies, with respect to advantages and disadvantages. Illustrate with the help of diagram. (4+4)

Ans.

Ring Topology:

• In this topology, all nodes are attached in such a way that they make a closed loop. The last computer is attached to the first computer to make a ring. Each node receives data from previous computer and send to next computer. The data passed through ring until it reaches to destination.

Advantages:

- o It is simple and easy to install.
- o It is very cheap.
- It is a collision free topology.
- It is suitable for small network.

Disadvantages:


- o If ring breaks, the entire network goes down.
- It is not suitable for large network as increase the number of nodes and it will slow down the network.
- O Difficult to locate a problem if networks go down.

Mesh Topology:

• In this topology, all nodes relate to each other through direct and dedicated link. Each node sends and receives data through dedicated link.

Advantages:

- Easy to locate a problem if network goes down
- o Provide high security and privacy.
- o It is suitable for high traffic.
- o It is most reliable topology.



Disadvantages:

- o It is the most expensive topology.
- o It is difficult to maintain.
- o It is not suitable for large network.
- **Q.6** a. What is Primary Key, Foreign Key, Alternate and Candidate Key? (4)

Ans.

Primary keys:

- An attribute or set of attributes that is used to identify a record in a relation is known as primary key. It should be unique and not null.
- **Example**: A student table contains different attributes such as Roll No. Name, DOB, Address and phone. The attribute Roll No. uniquely identifies each student in the relation so it can be used as primary key.

Candidate Key:


- O An attribute or set of attributes that can be used as primary key are called candidate keys.
- **Example**: A student table contains different attributes such as Reg no, Roll No. Name, DOB, Address and phone. The attribute Reg no. and roll no. can be used to identify each student in the relation. Both attributes are known as candidate keys.

Alternate Key:

- O The candidate keys that are not selected as primary key are known as alternate keys.
- **Example**: A student table contains different attributes such as Reg no, Roll No. Name, DOB, Address and phone. The attribute Reg no. and roll no. can be used to identify each student in the relation. If Roll No. is selected as primary key, then Reg no. becomes an alternate key.

Foreign Key:

- A foreign key is an attribute or set of attributes whose values match with a primary key in another relation.
- **Example**: The Roll no. attribute in parent relation is used as primary key. Same Roll No. Attribute in Child relation is used as foreign key.
- b. Also identifies them in the following ER-diagram. Mention the cardinality and modality of given entities in the diagram. (2+2)



Ans. **Primary Key:**

Student→Student_Id
Department→Department_Id
Course→Course_Id

Candidate Key:

Student→Student_Id, CNIC


Foreign Key:

 $Department {\color{red} \rightarrow} Student_Id, Faculty_Id$

Course→Student_Id, Department_Id

Alternate Key:

Student → CNIC



*Cardinality \rightarrow C Modality \rightarrow M

* * * * *

NOTE: This is suggested (proposed) solution to the questions given in SECTION-B and C. Students can write any valid alternate answers.