WILDLIFE MANAGEMENT

1.------is the place where an organism or community lives.
Ans : Habitat

2 ----------is a broader concept, over which a wildlife manager can have no control, viz., land use patterns, composition of air and velocity of wind.
Ans : Macrohabitat

3---------- pertains to the various on site factors like trees, landscape, thickets and similar features which affect wildlife populations.
Ans : Microhabitat

4. A wildlife habitat has four basic components viz.
Ans Food, cover, water and space

5. The term means vegetative or other shelters for wildlife.
Ans Cover

6. Animals belonging to desert depend on water.
Ans : Succulent vegetation or metabolic

7 is the living medium of the habitat in a wetland.
Ans : Water

8 can be defined as the functional status of an organism in an ecosystem or the role played by a species in its natural habitat.
Ans: Niche

9 ----------is the period during which the limiting factors are most active.
Ans: Pinch period

10. A is that factor which restricts the growth of an animal population, when all other factors are favourable.
Ans : Limiting factor

11. The non-availability of in a habitat may become limiting for a population.
Ans : Food, water, mates or any welfare factor

12. The usual pinch period in a tropical wildlife habitat is the during which food and water are scarce in the habitat.
Ans : Dry or lean summer season

13. Any event or activity which affects the quality of a habitat, by modifying it, is known as a
Ans : Qualifier

14 may be biotic, phenological or climatic in nature.
Ans : Qualifiers

15 qualifiers include appearance of new leaves, leaf fall, flowering and fruiting.
Ans Phenological

16. Similar niches may exist in different regions or communities and these niches may be occupied by organisms which show similar, but not identical, habits, adjustments or adaptations. It is called as
Ans Ecological equivalents

17. Ecologically equivalent species may not show taxonomic relationship. Thus the mountain lion of North America and the African lion can be considered as equivalents.
Ans : Territory or home-range

18. The extent of an animal movement is considered outer boundary of a circle; half of this is treated as diameter to express the
Ans : Cruising radius

19, An is the place of contact between plant communities or successional stages or vegetative conditions.
Ans : Edge

20. The area which is influenced by the transition between the communities or stages is called as an
Ans : Ecotone

21 and are comparatively richer in wild animals than the adjoining areas, and hence they are *of* much importance in wildlife management.
Ans Ecotones, edges

22. Ecologically is related to stability.
Ans : Diversity

23. The induced and inherent edges reflect the in an area.
Ans : Total diversity

24 , in 1975, indicated that the amount of an edge can be expressed as an index for a given area.
Ans : Patton

25. Information about the number of plants and animal species, their frequency of occurrence is required for
Ans: Standard diversity indexes

26. For practical purposes can be used as an indicator or index of diversity.
Ans : Edge

27. In forest land management, a can be used to indicate the habitat diversity, for evaluating management alternatives with respect to the immediate and long term effects on diversity.
Ans : Diversity index

28 means a standing dead tree, which is devoid of leaves and branches.
Ans : Snag -

29. Snags can be classified as or
Ans : Hard, Soft

30 are usually marketable and they are free from decay.
Ans: Hard snags

31 show stages of deterioration.
Ans: Soft snags

32. Snags are extremely important in , since they are used by many wild animals in their day-to-day activity.
Ans : Wildlife management

33. Many species of fungi, mosses and lichens use as a substratum for growth; invertebrates usually use the spaces, which are present in between the bark and timber, as a habitat.
Mis : Decayed wood

34. Certain entities, created for management, such as water holes, salt licks, machans, observation blinds, camping grounds and patches of vegetation planted for wildlife can be seen as on a map.
Ans : Points

35 are considered as special places for wildlife and their value varies with season.
Mis : Coverts

36 is the measure of the proximity of different habitat units
Ans : Juxtaposition

37 is a measure of system relations and it means the intermixthg of units pertaining to different habitat types.
Ans : Interspersion

38 is also called as plant succession or ecological succession which refer5 to predicUibic change in the species composition of a plant community over a period of time.
Ans : Biotic succession

39. The various stages in this process are called as
Ans SeraL Stages

40 is the succession which takes place on an exposed site for the first time.
Ans : Primary succession

41 The succession which takes place after disturbances, such as fires or storms, is known as the
Ans : Secondary Succession

42 is rather quick when compared to the primary one, because the soil conditions and the seed availability are more favourable.
Ans : Secondary succession

43 and are present on exposed riverain belts, during the initial stages of riverain succession in the gangetic plains, which result in sal forests.
Ans *: Saccharuin munja, Tamarix dioca*

44 means the number of conspecific animals which a given area can support.
Ans : Carrying capacity

45, Term for denoting the maximum limit (carrying capacity), beyond which a particular population cannot increase in a given habitat.
Ans ‘K’

46 means a report of the characteristics of a given habitat. It includes an appraisal of the

quality of the biomass within the habitat.
Ans Habitat analysis

47 means the invisible water vapour present in the air.
Ans : Humidity

48 percentage is the amount as percentage of the maximum quantity that the air can hold at the prevailing temperature.
Ans : Relative humidity

49 has the capacity to hold more water vapour when compared to cold one.
Ans : Warm air

50. Relative humidity is measured by an instrument which is known as
Ans : Psychrometer

51. Light is usually measured in using a lux meter.
Ans : Lux (Unit)

52. Heat energy is measured in
Ans Calories

53, Wind tremendously alters the micro-climate of an area; its direction and velocity can be measured by
Ans Anemometer

54 includes aspect, slope, altitude and drainage.
Ans Topography

55. Altitude and influence rainfall, temperature solar radiation, wind, humidity, geology and also soil.
Ans : Aspect

56. Fire is a very important factor and forest fires have a tremendous influence on the components of a habitat.
Ans Faunal and Floral

57 destroys the organic matter, which contributes to the humus content of the substratum; this may cause deterioration of the soil.
Ans Fire

58. The measurement of a particular attribute of a wild animal, to draw inference about the existing conditions of the habitat as well as the animal are known as
Ans : Physiological Indices or Condition Indices

59. The simple technique devised by is adequate for the measurement of edge.
Ans : Patton (1975)

60 give us an indication of the habitat conditions, with respect to the wild herbivores

population present in the area.
Ans Indicator species

61 Some herbivores prefer to feed on certain plants or grasses, and these are known as in comparison to others.
Ans : Preferred or Staple Food

62 is crucial for assessing the natural richness, biological value and the uniqueness of a particular area.
Ans : Species diversity

63. The number of species present within a particular group, as found in a sample is known as
Ans : Species Richness

64. The distribution of the species and the differences in the diversity of the communities are called
Ans : Species Evenness

65. The United States Fish and Wildlife Service has developed , for use in project planning and environmental assessment.
Ans : Habitat Evaluation Procedures

66. Habitat evaluation procedures are based on the assumption, that the habitat suitability for wildlife can be ascertained from the measurement of of a landscape.
Ans : Physical Characteristics

67 are designed to assess three parameters viz., baseline habitat quality, habitat quantity and temporal changes in habitat quality and quantity.
Ans : Habitat evaluation procedures

68. The suitability of a vegetative cover type, for selected animal species, can be numerically characterized by determining the degree to which the life requisites are provided. The numerical value is termed as the
Ans : Habitat Suitability Index (His)

69. Habitat Suitability Index varies from
Ans : 0.0 to 1.0

70. are important tools for habitat evaluation.
Ans : Remote sensing and high altitude photography

71. In high altitude photography are usually used for finding differences in the reflectivity between various types of vegetation; it can also give information regarding the weather conditions.
Ans : lnfra And Red Films

72. The is a powerful tool for evaluating wildlife habitats. It combines several variables spatially on maps. The aerial photographs and satellite imageries are extremely useful ior this
Ans : Geographic Information System (Gis)

73 can be taken as an important tool, which can set back the process of succession, on a large scale. in a terrestrial habitat.
Ans : Fire

74. Succession, in nature, is a , and may involve many years or even centuries,
Ans : Very Slow Process

75 have a sound legal status; they are created exclusively for the conservation of wildlife in their natural environment.
Ans National parks

76 are not allowed inside national parks, and grazing or forestry operations are prohibited.
Ans : Human settlements

77 also have sound legal status with a strong, but not exclusive, wildlife oriented management.
Ans : Sanctuaries

78. The is restricted and subordinated to the requirements of wildlife in sanctuaries.
Ans: Grazing

79, The status of a sanctuary can always be elevated to that of a
Ans : National Park

80 in a national park is a concept which was introduced for allowing tourism, so as to achieve the twin objectives of nature conservation and tourism development.
Ans : Zoning and buffering

81. During the , the commission agreed that the areas which are to be designated as national parks should include areas designated as strict natural zones, managed natural zones and wilderness zones.
Ans : 11th general assembly of the IUCN at Banff

82 has classified two types of buffering for the development of conservation buffer zones and enclaves in Indonesia, viz.,
Ans: Mackinnon (1982)

83 is an extension of the nature reserve, where the spillover of the total breeding populations of both plant and animal species can establish, after exceeding the limits of the reserve boundaries.
Ans : Extension buffering

84. Protection forests, recreation forests and forestry areas under selection felling are

examples of such
Ans : Extension Buffering

85 is used for the benefit of local people to provide various products derived from the forests which were formally gathered from the reserve.
Ans : Socio-buffering

86. A proper correlation between the needs of wildlife and the welfare factors available in a habitat is essential for evolving a
Ans : Management Strategy

87. Project tiger launched in , is one of our most successful conservation projects in the recent times.
Ans : 1973

88. The were freed from all sorts of human activities and the buffer areas were subjected to conservation oriented land use.
Ans : Core Areas

89. The Asiatic lion is localized in the of Gujarat.
Ans : Gir forests

90. The Government of Gujarat, in , launched the Gir lion project.
Ans : 1972

91, Gir lion project helps in the conservation of lions in their habitat, also provided for the social upliftment of the , whose cattle frequented the lion habitat.
Ans Pastoral Maldhari Tribes

92. Crocodile breeding project was undertaken from the for all the three crocodilian species found in our country, based on the advice of an FAO expert.
Ans : 1st of April 1975

93. The crocodilian population in India declined considerably due to unabated persecution of these animals for their
Ans : Skin

94. The \Vildlife Projection Act of 1972 has listed all the crocodilian species under
Ans : Schedule I

95. A broad status survey of all the three crocodilian species was done during the year as a part of FAO consultancy mission.
Ans 1974

96. The Madras snake park also published an independent survey report on gharials during
Ans : 1974

97. Objectives of a are conservation, education, research and recreation
Ans: Modern Zoo

98 helpthe animal to feel secure in a well designed cage, especially when it finds the human beings at a close distance.
Ans : Barriers

99. Chemical immobilization was first tried in South Africa in *1953* using , a dervatve of nicotine.
Ans : Succinly Choline

100. Two categories of drugs are Peripherally acting drugs and Centrally acting.
Ans : Chemical immobilization

101. Peripherally acting drugs act on
Ans : Peripheral Nervous System

102. Centrally acting drugs act on
Ans : Central Nervous System

103 helps to locate the position of a radio-collared or darted animal
Ans : Bio-Telemetry

104 helps in studying social behaviour, breeding behaviour, predator-prey relationships and daily activity of the animal
Ans : Bio-Telemetry

105 has many electronic components apart from the antenna and battery. Battery provides energy and antenna propagates the signals over long distances.
Ans : Transmitter

106 receives the signals sent by the transmitter.
Ans : Receiver

107 for receiving the signals.
Ans Antenna

108. Age and is important to know the structure and status of a population with respect to habitat, health and behaviour.
Ans : Sex Determination

109, Ageing and are essential for population modeling and physiological assessment.
Ans : Sexing

110 Continuous — Investigations are done with respect to teeth annuli and changes in the eye lens, horn rings and bone annuli
Ans : Morphological Development

111 In growth maturation studies, epiphyseal closure and the baculum changers are noted
Ans : Growth Maturation

112. In the condition of teeth, change in pelage, replacement of feathers and their coloration are taken into account
Ans : Replacement & wear

113 Observations are done with respect to weight, morphology, the general consistency and hardness of bones
Ans : General Development

114. In The development of primary and secondary sex organs is noted in birds; in some, the development of baculum is noted and the diameter of penis and the length of testes are observed.
Ans : Sexual Maturation

115. The concept of associates the occurrence of a certain disease with the existing landscape.
Ans Landscape Epidemiology

116. Landscape epidemiology was enunciated by a Russian scientist
Ans : Paviosky, in 1938

117. According to , certain organisms which are typical for a given landscape, maintain and spread certain disease in that area, due to which the disease can be identified with the given landscape.
Ans : Paviosky

118. Wildlife protection act was enacted during
Ans : 1972

119. The project tiger was launched in the year
Ans : 1973

120. India's First Forest Policy was enunciated during
Ans : 1894

121. First Indian Forest Act was drafted in the year
Ans : 1865

122. Wildlife protection act of 1972 was amended during the year
Ans : 1991

123. Forest Conservation Act was enacted during
Ans : 1980

124. The last forest policy was formulated during the year
Ans : 1988

125 in Kerala celebrates its 25th year of declaration as a national park in 2010.
Ans : Silent Valley National Park

126. Indravati national park is situated on the banks of river
Ans : Indravati

127, Where is the head quarters of International Union for Conservation of Nature and natural resources located?
Ans Geneva

128. Amravathi Reservoir is located in which national park in India?
Ans : Indira Gandhi Wildlife sanctuary and National park

129. Where is the secretariat office of birdlife international?
Ans : Cambridge UK

130. The term 'Biodiversity' was coined by
Ans : Edward Wilson

131. Cite two examples of Indian endangered species.
Ans : Great Indian Buster and Kashmir stag.

132. What for the abbreviation ZSI and IBWL stand?
Ans Zoological survey of India, Indian Board of Wild Life.

133. Which animals are captured in large numbers for pet trade?
Ans : Parrots & Love birds.

134. Where is the one-horned Rhinoceros preserved?
Ans Kaziranga sanctuary in Assam

135. How many projects are engaged in Tiger Protection?
Ans : 21

136. Who coined the term Wildlife?
Ans : William Hornday

137. What is wild life symbol Of WWF?
Ans : Giant Panda

138. The most serious threat to the wild life is
Ans : Destruction of habitats.

139. Which animal from India become extinct due to excess hunting?
Ans Cheeta, *Acinomyxjubatus* (1950)

140. Name three categories of threatened species.
Ans : Endangered, vulnerable and rare species.

141. Give the full form of IUCN.
Ans : International Union for Conservation of Nature and Natural resources.

142. When does the wild life week is celebrated in India?
Ans : First week of October.

143. Which sanctuary is called an oasis of water birds?
Ans Chilka lake bird santuary, Orrisa.

144. Name the zoo famous for white tiger.
Ans : Nandankanan zoo, Orrisa

145. Name of three zones of biospere reserves are
Ans : Core, buffer and manipulation

146. Which organisms are mostly affected by cleanliness measures?
Ans : Scavengars.

147. Which day is celebrated as World Environment Day?
Ans : 5th June.

148. First biosphere reserve set up in India?
Ans : Nilgiris (1968)

149. Name a flying mammal.
Ans: Bat.

150. How do whales breath?
Ans : Through their blowhole

151. How many eyes does a spider normally have?
Ans 8.

152. What is the largest bird?
Ans : Ostrich

153. is a platypus a mammal?
Ans: Yes

154. How fast can a hummingbird fly?
Ans: Up to 60 miles per hour

155. Is a black panther a leopard?
Ans : Yes

156. What is a group of lions called?
Ans : Pride.

157. What do jellyfish like to eat?
Ans : Zooplankton.

158. In which state Periyar wildlife sanctuary is located?
Ans : Kerala

159. Ictheologists is the study of
Ans Fish

160. On oometer measures what?
Ans: Birds Eggs

161. The Latin name for black buck is
Ans *: Antilope cervicarpa*

162. Corbet National Park is located in
Ans : Uttranchal

163. The floating national park is situated in the state of
Ans: Manipur

164. The Latin name for lion tailed macaque is
Ans *: Macaca silenus*

165. The Keoiadeo Ghana Naitonal Park is situated in the state of
Ans : Rajasthan

166. Award given for wildlife conservation in India
Ans : Amrita Dcvi Blshnoi Award

167. National Biodiversity Board is situated at
Ans : New Delhi

168. Study of snakes
Ans: Herpetology

169. Study of Butterflies is
Ans : Lepidopterology

170. Life span of Tiger
Ans : 15 Years

171. Bird Man of India
Ans : Dr.Salim All

172. Group of wild Dogs called
Ans : Pack

173. The process of estimating the number of tigers in a given area is called
Ans : *Tiger census*

,
174. Name the endangered animal which is protected in Rajamalai National Park
Ans : NilgiriTahr

175. Animals and plants are best protected in
Ans : National Parks

176. Many wild plant and animals are on the verge of extinction due to
Ans : Habitat destruction

177 is one of the most endangered species of Indian birds
Ans : The great Indian bustard

178. Black Buck is a
Ans : Deer

179. The only ape found in India is
Ans Hoolock gibbon

180. The only known breeding colony of the greater and lesser Flamingos in our country is seen in desert
Ans : The Great Rann of Kutch

181. The one-horned Rhinoceros is now restricted to state only?
Ans : Assam

182. Asiatic lion is found only in
Ans : Gir Forest

183 is a marine tortoise which shows the unique phenomenon ‘arribada’
Ans: Olive Ridley

184 Snow leopard is found in National Park
Ans : The Great Himalayan

185 Point Calimere sanctuary is situated in state
Ans Tamil Nadu

186 In year Silent Valley was declared as National Park
Ans : 1984

187. Flag ship species of Choolannur sanctuary is
Ans: Peacock

188, Herpetology is a branch of Science which deals with
Ans : Reptiles

189. Agastyamalai Biosphere reserve is in state
Ans : Thiruvananthapuram (Kerala)

190 is the largest animal rights organization in the world
Ans : People for the Ethical Treatment of Animals (PETA)

191. A mono-specific population is formed of how many species
Ans One

192. There are zoo-geographical regions in the world
Mis six

193 Population growth pattern is expressed either by growth curves
Ans: S-shaped or i-shaped

194 categorized species into Endangered. Vulnerable, Rare etc.
Ans : IIJCN

195 is the estimation of the abundance of animals and plants
Ans : Survey

196 shaped age pyramid indicates for stable population
Ans : Bell

197 A corridor is of lands
Ans : Narrow passage

198 is the intentional or accidental dispersal of an organism outside its historical and present

distribution range
Ans : Introduction

199. The breeding place of Flamingo (Hansawar) in India is most likely is
Ans : Chilka lake (Odisha)

200. Indri-indri lemur is found in
Ans : Madagaskar