



# PNEUMATIC IMPACT WRENCHES

## 3/8" SQUARE DRIVE



<b>Model No.</b>	<b>PPIW-103</b>
SQUARE DRIVE	3/8"
BOLT CAPACITY	12.7 mm
AVG. AIR CONS.	2.8 CFM
AIR INLET / HOSE SIZE	1/4" / 3/8"
AIR PRESSURE	90 PSI
MAX. TORQUE	325 N-m / 240 ft-lbs.
FREE SPEED	10,000 RPM
NEW WEIGHT	1.5 kgs
LENGTH	155 mm
LENGTH OF ANVIL	Std.
MECHANISM	Pin Clutch, Metal Body



<b>Model No.</b>	<b>PPIW-105</b>
SQUARE DRIVE	3/8"
MAX. TORQUE	432 N-m / 320 ft-lbs.
FREE SPEED	11,000 RPM
NEW WEIGHT	1.6 kgs
LENGTH OF ANVIL	Std.
MECHANISM	Rocking Dog, Butterfly

## PPIW SERIES

## 1/2" SQUARE DRIVE



<b>Model No.</b>	<b>PPIW-131</b>
SQUARE DRIVE	1/2"
BOLT CAPACITY	19 mm
AVG. AIR CONS.	10.2 CFM
AIR INLET / HOSE SIZE	1/4" / 3/8"
AIR PRESSURE	90 PSI
MAX. TORQUE	1,357 N-m / 1,000 ft-lbs.
FREE SPEED	7,500 RPM
NEW WEIGHT	2 kgs
LENGTH	193 mm
LENGTH OF ANVIL	STD
MECHANISM	Super Hammer, Composite Body



<b>Model No.</b>	<b>PPIW-135</b>
SQUARE DRIVE	1/2"
BOLT CAPACITY	19 mm
AVG. AIR CONS.	4.4 CFM
AIR INLET / HOSE SIZE	1/4" / 3/8"
AIR PRESSURE	90 PSI
MAX. TORQUE	891 Nm / 660 ft-lb
FREE SPEED	9,500 rpm
NEW WEIGHT	2.4 kg
LENGTH	190 mm
LENGTH OF ANVIL	Std.
MECHANISM	Twin Hammer, Composite Body



# PNEUMATIC IMPACT WRENCHES

**PPIW SERIES**

## 3/4" SQUARE DRIVE



<b>Model No.</b>	<b>PPIW-201</b>
SQUARE DRIVE	3/4"
BOLT CAPACITY	32 mm
AVG. AIR CONS.	9.5 CFM
AIR INLET / HOSE SIZE	3/8" / 3/8"
AIR PRESSURE	90 PSI
MAX. TORQUE	1,900 N-m / 1,400 ft-lbs.
FREE SPEED	5,000 RPM
NEW WEIGHT	3.4 kgs
LENGTH	229 mm
LENGTH OF ANVIL	STD.
MECHANISM	Super Hammer, Composite Body



<b>Model No.</b>	<b>PPIW-204</b>
SQUARE DRIVE	3/4"
BOLT CAPACITY	32 mm
AVG. AIR CONS.	8 CFM
AIR INLET / HOSE SIZE	3/8" / 3/8"
AIR PRESSURE	90 PSI
MAX. TORQUE	1,696 N-m / 1,250 ft-lbs.
FREE SPEED	5,000 RPM
NEW WEIGHT	4.4 kgs
LENGTH	216 mm
LENGTH OF ANVIL	STD
MECHANISM	Super Hammer, Metal Body



<b>Model No.</b>	<b>PPIW-205L</b>
SQUARE DRIVE	3/4"
BOLT CAPACITY	32 mm
AVG. AIR CONS.	9.5 CFM
AIR INLET / HOSE SIZE	3/8" / 3/8"
AIR PRESSURE	90 PSI
MAX. TORQUE	1,900 N-m / 1,400 ft-lbs.
FREE SPEED	5,000 RPM
NEW WEIGHT	4.6 kgs
LENGTH	330 mm
LENGTH OF ANVIL	6".
MECHANISM	Super Hammer, Composite Body

## 1" SQUARE DRIVE



<b>Model No.</b>	<b>PPIW-261</b>
SQUARE DRIVE	1"
BOLT CAPACITY	45 mm
AVG. AIR CONS.	14.5 CFM
AIR INLET / HOSE SIZE	1/2" / 1/2"
AIR PRESSURE	90-115. PSI
MAX. TORQUE	2,443 N-m / 1,800 ft-lbs.
FREE SPEED	4,000 RPM
NEW WEIGHT	7.2 Kgs.
LENGTH	251 mm
LENGTH OF ANVIL	STD
MECHANISM	Super Hammer, Composite Body

# PNEUMATIC IMPACT WRENCHES



Model No.	PPIW-263
SQUARE DRIVE	1"
BOLT CAPACITY	41 mm
AVG. AIR CONS.	11 CFM
AIR INLET / HOSE SIZE	1/2" / 1/2"
AIR PRESSURE	90-115 PSI
MAX. TORQUE	2,714 N·m / 2,000 ft-lbs.
FREE SPEED	3,500 RPM
NEW WEIGHT	9.6 Kgs.
LENGTH	300 mm
LENGTH OF ANVIL	2"
MECHANISM	Twin Hammer, Metal Body

## PPIW SERIES



Model No.	PPIW-266L
SQUARE DRIVE	1"
BOLT CAPACITY	41mm
AVG. AIR CONS.	6.94CFM
AIR INLET / HOSE SIZE	1/2" / 1/2"
AIR PRESSURE	90-115PSI
MAX. TORQUE	2,712 N·m / 2,000 ft-lbs.
FREE SPEED	3300RPM
NEW WEIGHT	7.68 Kgs.
LENGTH	445mm
LENGTH OF ANVIL	6"
MECHANISM	Twin Hammer, Metal Body



Model No.	PPIW-267L
SQUARE DRIVE	1"
BOLT CAPACITY	45mm
AVG. AIR CONS.	12CFM
AIR INLET / HOSE SIZE	1/2" / 1/2"
AIR PRESSURE	90-115PSI
MAX. TORQUE	2,985 N·m / 2,200 ft-lbs.
FREE SPEED	400RPM
NEW WEIGHT	10.7 Kgs.
LENGTH	536mm
LENGTH OF ANVIL	8"
MECHANISM	Twin Hammer, Metal Body